

LUBRICATING SPECIALITIES CO -- MIL-H-17672 D GR 2135 TH,A 0960

=====

MSDS Safety Information

=====

FSC: 9150

NIIN: 00-584-2560

MSDS Date: 05/11/1993

MSDS Num: BYBYX

Product ID: MIL-H-17672 D GR 2135 TH,A 0960

MFN: 02

Responsible Party

Cage: 2X769

Name: LUBRICATING SPECIALITIES CO

Address: 8015 PARAMOUNT BLVD

City: PI

CO RIVERA CA 90660-4888

Info Phone Number: 310-928-3311, FAX 310-928-1428

Emergency Phone Number: 310-928-3311/800-424-9300(CHEMTREC)

Preparer's Name: UNKNOWN

Review Ind: Y

Published: Y

=====

Contractor Summary

=====

Cage: 8Y842

Name: LUBRICATING SPECIALTIES CO. TECHNOLUBE PRODUCTS DIV

Address: 3365 E. SLAUSON AVE

City: LOS ANGELES CA 90058

Phone: 562-776-4033; FAX:562-776-4003

Cage: 1DL10

Name:

NAUGHTON ENERGY CORP

Address: RT 940

Box: 709

City: POCONO PINES PA 18350-0709

Phone: 570-646-0422

Cage: 2X769

Name: TECHNOLUBE PRODUCT COMPANY

Address: 8015 PARAMOUNT BLVD.

City: PICO RIVERA CA 90660-4811

Phone: 562 776-4000 GEN: 562-776-4000

=====

Item Description Information

=====

Item Manager: S9G

Item Name: HYDRAULIC FLUID,PETROLEUM BASE

Specification Number: MIL-PRF-17672D

Type/Grade/Class:

ISO GRADE 68
Unit of Issue: DR
Quantitative Expression: 00000000055GL
UI Container Qty: 1
Type of Container: DRUM

=====

Ingredients

=====

Cas: 64742-54-7
RTECS #: PY8035500
Name: MINERAL OIL, PETROLEUM DISTILLATES, HYDROTREATED (MILD), HEAVY PARAFFINIC
% Wt: <99
Other REC Limits: NONE RECOMMENDED
OSHA PEL: 5 MG/M3 (OIL MIST)
ACGIH TLV: 5 MG/M3 (OIL MIST)

=====

=====

Health Hazards Data

=====

LD50 LC50 Mixture: TLV FOR OIL MIST IS 5 MG/M3.
Route Of Entry Inds - Inhalation: NO
Skin: NO
Ingestion: NO
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO
Effects of Exposure: TARGET ORGANS: EYES, SKIN, RESPIRATORY & GI TRACTS.
ACUTE- EYES/SKIN/ORAL: NOT NORMALLY EXPECTED TO CAUSE ANY ILL EFFECTS EXCEPT
IN VERY SENSITIVE INDIVIDUALS. INHALE: NO SIGNIFICANT ADVERSE HEALTH EFFECTS
ARE EXPECTED TO
OCCUR ON SHORT TERM EXPOSURE. CHRONIC- MAY CAUSE MILD SKIN
IRRITATION & INFLAMMATION.
Explanation Of Carcinogenicity: NONE
Signs And Symptoms Of Overexposure: IRRITATION, NAUSEA, VOMITING, INFLAMMATION
OF SKIN
Medical Cond Aggravated By Exposure: PERSONS WITH PRE-EXISTING SKIN DISORDERS
MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.
First Aid: GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED: REMOVE TO FRESH AIR.
PROVIDE CPR/OXYGEN IF NEEDED. EYES: FLUSH WITH WATER FOR 15 MINUTES,
HOLDING
EYELIDS OPEN. SKIN: WASH WITH SOAP & WATER. ORAL: DO NOT INDUCE VOMITING.
IF CONSCIOUS, RINSE MOUTH WITH WATER. CONSULT PHYSICIAN. IF SPONTANEOUS
VOMITING OCCURS, KEEP HEAD BELOW HIPS.

=====

Handling and Disposal

=====

Spill Release Procedures: PICK UP SPILL WITH INERT MATERIAL SUCH AS SAND, CLAY,
EARTH. SHOVEL INTO CONTAINERS FOR DISPOSAL. PREVENT RUN-OFF TO ENTER
WATERWAYS

YS, SEWERS.

Neutralizing Agent: NOT RELEVANT

Waste Disposal Methods: DISPOSE OF IN AN APPROPRIATE DISPOSAL FACILITY IN COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. INCINERATION IS RECOMMENDED.

Handling And Storage Precautions: STORE IN COOL, DRY, VENTILATED PLACE AWAY FROM STRONG OXIDIZERS. KEEP OUT OF REACH OF CHILDREN.

Other Precautions: AVOID CONTACT WITH EYES AND SKIN. WASH THOROUGHLY AFTER HANDLING. LAUNDRER CLOTHING BEFORE REUSE. AVOID INHALING MISTS. EMPTY CONTAINERS OF

THIS PRODUCT MAY BE HAZARDOUS DUE TO THE RETENTION OF RESIDUE S. DO NOT TAKE INTERNALLY.

=====

Fire and Explosion Hazard Information

=====

Flash Point Method: COC

Flash Point Text: 465F,241C

Lower Limits: UNKNOWN

Upper Limits: UNKNOWN

Extinguishing Media: WATER FOG, FOAM, DRY CHEMICAL/CARBON DIOXIDE.

Fire Fighting Procedures: DO NOT ENTER ANY ENCLOSED OR CONFINED AREA WITHOUT PROPER PROTECTIV

E EQUIPMENT & SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard: WHEN HEATED ABOVE FLASH POINT, WILL RELEASE FLAMMABLE VAPORS WHICH CAN BURN IN OPEN/BE EXPLOSIVE IN CONFINED SPACES IF EXPOSED TO IGNITION SOURCE.

=====

Control Measures

=====

Respiratory Protection: NONE NORMALLY REQUIRED. IF WORKING IN CONFINED AREAS, IF EXCESSIVE MISTING IS EXPECTED OR IF EXPOSURE MAY OR DOES EXCEED

RECOMMENDED PERMISSIBLE EXPOSURE LIMITS (PEL), WEAR NIOSH-APPROVED ORGANIC VAPO R RESPIRATOR.

Ventilation: GENERAL ROOM VENTILATION SHOULD BE SUFFICIENT.

Protective Gloves: NITRILES RECOMMENDED

Eye Protection: SAFETY GLASSES/GOGGLES RECOMMENDED

Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DISCARD CONTAMINATED LEA

THER GLOVES AND SHOES.

=====

Physical/Chemical Properties

=====

HCC: V6
NRC/State LIC No: NOT RELEVANT
B.P. Text: >572F,>300C
M.P/F.P Text: UNKNOWN
Decomp Text: UNKNOWN
Vapor Pres: <0.1 @68F
Vapor Density: >1
Spec Gravity: 0.867
Viscosity: UNKNOWN
Solubility in Water: INSOLUBLE
Appearance and Odor: YELLOW OILY LIQUID - PETROLEUM ODOR
Percent Volatiles by Volume: NIL
Corrosion Rate: UN
KNOWN

=====

Reactivity Data

=====

Stability Indicator: YES
Stability Condition To Avoid: HEATING ABOVE FLASH POINT
Materials To Avoid: STRONG OXIDIZING AGENTS
Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE
Hazardous Polymerization Indicator: NO
Conditions To Avoid Polymerization: NOT RELEVANT

=====

Toxicological Information

=====
=====

Ecological Information

=====

MSDS Transport Information

=====

Regulatory Information

=====

=====

=====

Other Information

=====

=====

Transportation Information

=====

Responsible Party Cage: 2X769
Trans ID NO: 77835
Product ID: MIL-H-17672 D GR 2135 TH,A 0960
MSDS Prepared Date: 05/11/1993
Review Date: 06/24/1998
MFN: 2
Radioactivity: NOT RELEVANT
Net Unit Weight: 398.5 LBS
AF MMAC Code: NR
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: DR
Container QTY: 1
Type Of Container: DRUM

=====

Detail DOT Information

=====

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail IMO Information

=====

IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

=====

Detail IATA Information

=====

IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail AFI Information

=====

AFI PSN Code: ZZZ
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

=====

HAZCOM Label

=====

Product ID: MIL-H-17672 D GR 2135 TH,A 0960

Cage: 2X769

Company Name: TECHNOLUBE PRODUCT COMPANY

Street: 8015 PARAMOUNT BLVD.

City: PICO RIVERA CA

Zipcode: 90660-4811

Health Emergency Phone: 310-928-3311, CHEMTREC 800-424-9300

Label Required IND: Y

Date Of Label Review: 06/24/1998

Status Code: C

Label Date: 06/24/1998

Year Procured: 1998

Origination Code: F

Eye Protection IND: YES

Skin Protection IND: YES

Si

gnal Word: CAUTION

Respiratory Protection IND: YES

Health Hazard: Slight

Contact Hazard: Slight

Fire Hazard: Slight

Reactivity Hazard: None

Hazard And Precautions: TARGET ORGANS:EYES, SKIN, RESPIRATORY & GI TRACTS.

ACUTE- EYES/SKIN/ORAL:NOT NORMALLY EXPECTED TO CAUSE ANY ILL EFFECTS EXCEPT
IN VERY SENSITIVE INDIVIDUALS. INHALE:NO SIGNIFICANT ADVERSE HEALTH EFFEC TS
ARE EXPECTED TO OCCUR ON SHORT TERM EXPOSURE. CHRONIC- MAY CAUSE MILD SKIN
IRRITATION & INFLAMMATION. STORE AWAY FRO

M STRONG OXIDIZERS. PICK UP

SPILL WITH INERT MATERIAL. PREVENT RUN-OFF TO ENTER S EWERS. FIRST AID- GET
MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESHAIR. PROVIDE
CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS
OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:DO NOT INDUCE VOMITING. CONSULT
PHYSICIAN.

=====

Disclaimer (provided with this information by the compiling agencies): This
information is formul

ated for use by elements of the Department of Defense.

The United States of America in no manner whatsoever expressly or implied
warrants, states, or intends said information to have any application, use or
viability by or to any person or persons outside the Department of Defense
nor any person or persons contracting with any instrumentality of the United
States of America and disclaims all liability for such use. Any person
utilizing this instruction who is not a military or civili

an employee of the

United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.