Product ID:91533 FREE FLOW, ORGANIC ENERGIZER MSDS Date:07/01/1992 FSC:7930 NIIN:01-398-1002 **MSDS Number: BYCXS** === Responsible Party === Company Name: ALLIED ENTERPRISES, INC. Address:814 W. 45TH STREET Box:6159 City:NORFOLK State:VA ZIP:23508-2008 Country:US Info Phone Num:804-489-8282 Emergency Phone Num:800-535-5053 CAGE:58396 === Contractor Identification === Company Name: ALLIED ENTERPRISES, INC. Address:814 W. 45TH STREET Box:6159 City:NORFOLK State:VA ZIP:23508-2008 Country:US Phone:757-489-8282 CAGE:58396

Ingred Name:CITRUS TERPENE CAS:5989-27-5 RTECS #:GW6360000 Other REC Limits:NONE RECOMMENDED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO

IARC:NO OSHA:NO Health Hazards Acute and Chronic:NA Effects of Overexposure:ACCUTE OVEREXPOSURE: HEADACHES, NAUSEA.

First Aid:INHALATION: REMOVE TO FRESH AIR. INGESTION: CONSULT PHYSICIAN IMMEDIATELY. EYES: FLUSH W/WATER, LIFTING EYELIDS OCCASIONALLY, GET MEDICAL ATTN. SKIN: WASH IMMEDIATELY W/SOAP & WATER.

Flash Point Method:TCC Flash Point:115F, 46C Lower Limits:0.7% Upper Limits:6.1% Extinguishing Media:DRY POWDER, FOAM, CARBON DIOXIDE. Fire Fighting Procedures:CLASS B FIRE PROCEDURES Unusual Fire/Explosion Hazard:COMBUSTIBLE LIQUID. KEEP AWAY FROM HEAT, SPARKS OR OPEN FLAMES.

Spill Release Procedures:SMALL SPILLS SHOULD BE ABSORBED BY DIRT, SAND OR OTHER SUITABLE ABSORBANTS FOR DISPOSAL. LARGE SPILLS SHOULD BE DIKED W/DIRT THEN DUMPED TO TANK TRUCK FOR D ISPOSAL.

Handling and Storage Precautions:STORE IN COOL, DRY PLACE. KEEP
CONTAINER CLOSED WHEN NOT IN USE. KEEP OUT OF REACH OF CHILDREN. DO
NOT MIX CHEMICALS.
Other Precautions:DO NOT EAT, DRINK OR SMOKE IN WORK AREA. PLEASE
READ/FOLLOW ALL LABEL DIRECTIONS & ANY OTHER SAFETY INFO PROVIDED
TO YOU BEFORE USING PRODUCT. ALL HANDLING EQUIPMENT SHOULD BE
ELECTRICALLY GROUNDED.

======= Exposure Controls

/Personal Protection =========

Respiratory Protection:NOT NORMALLY REQUIRED BUT IF VAPOR CONCENTRATION BECOMES HIGH, USE SELF-CONTAINED AIR MASK. Ventilation:LOCAL OR MECHANICAL (GENERAL) SHOULD BE ADEQUATE. Protective Gloves:CHEMICALLY RESISTANT Eye Protection:CHEMICAL SPLASH GOGGLES/FACE SHIELD Other Protective Equipment:USUALLY NOT NEEDED. Supplemental Safety and Health NK

Boiling Pt:B.P. Text:310F,154C Vapor Pre s:1 @ 20C Vapor Density:4.69 Spec Gravity:0.837 Evaporation Rate & amp; Reference:BUAC=1 SLOW Solubility in Water:INSOLUBLE Appearance and Odor:ORANGE LIQUID, CITRUS ODOR

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:NONE Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY YIELD CARBON MONOXIDE & CARBON DIOXIDE. Conditions to Avoid Polymerization:CATALYSTS SUCH AS ALU MINUM CHLORIDE

Waste Disposal Methods:DISPOSE IN LANDFILL APPROVED FOR SAME, AWAY FROM WATER SUPPLIES. BURNING IS AN ALTERNATE. OBSERVE FEDERAL, STATE, LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this inf ormation to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.