INSTA-FOAM PRODUCTS INC -- FROTH-PAK 110, 180, 600/UTILI-FOAM 1.75 DENSITY, A COMPONENT -- 5640-01-133-9762

Product ID:FROTH-PAK 110, 180, 600/UTILI-FOAM 1.75 DENSITY, A COMPONENT

MSDS Date:07/17/1995

FSC:5640

NIIN:01-133-9762

Kit Part:Y

MSDS Number: BYGZC === Responsible Party ===

Company Name: INSTA-FOAM PRODUCTS INC

Address:1500 CEDARWOOD DR

Box:NONE City:JOLIET State:IL ZIP:60435 Country:US

Info Phone Num:815-741-6800

gency Phone Num:815-741-6800 Preparer's Name: M ORTEGA

CAGE:54577

=== Contractor Identification ===

Company Name: INSTA-FOAM PRODUCTS INC

Address:1500 CEDARWOOD DR

Box:City:JOLIET

State:IL ZIP:60435 Country:US

Phone:815-741-6800

CAGE:54577

======= Composition/Information on Ingredients ========

Ingred Name: METHYLENE BISPHENYL ISOCYANATE (MDI) (SARA 313)

CAS:101-68-8

RTECS #:NQ9350000 Fraction by Wt: 40-70% Other REC Limits: 0.005 PPM

OSHA PEL:C 0.02 PPM

ACGIH TLV:0.005 PPM; 9495

EPA

Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name: POLYMETHYLENE POLYPHENYLENE POLYISOCYANATE

CAS:9016-87-9

RTECS #:TR0350000 Fraction by Wt: 40-70%

Ingred Name: CHLORODIFLUOROMETHANE (SARA 313) (CERCLA)

CAS:75-45-6

RTECS #:PA6390000 Fraction by Wt: 7-13%

Other REC Limits: 1000 PPM

OSHA PEL:1000 PPM

ACGIH TLV:1000 PPM; 9495 Ozone Depleting Chemical:2

=========== Hazards Identification =================

LD50 LC50 Mixture:MDI LD50 (ORAL RAT) 15 GM/LG

Routes of Entry: Inhalation:YES Skin:

YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:CAUTION! CONTENTS UNDER PRESSURE.
IRRITATING TO EYES, SKIN & RESPIRATORY TRACT. MAY CAUSE
SENSITIZATIO BY SKIN CONTACT & INHALATION. EXPOSURE TO INDIVIDUALS

W/ASTHMA, ECZEMA &/OR ALLERGIES MAY AGGRAVA T EXISTING CONDITIONS. Explanation of Carcinogenicity:MANUFACTURER GAVE NO INFORMATION ABOUT CARCINOGENICITY. HMIS FOUND NO LISTING & DOES NOT EXPECT IT TO BE

CARCINOGENIC.

Ε

ffects of Overexposure:COUGHING, WHEEZING, SHORTNESS OF BREATH.
Medical Cond Aggravated by Exposure:EXPOSURE TO INDIVIDUALS W/ASTHMA,
ECZEMA &/OR ALLERGIES MAY AGGRAVATE EXISTING CONDITIONS.

First Aid:EYES:FLUSH W/CLEAN, LOW PRESSURE WATER FOR 15 MIN. WHILE HOLDING EYELIDS OPEN. SKIN:REMOVE CONTAMINATED CLOTHING, WASH W/SOAP & WATER. INHALATION:REMOVE TO FRESH AIR. INGESTION:GIVE LARGE AMOUNT OF LI QUIDS. DON'

T INDUCE VOMITING.
============ Fire Fighting Measures ============
Flash Point:>390F,>199C Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER Fire Fighting Procedures:USE SELF CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:NONE
======== Accidental Release Measures ==========
Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. CONTAIN SPILL & COLLECT USING A SUITABLE ABSORBENT MATERIAL (SAWDUST/VERMICULITE). SHOVEL INTO WASTE CONT AINER ADDING DECONTAMINATE SOLUTION. LEAVE UNCOVERED FOR 24 HOURS PR IOR TO DISPOSAL. Neutralizing Agent:DECONTAMINATE SOLUTION:90% WATER, 7% AMMONIA, 3% DETERGENT
=========== Handling and Storage ============
Handling and Storage Precautions: CONTENTS LINDER PRESSURE AVIOID OPEN

Handling and Storage Precautions: CONTENTS UNDER PRESSURE. AVOID OPEN FLAMES. DO NOT PUNCTURE OR INCINERATE. STORORAGE TEMPERATURE