View NSN Online: https://aerobasegroup.es/nsn/6850-01-376-1201

ALLIED ENTERPRISES, INC. -- TASK FORCE -- 6850-01-376-1201

=========== Product Identification ==============

Product ID:TASK FORCE MSDS Date:08/01/1994

FSC:6850

NIIN:01-376-1201

MSDS Number: BYHBS === Responsible Party ===

Company Name: ALLIED ENTERPRISES, INC.

Address:814 W. 45TH STREET

Box:6159

City:NORFOLK

State:VA

ZIP:23508-2008

Country:US

Info Phone Num:804-489-8282

Emergency Phone Num:804-489-8282

CAGE:5839

6

=== Contractor Identification ===

Company Name: ALLIED ENTERPRISES, INC.

Address:814 W. 45TH STREET

Box:6159

City:NORFOLK

State:VA

ZIP:23508-2008

Country:US

Phone:757-489-8282

CAGE:58396

======= Composition/Information on Ingredients ========

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: TO 100%

Other REC Limits: NONE RECOMMENDED

Ingred Name:TRIPROPYLENE GLYCOL METHYL ETHER

CAS:10213-77-1 RTECS #:UB8050000 Fraction by Wt: 0-5%

Other REC Limits: NONE RECOMMENDED

Ingred Name:POTASSIUM HYDROXIDE (CERCLA)

CAS:1310-58-3

RTECS #:TT2100000 Fraction by Wt: 0-5%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:C 2 MG/M3

ACGIH TLV:C 2 MG/M3; 9495

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name: TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

CAS:64-02-8

RTECS #:AH5075000 Fraction by Wt: 0-5%

Other REC Limits: NONE RECOMMENDED

Ingred Name: NONYLPHENOL POLYETHOXATE

CAS:9016-45-9

RTECS #:MD0900000 Fraction by Wt: 0-5%

Other REC Limits: NONE RECOMMENDED

Ingred Name:SODIU M METASILICATE CAS:6834-92-0 RTECS #:VV9275000

RTECS #:VV9275000 Fraction by Wt: 0-5%

Other REC Limits: NONE RECOMMENDED

Ingred Name:DYE Fraction by Wt: 0-5%

Other REC Limits: NONE RECOMMENDED


========= Hazards Identification ==============

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN:IRRITANT. CAUSES REDDENING &

SWELLING. EYE:IRRITANT. MAY INJURE EYES, CAUSING CORNEAL DAMAGE.

INHAL



Respiratory Protection: USE IN WELL VENTILATED AREA.

Ventilation: PROVIDE LOCAL EXHAUST TO KEEP TLV OF INGREDIENTS BELOW ACCEPTABLE LIMIT.

Protective Gloves:WATERPROOF Eve Protection: SAFETY GLASSES

Work Hygienic Practices:MFR:?. HMIS:USE GOOD CHEMICAL HYGIENE PRACTICES, AVOID CONTACT IF AT ALL POSSIBLE, WASH THOROUGHLY AFTER

HANDLING.
Supplemental Safety and Health
NONE

======== Physical/Chemical Properties ==========

HCC:B1 NRC/State Lic Num:NONE Boiling Pt:=98.9C, 210.F Vapor Pres:20 MM Vapor Density: