

DEXTER ADHESIVES & STRUCTURAL -- AS9216000 EA 9320NA SYSTEM PART B

=====
MSDS Safety Information
=====

FSC: 8040
NIIN: 01-043-5423
MSDS Date: 01/01/1995
MSDS Num: BYNZV
Product ID: AS9216000 EA 9320NA SYSTEM PART B
MFN: 06
Responsible Party
Cage: 33564
Name: DEXTER ADHESIVES & STRUCTURAL MATERIALS
Address: 2850 WILLO
W PASS RD
Box: 312
City: PITTSBURGH CA 94565-3299
Info Phone Number: 510-458-8000 EXT-262/EXT-263
Emergency Phone Number: 510-458-8000 EXT-262/EXT-263
Proprietary Ind: Y
Published: Y

=====
Preparer Co. when other than Responsible Party Co.
=====

Cage: 33564
Name: DEXTER CORPORATION ADHESIVE & COATING SYSTEMS
Address: 2850 WILLOW PASS ROAD
Box: 312
City: BAY POINT CA 94565-3299

=====
Contractor Summary
=====

Cage: 33564
Name: DEXTER CORPORATION ADHESIVE & COATING SYSTEMS
Address: 2850 WILLOW PASS ROAD
Box: 312
City: BAY POINT CA 94565-3299
Phone: 202-483-7616

=====
Item Description Information
=====

Item Manager: GSA
Item Name: ADHESIVE
Unit of Issue: KT
UI Container Qty: 0
=====

=====
Ingredients
=====

Name: *** PROPRIETARY ***

=====

Health Hazards Data
=====

Route Of Entry Inds - Inhalation: YES

Skin: NO

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: CORROSIVE TO EYES & SKIN. MAY CAUSE SKIN/EYE IRRITATION. BR

IEF CONTACT MAY CAUSE CHEMICAL BURNS. VAPORS & MISTS WILL IRRITATE NOSE & THROAT. REPEATED/PROLONGED SKIN CONTACT MAY RESULT IN BURNS & POSSI BLE ALLERGIC SENSITIZATION.

Explanation Of Carcinogenicity: NONE

Signs And Symptions Of Overexposure: IRRITATION, BURNS & CHEST DISCOMFORT.

Medical Cond Aggravated By Exposure: SKIN SENSITIZATION.

First Aid: EYES: FLUSH W/LOTS OF RUNNING WATER FOR 15 MINS. SKIN: WASH THOROUGHLY W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION:

DRINK PLENTY OF WATER. OBTAIN MEDICAL ATTENTION IN ALL CASES.
=====

Handling and Disposal
=====

Spill Release Procedures: WEAR PROTECTIVE CLOTHING, GLOVES & SAFETY GLASSES. ABSORB W/ABSORBENT MATERIAL. SCRAPE UP/SHOVEL INTO DOT APPROVED WASTE CONTAINERS.

Waste Disposal Methods: INCINERATION IN AN EPA-APPROVED WASTE INCINCERATOR IS A PREFERRED DISPOSAL PRACTICE. DISPOSE OF IAW/FE

DERAL, STATE & LOCAL REGULATIONS. CORROSIVE LIQUID UN2735.

Handling And Storage Precautions: MAY BE STORED AT ROOM TEMP OF 77F FOR UP TO 12 MONTHS. KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE. EMPTY CONTAINERS RETAIN PRODUCT RESIDUE.

Other Precautions: FAILURE TO OBSERVE CAUTION MAY RESULT IN EXCESSIVE HEAT BUILD-UP WHICH MAY CAUSE AN EXOTHERM. EXOTHERM HAS POTENTIAL FOR RELEASE OF TOXIC GASES. DON'T CUT, GRIND, WELD/DRILL ON/NEAR THIS CONTAINER.
=====

=====

Fire and Explosion Hazard Information

=====

Extinguishing Media: DRY CHEMICAL, HALON FIRE EXTINGUISHER, WATER SPRAY, FOAM, FOG.

Fire Fighting Procedures: WEAR A SELF-CONTAINED BREATHING APPARATUS & FULL PROTECTIVE CLOTHING/TURN-OUT GEAR. CARTRIDGE RESPIRATORS DON'T PROVIDE ADEQUATE PROTECTION/EXOTHERM MITIGATION.

Unusual Fire/Explosion Hazard: MAY LIBERATE LARGE QUANTITIES OF DENSE FOUL-SMELLING SMOKE WHICH MAY CONTAIN UNIDENTIFIED TOXIC GASES.

=====

Control Measures

=====

Respiratory Protection: WEAR A RESPIRATOR EQUIPPED W/ORGANIC VAPOR CARTRIDGES IF LOCAL EXHAUST VENTILATION IS INADEQUATE.

Ventilation: LOCAL EXHAUST AT POINT OF USE.

Protective Gloves: BUTYL/NITRILE RUBBER/POLYVINYL CHLORIDE

Eye Protection: SAFETY GLASSES W/SIDE SHIELDS

Other Protective Equipment: CHEMICAL GOGGLES, LONG SLEEVE & LONG LEG CLOTHING,

EYEWASH & SAFETY SHOWER

Supplemental Safety and Health: DON'T HEAT MIXED ADHESIVE UNLESS CURING SURFACES TO BE BONDED.

=====

Physical/Chemical Properties

=====

Spec Gravity: 1.02 GM/ML

VOC Grams/Liter: 10

Appearance and Odor: BLUE LIQUID W/AMMONIACAL ODOR.

=====

Reactivity Data

=====

=====

Stability Indicator: YES

Stability Condition To Avoid: MIXING RESIN & CURING AGENT IN BATCHES >1 LB UNLESS PLANNING TO USE IMMEDIATELY. (SEE SUPP)

Materials To Avoid: STRONG OXIDIZING AGENTS, STRONG LEWIS/MINERAL ACIDS.

Hazardous Decomposition Products: CO, NITROGEN OXIDES, ALDEHYDES, ACIDS & UNDETERMINED ORGANICS.

Hazardous Polymerization Indicator: YES

Conditions To Avoid Polymerization: MIXING RESIN & CURING AGENT IN BATCHES >1 LB UNLESS PLANNING TO USE IMMEDIATELY. (SEE SUPP).

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

=====
Regulatory Information
=====

=====
Other Information
=====

=====
Other Information: VOLATILE ORGANIC CONTENT: < 10 G/L.
=====

=====
HAZCOM Label
=====

Product ID: AS9216000 EA 9320NA SYSTEM PART B

Cage: 33564

Company Name: DEXTER CORPORATION ADHESIVE & COATING SYSTEMS

Street: 285

0 WILLOW PASS ROAD

PO Box: 312

City: BAY POINT CA

Zipcode: 94565-3299

Health Emergency Phone: 510-458-8000 EXT-262/EXT-263

Label Required IND: Y

Date Of Label Review: 12/16/1998

Status Code: C

Label Date: 12/16/1998

Origination Code: G

Hazard And Precautions: CORROSIVE TO EYES & SKIN. MAY CAUSE SKIN/EYE IRRITATION. BRIEF CONTACT MAY CAUSE CHEMICAL BURNS. VAPORS & MISTS WILL IRRITATE NOSE & THROAT. REPEATED/PROLONGED SKIN CONTACT MAY RESULT IN BURNS & POSSIBLE ALLERGIC SENSITIZATION.

IRRITATION, BURNS & CHEST DISCOMFORT.

=====
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Depart

ment of Defense

nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.