

TONER ETC. INC -- TONER ETC EPEND -- 6850-01-376-1766

===== Product Identification =====

Product ID:TONER ETC EPEND

MSDS Date:11/22/1994

FSC:6850

NIIN:01-376-1766

MSDS Number: BYPGC

=== Responsible Party ===

Company Name:TONER ETC. INC

Address:124 HERITAGE AVENUE

City:PORTSMOUTH

State:NH

ZIP:03801-5000

Country:US

Info Phone Num:800-370-8663

Emergency Phone Num:603-880-5555/603-431-3624

CAGE:NO543

=== Contractor Identification ===

Company Name:TONER ETC

Address:210 WEST RD

Box:City:PORTSMOUTH

State:NH

ZIP:03801

Country:US

Phone:800-370-8683

CAGE:0NU41

Company Name:TONER ETC. INC

Address:124 HERITAGE AVENUE

City:PORTSMOUTH

State:NH

ZIP:03801-5000

Country:US

Phone:800-370-8663

CAGE:NO543

===== Composition/Information on Ingredients =====

Ingred Name:ACRYLIC ACID BUTYL ESTER, POLYMER W/STYRENE N-BUTYL
ACRYLATE CO-POLYMER *95-4*

CAS:25767-47-9

Fraction by Wt: 45-

60%

Ingred Name:IRON OXIDE, MAGNETITE *95-4*

CAS:1317-61-9

Fraction by Wt: 25-35%

Ingred Name:BLACK PIGMENT, CHROMIUM AZO DYE *95-4*

CAS:31714-55-3

Fraction by Wt: 1-2%

Ingred Name:PROPENE POLYMERS, POLYPROPYLENE, POLYOLEFINE

CAS:9003-07-4

RTECS #:UD1842000

Fraction by Wt: 1-4%

Ingred Name:SILANE, DICHLORODIMETHYL-, REACTION PRODUCTS W/SILICA

95-4

CAS:68611-44-9

Fraction by Wt: 0.2-1%

=====
Hazards Identification
=====

Routes of Entry: I

nhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES: IRRITATION. SKIN: IRRITATION,
ALLERGIC REACTION. INHALATION: RESPIRATORY IRRITATION. INGESTION:
IRRITATION OF THE MUCOUS MEMBRANES/DIGESTIVE TRACT.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:IRRITATION.

=====
First Aid Measures
=====

First Aid:EYES/SKIN: WASH W/WATER FOR 15 MINS. INHALATION: REMOVE TO
F
RESH AIR. OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====
Fire Fighting Measures
=====

Extinguishing Media:WATER SPRAY, DRY CHEMICAL, CO2/FOAM

Fire Fighting Procedures:KEEP CONTAINERS COOL W/WATER SPRAY. AVOID
INHALATION OF TOXIC FUMES. WEAR MSHA/NIOSH APPROVED SCBA.

Unusual Fire/Explosion Hazard:TONER, LIKE MOST ORGANIC MATERIALS IN
POWDER FORM, WHEN DISPERSED IN AIR, CAN FORM EXPLOSIVE MIXTURES
THAT CAN PRODUCE TOXIC FUMES SUCH AS CO & CO2.

=====

===== Accidental Release Measures =====

Spill Release Procedures:SWEEP UP/VACUUM TONER & CAREFULLY TRANSFER INTO A SEALABLE WASTE CONTAINER, SWEEP SLOWLY TO MINIMIZE GENERATION OF DUST DURING CLEAN UP. IF VACCUM IS USED, THE MOTOR MUST BE RATED AS DUST TIGHT. (SEE SUPP)

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN WELL VENTILATED AREA. KEEP CONTAINER TIGHTLY CLOSED. DON'T STORE W/INCOMPATIBLE MATERIALS.

Other Precautions:DON'T STORE/CONSUME FOOD, DRINK/TOBACCO IN AREA WHERE THEY MAY BECOME CONTAMINATED. AVOID BREATHING DUST. AVOID USE OF PRODUCT IN UNVENTILATED AREAS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NEEDED W/WORKING MIXTURES & NORMAL ROOM VENTILATION, IF USED AS INTENDED.

Ventilation:ROOM VENTILATION IS SUFFICIENT UNDER NORMAL OFFICE CONDITIONS.

Protective Gloves:CHEMICAL

Eye Protection:SAFETY GLASSES

Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

SPILLS CONT'D: A CONDUCTIVE HOSE BONDED TO THE MACHINE SHOULD BE USED TO REDUCE STATIC BUILD-UP. RESIDUE CAN BE REMOVED W/SOAP & COLD WATER. GARMETS MAY BE WASHED/DRY CLEANED, AFTER REMOVAL OF LOOSE TONER.

===== Physical/Chemical Properties =====

Melt/Freeze Pt:M.P/F.P Text: