

DEFT INC CHEMICAL COATING DIV -- MIL-C-85285, 26231, TYPE I (03GY327) -- 8010-01-285-7285

=====  
Product Identification  
=====

Product ID:MIL-C-85285, 26231, TYPE I (03GY327)

MSDS Date:01/16/1995

FSC:8010

NIIN:01-285-7285

Kit Part:Y

MSDS Number: BYYCR

=== Responsible Party ===

Company Name:DEFT INC CHEMICAL COATING DIV

Address:17451 VON KARMAN AVE

City:IRVINE

State:CA

ZIP:92714-6205

Country:US

Info

Phone Num:714-474-0400

Emergency Phone Num:714-474-0400/800-424-9300 CHEMTREC

Preparer's Name:NORM GAUL

CAGE:33461

=== Contractor Identification ===

Company Name:DEFT, INC.

Address:17451 VON KARMAN AVE

City:IRVINE

State:CA

ZIP:92614

Country:US

Phone:949-474-0400

CAGE:33461

=====  
Composition/Information on Ingredients  
=====

Ingred Name:NO INGREDIENT FOR THIS FORMULATION\_INGREDIENT

=====  
Hazards Identification  
=====

Routes of Entry: Inhalati

on:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHAL: IRRIT RESP TRACT/NOSE/THROAT, ACUTE NS DEPRESSION. SKIN/EYES: IRRITATION. ABSORPTION: POS MODERATE IRRIT/DRYING/DEFATTING/CRACKING W/PROLONGED/REPEATED EXPOSE. INGEST: IRRIT/CORROSIVE ACTION IN MOUTH/STOMACH TISSUE/DIGESTIVE TRACT, ASPIRATION OF LIQ RESULTING IN CHEM PNEUMONITIS.

Effects of Overexposure:INHAL: HEADACHE, DIZZINESS, STAGGERING GATE, C

ONFUSION, UNCONSC OR COMA, DIFFICULT BREATHING, ASTHMA. SKIN: SENSITIZATION, OTHER ALLERGIC RESPONSES, SWELLING, REDNESS, RASH. EYES: TEARING, REDNESS, SW ELLING W/STINGING SENSATION.

Medical Cond Aggravated by Exposure:ASTHMA & ANY OTHER RESP DISORDERS. SKIN: ALLERGIES, EXCEMA, DERMATITIS.

=====  
===== First Aid Measures =====

First Aid:INHAL: GET FRESH AIR. RESTORE BREATHING. ASTHMATIC TYPICAL SYMPTOMS MAY DEVELOP, MAY BE IMMED OR DELAYED BY SEV ERAL HRS. GET

MED AID. SKIN: REMOVE CONTAM CLOTHES. WASH THOROUGHLY W/SOAP & WATER. EYES: FLUSH W/CLEAN LUKE WARM WATER (LOW PRESSURE) AT LEAST 15 MIN, LIFTING LIDS. GET MED AID. INGEST: DON'T INDUCE VOMITING. DON'T GIVE ANYTHING BY MOUTH TO UNCONSCIOUS PERSON. GET MED AID.

=====  
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:23.0F,-5.0C

Lower Limits:1.0

Upper Limits:11.4

Extinguishing Media:FOAM, ALCOHOL-FOAM, CARBON DIOXIDE, DRY CHEMICAL, WATER FOG, WATER SPRAY.

Fire Fighting Procedures:FIREFIGHTERS: FULL EQUIPMENT W/SCBA, FULL PROTECTIVE CLOTHING. USE WATER TO COOL CLOSED CONTAINERS TO PREVENT PRESSURE BUILD-UP, AUTOIGNITION, EXPLOSION.

Unusual Fire/Explosion Hazard:KEEP CLOSED TIGHT. CLOSED CNTNR MAY EXPLODE W/EXTREME HEAT. APPLICATION TO HOT SURFACES REQUIRES SPECIAL PRECAUTIONS. POS HEALTH HAZ W/OVEREXPOSURE DECOMP PRODS

=====  
===== Accidental Release Measures =====

S

Spill Release Procedures:EVACUATE NONESSENTIAL PERSONNEL. REMOVE ALL  
IGNITION SOURCES. VENT. AREA. CONTAIN/REMOVE W/INERT ABSORBENT &  
NONSPARKING TOOLS.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN BUILDING COMPLYING W/OSHA  
1910.106. AVOID STORING NEAR HI TEMP/FIRE/OPEN FLAME/SPARK SOURCES.  
STORE IN TIGHT CLOSED CNTNR/WELL VENTED AREA.

Other Precautions:KEEP CNTNR TIGHT/UPRIGHT TO PREVENT LEAKAGE. PREVENT  
PROLO

NGED BREATHING VAPOR/SPRAY MISTS. POS ALLERGIC REACTION  
W/PROLONGED OVEREXPOSURE. AVOID SKIN/EYE CONTACT. DON'T TAKE  
INTERNALLY. DON'T HANDLE TIL READ/UNDERSTAND MFG PRECAUTIONS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:RESP THAT IS RECOMMENDED/APPROVED FOR USE IN ORG  
VAPOR ENVIRONMENT (AIR PURIFYING/FRESH AIR SUPPLIED) NECESSARY.  
OBSERVE OSHA REGS FOR RESP. PROVIDE VENTILATION TO KEEP EXPOSURE  
LEVELS