Product ID:SHOWER, TUB & TILE (HARD WATER/SCUM REMOVER)

MSDS Date:06/11/1994

FSC:7930

NIIN:01-398-0855

MSDS Number: BYZBQ === Responsible Party === Company Name:MAINTEX INC Address:13300 E NELSON AVE

City:LA PUENTE

State:CA

ZIP:91746-1516

Country:US

Info Phone Num:818-961-1988

Emergency Phone Num:800-255-3924 (CHEMTEL)

Preparer's Name: ALI ABYANE

С

AGE:0PWJ2

=== Contractor Identification === Company Name:MAINTEX INC Address:13300 NELSON AVE Box:City:CITY OF INDUSTRY

State:CA ZIP:91746 Country:US

Phone:818-961-1988

CAGE:0PWJ2

======= Composition/Information on Ingredients ========

Ingred Name: GLYCOLIC ACID

CAS:79-14-1

Fraction by Wt: 15-20%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:NOT EST. ACGIH TLV:NOT EST.

Ingred Name:VOC = 4% RTECS #:999999VO

Other REC Limits: NONE RECOMMENDED

OSHA PEL:NOT EST. ACGIH TLV:NOT EST.

=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES: IRRIT. DAMAGE W/BRIEF CONTACT LIQUIDS/MISTS. POS PERM INJURY W/EXTENDED CONTACT. SKIN: IRRIT BY VAPORS. VAPOR/LIQ/MISTS CORROSIVE. INHAL: IRRIT/BURNS W/EXTENDED CONTACT. INGEST: BURNS TISSUES. C HRONIC-SKIN: ALLERGIC REACTIONS W/OVEREXPOSURE. Effects of Overexposure:INGE ST: ABDOMINAL PAIN, NAUSEA, VOMITING. EYES: STINGING, WATERING. Medical Cond Aggravated by Exposure:INHALATION/INGESTION: POSSIBLE AGGRAVATION OF PREEXISTING LUNG DISEASE.
======================================
First Aid:EYES: REMOVE CONTACTS. IMMEDIATELY FLUSH W/LOTS WATER >15 MINUTES. CALL DR. SKIN: WASH W/SOAP & WATER. INHALATION: IF DISCOMFORT, GET FRESH AIR. IF BREATHING DIFFICULT, IMMEDIATELY GET MEDICAL AID. IN GESTION: GET PLENTY WATER. DO NOT INDUCE VOMITING. WASH OUT MOUTH AREA. CALL DR.
======================================
Flash Point:>250F,>121C Extinguishing Media:WATER SPRAY, FOAM, CO2, DRY CHEMICAL. Fire Fighting Procedures:POSITIVE PRESSURE SCBA W/FULL FACEPIECE FOR FIREFIGHTERS. Unusual Fire/Explosion Hazard:USE WATER FOG/SPRAY TO COOL/LOWER PRESSURE OF FIRE-EXPOSED CONTAINERS, TO FLUSH VAPORS AWAY.  ===================================
======================================
Spil I Release Procedures:SMALL: MOP/RINSE AREA. LG, >55 GL: WEAR RUBBER BOOTS, GLOVES, APPROPRIATE PROTECTIVE CLOTHES. SHUT OFF LEAK IF SAFE. DIKE/CONTAIN. TRANSFER LIQ TO PLASTIC DRUMS/CONTAINERS FOR RECOVERY/DISPOSAL.
======================================
Handling and Storage Precautions: KEEP AWAY FROM CHILDREN. DO NOT GET IN/ON EYES, SKIN, CLOTHES. DO NOT TAKE INTERNALLY.
====== Exposure Controls/Personal Protection ========
Respirat

ory Protection:NOT REQUIRED IF PROPERLY DILUTED.
Protective Gloves: RUBBER - DECREASES DRYNESS OF SKIN.
Eye Protection: CHEM SPLASH GLASSES/FACE SHIELD ADVISED*
Other Protective Equipment:*ESPECIALLY W/CONCENTRATE.
Supplemental Safety and Health
NK

======== Physical/Chemical Properties ==========

HCC:C2

Boiling Pt:B.P. Text:212F,100C

Melt/Freeze Pt:M.P/F.P Text:>32F,>0C

Vapor Pres:1 Spec Gravity:1.08

pH:1-2

Evaporation Rate & Evaporation R