

HATCO CORP -- HATCOL 1280 (MIL-L-7808K, GRADE 3) -- 9150-00-782-2627

===== Product Identification =====

Product ID:HATCOL 1280 (MIL-L-7808K, GRADE 3)

MSDS Date:06/28/1995

FSC:9150

NIIN:00-782-2627

MSDS Number: BZBRX

=== Responsible Party ===

Company Name:HATCO CORP

Address:1020 KING GEORGE POST ROAD

City:FORDS

State:NJ

ZIP:08863

Country:US

Info Phone Num:908-738-3553, 201-738-1000

Emergency Phone Num:908-738-3570

Preparer's Name:W. J. GRASSYMER

CAGE:0H3M4

===

Contractor Identification ===

Company Name:HATCO CORP

Address:1020 KING GEORGE POST ROAD

Box:City:FORDS

State:NJ

ZIP:08863

Country:US

Phone:908-738-3517

CAGE:0H3M4

===== Composition/Information on Ingredients =====

Ingred Name:TRIMETHYLOLPROPANE ESTER OF HEPTANOIC AND CAPRYLIC ACIDS

CAS:68130-53-0

Other REC Limits:5 MG/M3 (MFG)

Ingred Name:NEOPENTYL GLYCOL ESTER OF PELARGONIC, CAPRYLIC AND CAPRIC ACIDS

CAS:70693-32-2

Other REC Limits:5 MG/M3 (MFG)

Ingred Name:TRIMETHYLO

LPROPANE ESTER OF VALERIC AND HEPTANOIC ACIDS

CAS:67762-64-5

Other REC Limits:5 MG/M3 (MFG)

Ingred Name:TRICRESYLPHOSPHATE

CAS:1330-78-5

RTECS #:TD0175000

Other REC Limits:NONE RECOMMENDED

Ingred Name:TSP-46728100000-0001

Other REC Limits:NONE RECOMMENDED

Ingred Name:TSP-46728100000-0002

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO O

SHA:NO

Health Hazards Acute and Chronic:MAY BE AN EYE OR SKIN IRRITANT. LOW TO MEDIUM TOXICITY.

Explanation of Carcinogenicity:NOT CARCINOGENIC.

Effects of Overexposure:NONE KNOWN.

Medical Cond Aggravated by Exposure:NONE KNOWN.

===== First Aid Measures =====

First Aid:EYE CONTACT-FLUSH WITH WATER FOR 15 MIN. SEE PHYSICIAN. SKIN CONTACT-WASH WITH SOAP & WATER THOROUGHLY. SEE PHYSICIAN IF NECESSARY. REMOVE CONTAMINATED CLOTHING. INGESTION-DO NOT INDUCE

VOMITING, DRINK PLENTY OF WATER. DO NOT GIVE ANYTHINGBY MOUTH TO AN UNCONSCIOUS VICTIM. SEE PHYSICIAN IMMEDIATELY. INHALATION-REMOVE TO FRESH AIR. SEE PHYSICIAN IF NECESSARY.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:>410F,>210C

Extinguishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICAL. USE WATER SPRAY TO COOL SURFACE OF CONTAINER.

Fire Fighting Procedures:USE SELF CONTAINED BREATHING APPARATUS, AVOID BREAT

HING FUMES, VAPORS OR MISTS. WATER MAY CAUSE FROTHING.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:DIKE OR CONTAIN SPILL. APPLY ABSORBENT. PUT IN CONTAINER. CLOSE CONTAINER. PREVENT FROM GOING INTO SEWER AND WATERWAYS. NOTIFY PROPER AUTHORITIES. IF SPILL IS LARGE ENOUGH, TRY TO VACUUM IT INTO A TAN K OR DRUM.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:FOR INDUSTRIAL USE ONLY. STORE IN A COOL, DRY PLACE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH APPROVED ORGANIC VAPOR CARTRIDGE RESPIRATOR.

Ventilation:LOCAL EXHAUST: YES. MECHANICAL (GENERAL) EXHAUST: YES.

Protective Gloves:NEOPRENE

Eye Protection:CHEMICAL SPLASH GOGGLES.

Other Protective Equipment:NEOPRENE APRON. LONG SLEEVE SHIRT AND PANTS, SAFETY SHOES, HARD

HAT. SAFETY SHOWER AND EYEWASH STATION.

Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER CONTACT. AVOID INGESTION. PRACTICE GOOD PERSONAL HYGIENE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>350F,>177C

Vapor Density:>10

Spec Gravity:0.95

Solubility in Water: