

HATCO CORP -- HATCOL 1278 (MIL-L-7808J) -- 9150-01-263-7243

===== Product Identification =====

Product ID:HATCOL 1278 (MIL-L-7808J)

MSDS Date:03/04/1991

FSC:9150

NIIN:01-263-7243

MSDS Number: BZBSG

=== Responsible Party ===

Company Name:HATCO CORP

Address:1020 KING GEORGE POST ROAD

City:FORDS

State:NJ

ZIP:08863

Country:US

Info Phone Num:908-738-3553, 201-738-1000

Emergency Phone Num:908-738-3570

P

reparer's Name:H. HONDORP

CAGE:0H3M4

=== Contractor Identification ===

Company Name:HATCO CORP

Address:1020 KING GEORGE POST ROAD

Box:City:FORDS

State:NJ

ZIP:08863

Country:US

Phone:908-738-3517

CAGE:0H3M4

===== Composition/Information on Ingredients =====

Ingred Name:MIXED TRIMETHYLOLPROPANE ESTERS

CAS:68130-53-0

Other REC Limits:NONE RECOMMENDED

Ingred Name:NEOPENTYL GLYCOL ESTER OF PELARGONIC, CAPRYLIC AND CAPRIC  
ACIDS

CAS:70693-32-2

Other REC Limits:5 MG/M3 (MFG)

Ing

red Name:TAR ACIDS, CRESYLIC,PHENYL,PHOSPHATE  
CAS:68952-35-2  
Other REC Limits:NONE RECOMMENDED

Ingred Name:TRICRESYLPHOSPHATE  
CAS:1330-78-5  
RTECS #:TD0175000  
Other REC Limits:NONE RECOMMENDED

Ingred Name:MIXED TRIMETHYLOLPROPANE ESTERS  
CAS:67762-64-5  
Other REC Limits:NONE RECOMMENDED

Ingred Name:TSP-46728100000-0002  
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcin  
ogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:MAY BE AN EYE OR SKIN IRRITANT. LOW TO  
MEDIUM TOXICITY.  
Explanation of Carcinogenicity:NOT CARCINOGENIC.  
Effects of Overexposure:NONE KNOWN.  
Medical Cond Aggravated by Exposure:NONE KNOWN.

===== First Aid Measures =====

First Aid:EYE CONTACT-FLUSH WITH WATER FOR 15 MIN. SEE PHYSICIAN. SKIN  
CONTACT-WASH WITH SOAP & WATER THOROUGHLY. SEE PHYSICIAN IF  
NECESSARY. REMOVE CONTAMINAT  
ED CLOTHING. INGESTION-DO NOT INDUCE  
VOMITING, DRIN K PLENTY OF WATER. DO NOT GIVE ANYTHINGBY MOUTH TO  
AN UNCONSCIOUS VICTIM. SEE PHYSICIAN IMMEDIATELY. INHALATION-REMOVE  
TO FRESH AIR. SEE PHYSICIAN IF NECESSARY.

===== Fire Fighting Measures =====

Flash Point Method:COC  
Flash Point:428F,220C  
Extinguishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICAL. USE WATER SPRAY  
TO COOL SURFACE OF CONTAINER.  
Fire Fighting Procedures:USE SELF CONTAINED BREATHING

APPARATUS, AVOID  
BREATHING FUMES, VAPORS OR MISTS. WATER MAY CAUSE FROTHING.  
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:DIKE OR CONTAIN SPILL. APPLY ABSORBENT. PUT IN  
CONTAINER. CLOSE CONTAINER. PREVENT FROM GOING INTO SEWER AND  
WATERWAYS. NOTIFY PROPER AUTHORITIES. IF SPILL IS LIQUID, ATTEMPT  
TO VACUUM IT INTO A TANK OR DRUM.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:FOR INDUSTRIAL USE ONLY. STORE IN A  
COOL, DRY PLACE.  
Other Precautions:NOT DOT REGULATED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH APPROVED ORGANIC VAPOR CARTRIDGE  
RESPIRATOR.  
Ventilation:LOCAL EXHAUST: YES. MECHANICAL (GENERAL) EXHAUST: YES.  
Protective Gloves:NEOPRENE  
Eye Protection:CHEMICAL SPLASH GOGGLES.  
Other Protective Equipment:NEOPR  
ENE APRON. LONG SLEEVE SHIRT AND PANTS,  
SAFETY SHOES, HARD HAT. SAFETY SHOWER AND EYEWASH STATION.  
Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER CONTACT. AVOID  
INGESTION. PRACTICE GOOD PERSONAL HYGIENE.  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6  
Boiling Pt:B.P. Text:>650F,>343C  
Vapor Pres: