HERNON MFG INC -- NUTS 'N BOLTS 423, ANAEROBIC -- 8030-01-025-1692 Product ID:NUTS 'N BOLTS 423, ANAEROBIC MSDS Date:08/01/1993 FSC:8030 NIIN:01-025-1692 MSDS Number: BZHWT === Responsible Party === Company Name: HERNON MFG INC Address:121 TECH DR City:SANFORD (FORMALLY IN BROOKLYN, NY) State:FL ZIP:32771 Country:US Info Phone Num:407-322-4000 Emergency Phone Num:407-322-4000 Preparer's Name: JOSEF ARNON, TECH. DIR. CAGE:61603 === Contractor Identification === Company Name: HERNON MANUFACTURING Address:121 TECH DRIVE Box:City:SANFORD State:FL ZIP:32771 Country:US Phone:407-322-4000/800-255-3924 CAGE:61603

======= Composition/Information on Ingredients =========

Ingred Name: POLYGLYCOL DIMETHACRYLATE

Fraction by Wt: 59-66%

Other REC Limits: NONE SPECIFIED

Ingred Name: SACCHARIN (SARA 313). SACCHARIN HAS BEEN SHOWN TO CAUSE TUMORS IN LAB ANIMALS WHEN FED IN LG AMTS FOR PROLONGED PERIODS.

CAS:81-07-2

RTECS

#:DE4200000

Fraction by Wt: 22-30%

Other REC Limits: NONE SPECIFIED

EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Ingred Name: N, N-DIALKYLTOLUIDINE

CAS:99-97-8

Fraction by Wt: 0.1-2.0%

Other REC Limits: NONE SPECIFIED

Ingred Name: CUMENE HYDROPEROXIDE (SARA 313)

CAS:80-15-9

RTECS #:MX2450000 Fraction by Wt: 1-3% EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

Ingred Name: SILICA, AMORPHOUS TREATED

Fraction by Wt: 1-3%

XIDE CAS:13463-67-7 RTECS #:XR2275000 Fraction by Wt: 0.1-1.0% Other REC Limits: NONE RECOMMENDED OSHA PEL:10 MG/M3 DUST ACGIH TLV:10 MG/M3 DUST Ingred Name: VOC = 13.3% 146.3 G/L RTECS #:9999999VO Fraction by Wt: NA Other REC Limits: NONE RECOMMENDED OSHA PEL:NOT EST. ACGIH TLV:NOT EST. Ingred Name: POLYGLYCOL OLEATE CAS:9004-96-0 Fraction by Wt: 22-30% Other REC Limits: NONE RECOMMENDED ========== Hazards Identification ================ LD50 LC50 Mixture: ORAL LD50 >10000MG/KG / DERMAL >5000 Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO Explanation of Carcinogenicity:IARC 2B Effects of Overexposure:PROLONGED CONTACT WITH SENSITIVE INDIVIDUALS MAY CAUSE DERMATITIS. Medical Cond Aggravated by Exposure: POSSIBLE DERMATITIS ON PROLONGED CONTACT IN SENSITIVE PEOPLE. First Aid:EYE: FLUSH WITH WATER AT LEAST 15 MIN. SKIN: FLUSH WITH WATER. INGESTION: DO NOT INDUCE VOMITING, SEEK MEDICAL ATTENTION. ============ Fire Fighting Measures ========================= Flash Point Method:TCC Flash Point:200F,93C Lower Limits:6% METHANOL Upper Limits:36% METHANOL Extinguishing Media: FOAM, DRY CHEMICAL, CO2. Fire Fighting Procedures: SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING SHOULD BE WORN WHEN FIGHTING FIRES INVOLVING CHEMICALS.

======== Accidental Release Measures ===========

Spi

| II Release Procedures:SOAK UP IN INERT ABSORBENT. STORE IN PARTLY FILLED CLOSED CONTAINER UNTIL DISPOSAL. |
|---|
| ========== Handling and Storage ============ |
| Handling and Storage Precautions: AVOID PROLONGED SKIN CONTACT. KEEP AWAY FROM CHILDREN. STORE BELOW 110F TO PRESERVE SHELF LIFE. |
| ====== Exposure Controls/Personal Protection ======== |
| Ventilation:LOCAL EXHAUST NECESSARY. SPECIAL NORMALLY NOT NEEDED. Protective Gloves:SAFETY GLOVES ARE RECOMMENDED. |
| e Protection:SAFETY GLASSES ARE RECOMMENDED. Other Protective Equipment:NOT NECESSARY. Supplemental Safety and Health NK |
| ====================================== |
| HCC:V4 Boiling Pt:B.P. Text:>300 F Vapor Pres: |