

3M -- 3M 1099L -- 8040-00-043-1717

=====
Product Identification
=====

Product ID:3M 1099L

MSDS Date:01/01/1995

FSC:8040

NIIN:00-043-1717

MSDS Number: BZSSS

=== Responsible Party ===

Company Name:3M

Address:3M CENTER

City:ST. PAUL

State:MN

ZIP:55144-1000

Country:US

Info Phone Num:612-733-1110

Emergency Phone Num:800-424-9300

Preparer's Name:C.A. EISENHARD

CAGE:0F0U5

=== Contractor Identification ==

=

Company Name:CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:909-864-2310

CAGE:60777

Company Name:PACBROOK LTD

Address:15 GOSDITCH ST

City:CIRENCESTER GLOS GL7 2AG

Country:UK

Phone:NONE

CAGE:0F0U5

=====
Composition/Information on Ingredients
=====

Ingred Name:ACETONE (SARA 313) (CERCLA)

CAS:67-64-1

RTECS #:AL3150000

Fraction by Wt: 50-60%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:NOT EST.

ACGIH TLV:

NOT EST.
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA 313) (CERCLA)
CAS:78-93-3
RTECS #:EL6475000
Fraction by Wt: 20-30%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:NOT EST.
ACGIH TLV:NOT EST.
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:ACRYLONITRILE BUTADIENE POLYMER
CAS:9003-18-3
Fraction by Wt: 10-20%
Other REC Limits:NONE RECOMMENDED

Ingred Name:PHENOL FORMALDEHYDE POLYMER
CAS:9003-35-4
Fraction by Wt: 3-7%
Other REC Limits:NO
NE RECOMMENDED

Ingred Name:PHENOL FORMALDEHYDE POLYMER
CAS:55185-45-0
Fraction by Wt: 3-7%
Other REC Limits:NONE RECOMMENDED

Ingred Name:SALICYLIC ACID
CAS:69-72-7
RTECS #:VO0525000
Fraction by Wt: 1-5%
Other REC Limits:NONE RECOMMENDED

Ingred Name:ZINC OXIDE (SARA 313) (CERCLA)
CAS:1314-13-2
RTECS #:ZH4810000
Fraction by Wt: 1-5%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:NOT EST.
ACGIH TLV:NOT EST.N

==== Hazards Identification =====

Routes of Entry: Inha

lution:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:*& FECES. MAY ALSO CAUSE ASPIRATION
PNEUMONITIS, SIGNS OF INCLUDE COUGHING/DIFFICULT
BREATHING/WEASING/COUGHING UP BLOOD CAN BE FATAL.

Effects of Overexposure:EYES: MOD IRRIT

/REDNESS/SWELLING/PAIN/TEARING/HAZY VISION) SKIN: MILD

IRRIT/REDNESS. INHAL: CNS

DEPRESSION/HEADACHE/DIZZINESS/DROWSINESS/INCOORDINATION/SLOW
REACTION/SLURRED SPEECH/GIDDINESS/UNC

ONSCIOUSNESS. UPPER RESP

TRACT IRRIT. INGEST: GI TISSUE IRRIT (PAIN/VOMITING/ABDOMINAL

TENDERNESS/NAUSEA/BLOOD IN VOMIT*

===== First Aid Measures =====

First Aid:SKIN: FLUSH W/LOTS WATER. IF IRRIT PERSISTS GET MEDICAL AID.

INHALATION: GET TO FRESH AIR. IF NOT BREATHING GIVE ARTIF RESP. IF

TROUBLE BREATHING GET IMMED MED AID. INGESTION: CALL DR IMMED. ONLY
INDUCE VOMITING AT INSTRUCTION OF DR. NEVERGIVE ANYTHING BY MOUTH
TO UNCONSC

IOUS PERSON. EYES: IMMED FLUSH W/LOTS WATER. GET

IMMEDIATE MED AID.

===== Fire Fighting Measures =====

Flash Point:0F,-18C

Lower Limits:1.8

Upper Limits:12.8

Extinguishing Media:CO2, DRY CHEMICAL, FOAM.

Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHES INCLUDING

HELMET,PP SCBA, BUNKER COAT/PANTS, BANDS AROUND ARMS/WAIST/LEGS,
FACEMASK, PROTECTIVE COVERING FOR EXPOSED AREAS OF HEAD

Unusual Fire/Explosion Hazard:CLOSED CONTAINERS EXPOSED TO HEAT
FROM

FIRE MAY BUILD PRESSURE & EXPLODE. VAPORS MAY TRAVEL LONG DISTANCES
ALONG GROUND/FLOOR TO IGNIT SOURCE & FLASH BACK.

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA. EXTINGUISH ALL IGNIT SOURCES.

COLLECT USING NONSPARKING TOOLS. COVER W/ABSORBENT MAT'L. PLACE IN
US DOT APPROVED CONTAINER & SEAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN DRY COOL

AREA AWAY FROM CHILDREN.

Other Precautions:KEEP AWAY FROM IGNITION SOURCES.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:AVOID PROLONGED BREATHING OF VAPORS. BASED ON AIRBORNE CONCENTRATION OF CONTAMINANTS A HALF-MASK ORGANIC VAPOR RESPIRATOR.

Ventilation:USE IN WELL-VENTILATED AREA. IF EXHAUST VENTILATION NOT ADEQUATE USE APPROPRIATE RESP PROTECTION.

Protective Gloves:BUTYL, RUBBER, TEFLON

Eye Protection:VENTED GOGGLES

Other Prote

ctive Equipment:IMPERVIOUS CLOTHING, EYEWASH FOUNTAIN, QUICK DRENCH SHOWER.

Supplemental Safety and Health

NK

=====
Physical/Chemical Properties
=====

Boiling Pt:B.P. Text:132F,56C

Melt/Freeze Pt:M.P/F.P Text:NA

Decomp Temp:Decomp Text:NA

Vapor Pres:180

Vapor Density:2.3

Spec Gravity:0.86

pH:NE

Viscosity:330 CPS

Evaporation Rate & Reference:1.9

Solubility in Water:SLIGHT

Appearance and Odor:LOW VISCOSITY TAN, STRONG SOLVENT ODOR

Percent Volatiles by Volume:7

5.0

Corrosion Rate:NA

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, OXIDES OF NITROGEN, HYDROGEN, OXIDES OF ZINC.

=====
Disposal Considerations
=====

Waste Disposal Methods:INCINERATE IN PERMITTED HAZARDOUS WASTE INCINERATOR IN PRESENCE OF COMBUSTIBLE MAT'L. DISPOSE IN FACILITY PERMITTED TO ACCE

PT CHEMICAL WASTE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

particular situation.