

CHEVRON CHEMICAL CO, CONSUMER PROD DIV -- CPS 201110 REGULAR UNLEADED GASOLINES
-- 9130-00-148-7104

===== Product Identification =====

Product ID:CPS 201110 REGULAR UNLEADED GASOLINES
MSDS Date:11/15/1995
FSC:9130
NIIN:00-148-7104
MSDS Number: CBRVY
=== Responsible Party ===
Company Name:CHEVRON CHEMICAL CO, CONSUMER PROD DIV
Address:575 MARKET ST
Box:3744
City:SAN FRANCISCO
State:CA
ZIP:94105-2823
Country:US
Info Phone Num:510-242-5357/415-894-1899
Emergency
Phone Num:800-234-0623/800-424-9300(CHEMTREC)
CAGE:0ACV2

=== Contractor Identification ===

Company Name:CHEVRON CHEMICAL CO CONSUMER PRODUCTS DIV
Address:575 MARKET ST
Box:3744
City:SAN FRANCISCO
State:CA
ZIP:94105-2823
Country:US
Phone:800-822-5823
CAGE:8X116
Company Name:CHEVRON CHEMICAL CO DIV OF CHEVRON USA INC
Address:63149 COLUMBIA RIVER HWY
Box:810
City:ST. HELENS
State:OR
ZIP:97051
Country:US
Phone:503-397-6947/503-397-2225
CAGE:0ACV2

===== Composition/Information on Ingredient

S =====

Ingred Name:GASOLINE (GENERIC)
Fraction by Wt: 100%
Other REC Limits:NONE RECOMMENDED

Ingred Name:BENZENE (SARA 313) (CERCLA)
CAS:71-43-2
RTECS #:CY1400000
Fraction by Wt: 1.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:100 PPM
ACGIH TLV:100 PPM/125STEL;9596
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA 313) (CERCLA);
(DIMETHYLBENZENE)
CAS:1330-20-7
RTECS #:ZE2100000
Fraction by Wt: >1.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:
100 PPM
ACGIH TLV:100 PPM/150STEL;9596
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:TOLUENE (SARA 313) (CERCLA)
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: >1.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:200 PPM; Z-2
ACGIH TLV:S, 50 PPM; 9596
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:HEXANE (N-HEXANE) (CERCLA)
CAS:110-54-3
RTECS #:MN9275000
Fraction by Wt: >1.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:500 PPM
ACGIH TLV:50 PPM; 9596
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:BUTANE
CAS:106-97-8
RTECS #:EJ4200000
Fraction by Wt: >1.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:800 PPM
ACGIH TLV:800 PPM; 9596

Ingred Name:PENTANE
CAS:109-66-0
RTECS #:RZ9450000
Fraction by Wt: >1.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:1000 PPM
ACGIH TLV:600 PPM/750STEL;9596

Ingred Name:N-HEPTANE
CAS:142-82-5
RTECS #:MI7700000
Fraction by Wt: >1.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:500 PPM
ACGIH TLV:400 PPM/500STEL;9596

Ingred Name:METHYLCYCLOHEXANE
CAS:10
8-87-2
RTECS #:GV6125000
Fraction by Wt: >1.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:500 PPM
ACGIH TLV:400 PPM; 9596

Ingred Name:TRIMETHYL BENZENE
CAS:25551-13-7
RTECS #:DC3220000
Fraction by Wt: >1.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:25 PPM
ACGIH TLV:25 PPM; 9596

Ingred Name:2,2,4-TRIMETHYLPENTANE (ISO-OCTANE) (CERCLA)
CAS:540-81-1
RTECS #:SA3320000
Fraction by Wt: >1.0%
Other REC Limits:NONE RECOMMENDED

Ingred Name:METHYL TERT-BUTYL ETHER (SARA 313) (CERCLA)
CAS:1634-04-4
RTE

CS #:KN5250000

Fraction by Wt: