View NSN Online: https://aerobasegroup.es/nsn/6525-01-334-8774

Product ID:DENT-X EXCEL X-RAY DEVELOPER (SUPPLEMENTAL) MSDS Date:06/01/1992 FSC:6525 NIIN:01-334-8774 Kit Part:Y **MSDS Number: CBSLJ** === Responsible Party === Company Name: FRC-DIVSION OF CINE MAGNETICS INC Address:524 S COLUMBUS AVE **City: MOUNT VERNON** State:NY ZIP:1 0550-4712 Country:US Info Phone Num:914-667-1002 Emergency Phone Num:800-424-9300(CHEMTREC) CAGE:NO452 === Contractor Identification === Company Name: CINE MAGNETICS INC FR CHEMICALS DIV Address:524 S COLUMBUS AVE Box:City:MOUNT VERNON State:NY ZIP:10550-4712 Country:US CAGE:21297 Company Name: DENT-X CORP (914-592-6100) Box:UNKNOW CAGE:4R150 Company Name: FRC-DIVSION OF CINE MAGNETICS INC Address:524 S COLUMBUS AVE Box:City:MOUNT VERNON State:NY ZIP:10550-4712 Country:US Phone:914-667-1002 CAGE:NO

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 60-100% Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM SULFITE CAS:7757-83-7 RTECS #:WE2150000 Fraction by Wt: 7-13% Other REC Limits:NONE RECOMMENDED

Ingred Name:POTASSIUM HYDROXIDE (CERCLA) CAS:1310-58-3 RTECS #:TT2100000 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED OSHA PEL:C 2 MG/M3 ACGIH TLV:C 2 MG/M3; 9596 EPA Rpt Qty:1000 LBS DOT Rp t Qty:1000 LBS

Ingred Name:HYDROQUINONE (SARA 302/313) (CERCLA) CAS:123-31-9 RTECS #:MX3500000 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED OSHA PEL:2 MG/M3 ACGIH TLV:2 MG/M3; 9596 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name:BORIC ACID CAS:10043-35-3 RTECS #:ED4550000 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED OSHA PEL:10 MG BORATES/M3 ACGIH TLV:5 MG BORATES/M3

Ingred Name:VOLITILE ORGANIC CONTENT AS LISTED ON MSDS, VOC=0.02 LBS/GALLON. RTECS #:9999999VC Fraction b

452

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: EYE: IRRIT. BURNING MAY OCCUR W/POSSIBLE TISSUE DESTRUCTION.POSSIBLE DISCOLORATION OF CONJUNCTIVIA.SKIN:REDDEDNING,SWELLING,BURNING MAY OCCUR.HYDROQUINONE HAS BEEN KNOWN TO CAUSE DERM .INGEST:CORR TO TIS SUE.NAU, VOMIT, ABD PAIN POSSIBLE.LG DOSES OF SULFITE MAY CAUSE CIRCULATORY DISTURB/CNS DEPRESS.INHAL:CONC MIST IRRIT(SUP) Explanation of Carcinogenicity: PER MSDS: CARCENOGENICITY: NOEN OF THE CHEMS USED IN PRODUCT ARE LISTED ON NTP/IARC/OSHA LISTINGS OF HUMAN CARCINOGENS. Effects of Overexposure: EYE: IRRIT, BURN, TISSUE DESTRUCTION, CONJUNCTIVIA DISCOLORATION.SKIN:RED,SWELL,BURN.INGEST:CORRO,NAU,VOMIT,ABD PAIN, CIRCULATORY DISTURB, CNS DEPRESS. INHAL: IRRIT, DMG R ESP TRACT/LUNGS.NAU, VOMIT.

Medical Cond Aggravated by Exposure:SULFITES MAY CAUSE ALLERGIC REACTIONS IN SOME ASTHMATICS.

First Aid:EYE:FLUSH W/WATER FOR 15MINS.OBTAIN MED ATTN.CHECK FOR CORNEAL INJURY. SKIN:REMOVE CONTAMIN CLOTH.WASH EXPO AREA THOROUGHLY W/WATER.CONTACT PHYSICIAN. INGEST:IF CONSC GIVE 2 GLASSES OF WATER.DO NOT IN DUCE VOMIT.OBTAIN PROMPT MED ATTN. INHAL:REMOVE TO FRESH AIR.IF ADVERSE S YMPTOMS DEVELOP CONTACT PHYSICIAN.

Flash Point:NONE Autoignition Temp:Autoignition Temp Text:NP Lower Limits:NA Upper Limits:NA Extinguishing Media:ANY APPLICABLE TO THE PRIMARY CAUSE OF FIRE. Fire Fighting Procedures:EVACUATE PERSONNEL TO SAFE AREA. FIREFIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:EXCESSIVE HEAT MAY RELEASE SULFUR DIOXIDE VAPORS.

====== Acci

Spill Release Procedures: USE APPROPRIATE PROTECTIVE EQPMT.DIKE/SOAK UP W/ABSORBANT MATL.PREVENT LIQ FROM ENTERING SEWERS/WATERWAYS.DISPOSE OF IN ACCORDANCE WITH FED/STATE/LOC REGS. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions:STORE IN WEEL VENTI AREA.KEEP CNTNR TIGHTLY CAPPED WHEN NOT IN USE.DO NOT STORE FOOD/DRINK/TOBACCO IN AR

EAS WHERE CONTAMIN COULD OCCUR W/PRODUCT.

Other Precautions: AVOID BREATH VAP. AVOID CONTACT EYES/SKIN/CLOTHING.DO NOT TAKE INTERNALLY. KEEP OUT OF REACH OF CHILDREN.

Respiratory Protection: FOR POORLY VENTILATED AREAS A NIOSH CARTRIDGE RESPIRATOR IS RECOMMENDED.

Ventilation: TEN ROOM VOLUMES PER HR RECOMMENDED UNDER NORMAL CONDITIONS.

Protective Gloves:LATEX OR NEOPRENE GLOVES.

Eye Protection: CHEM SPLASH GOGGLES.

Other

Protective Equipment:LAB COAT, EYE WASH STATION.

Work Hygienic Practices: WASH CONTAMIN CLOTH BEF REUSE. WASH THOROUGHLY AFTER HNDLG.

Supplemental Safety and Health

CAT#:999-2602-001; 999-2602-201. HEALTH HAZ:IRRIT/DMG RESP

TRACT/LUNGS.MAY CAUSE NAU, VOMIT. PER TIR: PKG CONSISTS OF DEVELOPER & FIXER (SEE PNIND:B).

HCC:N1 Boiling Pt:B.P. Text:212F,100C Melt/Freeze Pt:M.P/F.P Text:NP Decomp Temp:Decomp Text:NP Vapor Pre s:N/AVAI Vapor Density:N/AVAI Spec Gravity:1.12 pH:10.2 Viscosity:NP Evaporation Rate & amp; Reference:N/AVAI Solubility in Water:COMPLETELY. Appearance and Odor:RED SOLUTION, ALDEHYDE ODOR. Percent Volatiles by Volume:60-100 Corrosion Rate:NP

Stability Indicator/Materials to Avoid:YES AVOID STRONG ACIDS & OXIDIZERS. Stability Condition to Avoid:NONE Hazardous Decomposition Products:SULFUR DIOXIDE.

====== Dispos

Waste Disposal Methods:DISCHARGE TO SEWER REQUIRES APPROVAL OF PERMITTING AUTHORITY;MAY REQUIRE PRETREATMENT.TREAT/STORAGE/TRASNP/DISPO MUST BE IAW FED/STATE/LOC REGS.CHEM SUBJ TO REPORTING REQMTS OF SEC 313 TITLE III OF SA RA/49CFR372:HYDROQUINONE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no m anner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.