DEXTER HYSOL AEROSPACE INC DIV OF EXTER CORP -- AS9174009 HYSOL EA 934NA, PART A -- 8040-00-016-8662

Product ID:AS9174009 HYSOL EA 934NA, PART A

MSDS Date:06/01/1995

FSC:8040

NIIN:00-016-8662

Kit Part:Y

MSDS Number: CBSXB === Responsible Party ===

Company Name: DEXTER HYSOL AEROSPACE INC DIV OF EXTER CORP

Address:2850 WILLOW PASS ROAD

Box:312

City:PITTSBURG

State:CA

ZIP:94565-3237

Country:US

Info Phone Num:510-458-8000

Emergen

cy Phone Num:510-458-8000

CAGE:33564

=== Contractor Identification ===

Company Name: DEXTER CORPORATION ADHESIVE & COATING SYSTEMS

Address: 2850 WILLOW PASS ROAD

Box:312

City:BAY POINT

State:CA

ZIP:94565-3299 Country:US

Phone:202-483-7616

CAGE:33564

Company Name: READ PLASTICS INC Address: 12331 WILKINS AVENUE

Box:City:ROCKVILLE

State:MD ZIP:20852 Country:US CAGE:20484

======= Composition/Information on Ingredients ========

Ingred Name: POLYMER OF EPICHLOROHYDRIN, PHENOL-FORMALDEHYDE N

OVOLAC RESIN CAS:28064-14-4 Fraction by Wt: 20-60% Other REC Limits: NONE RECOMMENDED Ingred Name: 4-GLYCIDYLOXY-N, N-DIGLYCIDYLANILINE CAS:5026-74-4 RTECS #:RR0504000 Fraction by Wt: 15-40% Other REC Limits: NONE RECOMMENDED Ingred Name: ALUMINUM POWDER (SARA 313) CAS:7429-90-5 RTECS #:BD0330000 Fraction by Wt: 10-30% Other REC Limits: NONE RECOMMENDED OSHA PEL:15 MG/M3 DUST ACGIH TLV:10 MG/M3 DUST; 9596 Ingred Name: SILICA, AMORPHOUS (FUMED); (PER MSDS: CAS# GIVE BY SUPPLIER, MATL TXCA LIST ED AS 7631-86-9) CAS:112945-52-5 RTECS #:VV7310000 Fraction by Wt: 1-5% Other REC Limits: NONE RECOMMENDED OSHA PEL:6 MG/M3 ACGIH TLV:10 MG/M3 Ingred Name: VOLITILE ORGANIC CONTENT AS LISTED ON MSDS, 125F UNLESS CURING SURFACES TO BE BONDED. FAILURE TO OBSERVE THESE PRECAUT MAY RESULT IN EXCESSIVE HEAT BUILDUP CAUSING EXOTHERM-POTENTIAL FOR RELEASE OF TOXIC GASES. PER 8040-01-137-4505 TIR, THIS NSN IS REPLACING 8040-01-137-4505 WHICH IS BEING CANCELLED DTD 91001. == Physical/Chemical Properties ========= HCC:V7 Boiling Pt:B.P. Text:UNDEFINED Melt/Freeze Pt:M.P/F.P Text:NP Decomp Temp:Decomp Text:NOT TESTED Vapor Pres:NIL Vapor Density:>1 Spec Gravity: 1.59 pH:UNDEF Viscosity:5000-9000P Evaporation Rate & Deference: NP Solubility in Water: NEGLIGIBLE. Appearance and Odor: PASTE, VISCOUS GRAY PASTE WITH SLIGHT ODOR. Percent Volatiles by Volume:NP

========= Stability and Reactivity Data ==============

Stability I

Corrosion Rate:NA

ndicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS, STRONG LEWIS OR MINERAL ACIDS.
Stability Condition to Avoid:AVOID MIXING RESIN(PART A) & CURING
AGENT(PART B) IN BATCHES >1LB UNLESS PLAT TO USE IMMED.DON'T HEAT
MIXED (SUPPLEMENT)

Hazardous Decomposition Products:CO, NOX, ALDEHYDES, ACIDS & UNDETERMINED ORGANICS.

======= Disposal Considerations ===========

Waste Disposal Methods:MATL AS WASTE NOT CONSIDERED RCRA HAZ WASTE.HOWEVER INCINERATION IN E PA-APPROVED WASTE INCINERATOR IS

PREFERRED DISPOSAL PRACTICE.CHEM ADDN,PROCESS,OHTERWISE ALTERING MATL MAY MAKE WASTE MNGM INFO INC OMPLETE,INACCURATE,OTHERWISE (SEE OTHERPRECAUT)

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for

its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.