

===== Product Identification =====

Product ID:MIL-L-6082, GRADE 1100 BASE OIL

MSDS Date:03/16/1994

FSC:6650

NIIN:00-179-5141

MSDS Number: CBSXY

=== Responsible Party ===

Company Name:JOINT OIL ANALYSIS PROGRAM OFFICE

Address:BLDG 78, NAS

City:PENSACOLA

State:FL

ZIP:32508-5300

Country:US

Info Phone Num:904-452-3191

Emergency Phone Num:904-452-3191

Preparer's Name:DIRECTOR,

JOAP-TSC

CAGE:JOINT

=== Contractor Identification ===

Company Name:JOINT OIL ANALYSIS PROGRAM OFFICE

Address:296 FARRAR RD STE B

City:PENSACOLA

State:FL

ZIP:32508-5150

Country:US

Phone:904-452-3191

CAGE:JOINT

Company Name:NAVAL AIR REWORK FACILITY (CODE 440)

CAGE:89771

===== Composition/Information on Ingredients =====

Ingred Name:BASE METALS - AG, AL, B, CU, CR, FE, MG, NI, NA, PB, SI,
SN, TI, ZN, MO.

Fraction by Wt: 0.03%

Other REC Limits:NONE RECOMMENDED

Ingred Name:N

ON-HAZARDOUS INGREDIENTS (GRADE 1100 OIL)

Fraction by Wt: 99%+

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL RAT) = 29000 MG/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:BECAUSE OF THE LOW LEVEL OF TOXICITY ASSOCIATED W/THESE SAMPLES, OVEREXPOSURE IS UNLIKELY.

Explanation of Carcinogenicity:MANUFACTURER GAVE NO INFORMATION ABOUT

CARCINOGENICITY. HMIS FOUND NO LISTING & DOES NOT EXPECT IT TO BE CARCINOGENIC.

Effects of Overexposure:THIS PRODUCT MAY BE IRRITATING TO EYES & MAY CAUSE SLIGHT SKIN IRRITATION. AVOID BREATHING MIST OR AEROSOLS OF THIS PRODUCT. IF EYE CONTACT IS MADE, WASH 15 MIN W/CLEAR WATER. IF SKIN CONTACT IS MADE, WASH W/SOAP & WATER. MATERIAL MAY BE DISPOSED AS WASTE OIL.

Medical Cond Aggravated by Exposure:MFR GAVE NO INFORMATION OF MSDS.

===== First Aid Measures =====

First Aid:REMOVE FROM EXPOSURE SITUATION, WASH EYES 15 MIN W/CLEAR WATER, SEE PHYSICIAN. WASH SKIN W/SOAP & WATER. CONSULT PHYSICIAN IF INGESTED. DO NOT INDUCE VOMITING.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:420F,216C

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:TREAT AS AN OIL SPILL. CLEAN W/TOWEL OR RAG. DISPOSE OF RAG IN TRASH. DO NOT STORE W/OXIDIZERS. FLOOR MAY BE SLIPPERY. DETERGENT WASH MAY BE REQUIRED.

Neutralizing Agent:MFR GAVE NO INFORMATION OF MSDS.

===== Handling and Storage =====

Handling and Storage Precautions:NORMAL GOOD HOUSEKEEPING PROCEDURES.

Other Precautions:EXHAUST SYSTEM SHOULD BE IN PROPER WORKING ORDER TO FURNISH NOR

MAL WORKPLACE VENTILATION.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY NEEDED UNLESS OIL MIST OCCURS THEN
USE DUST/MIST CARTRIDGE.

Ventilation:LOCAL EXHAUST:NOTHING BEYOND NORMAL VENTILATION. OTHER
VENTILATION:MFR GAVE NO INFORMATION OF MSDS.

Protective Gloves:RUBBER GLOVES IF SPILLS LIKELY.

Eye Protection:SAFETY GLASSES ARE RECOMMENDED.

Other Protective Equipment:MFR GAVE NO INFORMATION OF MSDS.

Work Hygienic Practices:MFR GAVE
NO INFORMATION OF MSDS.

Supplemental Safety and Health

*HAS THE CHARACTERISTIC ODOR OF LUBRICATING OIL.

===== Physical/Chemical Properties =====

HCC:N1

NRC/State Lic Num:NONE

Boiling Pt:B.P. Text:VERY HIGH

Vapor Pres:NIL

Spec Gravity:0.9119

Evaporation Rate & Reference:NIL

Solubility in Water:NIL

Appearance and Odor:D19-0 IS GOLDEN BROWN. REMAINING COLORS RANGE FROM
AMBER TO PEARLLESCENT BLACK.

Percent Volatiles by Volume:NIL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

DO NOT MIX W/STRONG OXIDIZERS.

Stability Condition to Avoid:MFR GAVE NO INFORMATION OF MSDS.

Hazardous Decomposition Products:PARTIALLY BURNED HYDROCARBONS, METAL
OXIDES

Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:SMALL SPILL RESIDUES OF THESE PRODUCTS ARE NOT
CONSIDERED HAZARDOUS & MAY BE DISCARDED AS TRASH

H.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.