

CHEVRON U S A INC -- DIESEL ENGINE OIL DELO 6170 SAE 40 -- 9150-01-279-6506

===== Product Identification =====

Product ID:DIESEL ENGINE OIL DELO 6170 SAE 40

MSDS Date:07/11/1996

FSC:9150

NIIN:01-279-6506

MSDS Number: CBTGV

=== Responsible Party ===

Company Name:CHEVRON U S A INC

Address:575 MARKET ST

Box:RM2900

City:SAN FRANCISCO

State:CA

ZIP:94105

Country:US

Info Phone Num:415-894-1899, 800-582-3835

Emergency Phone Num:202-483-7616/800-424-9300(CHEMTREC)

CAGE

:81230

=== Contractor Identification ===

Company Name:CHEVRON ENVIRONMENTAL HEALTH CENTER INC

Address:15299 SAN PABLO AVE

Box:4054

City:RICHMOND

State:CA

ZIP:94804

Country:US

Phone:800-582-3835

CAGE:0AHD1

Company Name:CHEVRON PRODUCTS COMPANY LUBRICANTS AND SPECIALTY PRODUCTS

Address:6001 BOLLINGER CANYON RD

Box:City:SAN RAMON

State:CA

ZIP:94583

Country:US

Phone:800-414-6737 / 800-582-3835

CAGE:81230

===== Composition/Information on Ingredients =====

Ingred Name:PETROLEUM DIS

TILLATE, SEVERELY HYDROTREATED AND/OR SEVERELY
SOLVENT REFINED INCLUDING INGREDIENTS 2 THROUGH 12.

Fraction by Wt: >80%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 AS OIL MIST

ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:MINERAL OIL, SOLVENT REVFINED HEAVY PARAFFINIC, SEVERELY
HYDROTREATED

CAS:64741-88-4

RTECS #:PY8040501

Fraction by Wt: SEE # 1%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 (OIL MIST)

ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:PETROLEUM OIL

CAS:64741-89-5

RTECS

#:PY8041500

Fraction by Wt: SEE # 1%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 AS OIL MIST

ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATE, SOLVENT REFINED
(SEVERE), HEAVY NAPHTHENIC, (NON-CARCINOGENIC - IARC)

CAS:64741-96-4

RTECS #:PY8040001

Fraction by Wt: SEE # 1%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 AS OIL MIST

ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATE, SOLVENT REFINED
(SEVERE), LIGHT NAPHTHENIC,
(NON-CARCINOGENIC - IARC)

CAS:64741-97-5

RTECS #:PY8041001

Fraction by Wt: SEE # 1%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 AS OIL MIST

ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:SOLVENT REFINED RESIDUM

CAS:64742-01-4

Fraction by Wt: SEE # 1%

Other REC Limits:NONE RECOMMENDED

Ingred Name:MINERAL OIL, HYDROTREATED (SEVERE), HEAVY NAPHTHENIC
DISTILLATE

CAS:64742-52-5

RTECS #:PY8035001

Fraction by Wt: SEE # 1%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 AS OIL MIST

ACGIH TLV:5

MG/M3 AS OIL MIST

Ingred Name:MINERAL OIL
CAS:64742-53-6
RTECS #:PY8036000
Fraction by Wt: SEE # 1%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:5 MG/M3 (OIL MIST)
ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:MINERAL OIL,HYDROTREATED (SEVERE), PETROLEUM DISTILLATE,
HEAVY PARAFFINIC
CAS:64742-54-7
RTECS #:PY8035501
Fraction by Wt: SEE # 1%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:5 MG/M3 AS OIL MIST
ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:SOLVENT DEWAXED RESIDUAL OIL (PETROLEUM)
CAS:64742-6
2-7
Fraction by Wt: SEE # 1%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:5 MG/M3 AS OIL MIST
ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATE, SOLVENT DEWAXED
(SEVERE), HEAVY PARAFFINIC
CAS:64742-65-0
RTECS #:PY8038501
Fraction by Wt: SEE # 1%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:5 MG/M3 AS OIL MIST
ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:LUBRICATING BASE OIL
CAS:72623-83-7
Fraction by Wt: SEE # 1%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:5 MG/M3 AS OIL

MIST
ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:ADDITIVES
Fraction by Wt: