

STAHL SOAP CORP -- POWER PUMACE SOAP -- 8520-00-550-6417

===== Product Identification =====

Product ID:POWER PUMACE SOAP

MSDS Date:12/01/1993

FSC:8520

NIIN:00-550-6417

MSDS Number: CBTPB

=== Responsible Party ===

Company Name:STAHL SOAP CORP

Address:1 BRANCA RD.

City:EAST RUTHERFORD

State:NJ

ZIP:07073-3309

Country:US

Info Phone Num:201-507-5770

Emergency Phone Num:201-848-3132

Preparer's Name:KENNETH L. STAHL

CAGE:97845

=== Contractor Identification ===

Compan

y Name:STAHL SOAP CORP

Address:1413 WILLOW AVE

Box:City:HOBOKEN

State:NJ

ZIP:07030-3309

Country:US

CAGE:97845

===== Composition/Information on Ingredients =====

Ingred Name:SODIUM TALLOWATE (NON-HAZARDOUS)

CAS:8052-48-0

Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM COCOATE (NON-HAZARDOUS)

CAS:61789-31-9

Other REC Limits:NONE RECOMMENDED

Ingred Name:WATER (NON-HAZARDOUS)

CAS:7732-18-5

RTECS #:ZC0110000

Other REC Limits:NONE RECOMMENDED

Ingred Name:LIMESTONE

CAS:1317-6

5-3
RTECS #:EV9580000
Other REC Limits:NONE RECOMMENDED

Ingred Name:GLYCERIN (GLYCEROL)
CAS:56-81-5
RTECS #:MA8050000
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:UNKNOWN IARC:UNKNOWN OSHA:NO
Health Hazards Acute and Chronic:SKIN: MAY BE MILD IRRITANT. EYES: MAY
PRODUCE IRRITATION, REDNESS, TEARING. CONTAINS ABRASIVE WHICH MAY
CAUSE FURTH
ER IRRITATION. INGESTION: MAY CAUSE NAUSEA, DIARRHEA,
VOMITING.
Effects of Overexposure:NA
Medical Cond Aggravated by Exposure:NA

===== First Aid Measures =====

First Aid:EYES: RINSE COPIOUSLY W/WATER. SKIN: RINSE W/WATER.
INGESTION: DRINK LARGE AMOUNTS OF MILK. CALL POISON CONTROL CENTER.

===== Fire Fighting Measures =====

Flash Point:>200F,>93C
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:NO LIMITATIONS
Fire Fighting Procedures:USE OF WATER WILL CREATE SLIPPERY FLOOR
CONDITIONS.
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:SWEEP, SHOVEL UP MATERIAL. MAY BE REUSED IF
CLEAN.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP SOAP LATHER OUT OF EYES. DO NOT
USE THIS BAR AROUND EYES.
Other Precautions:NONE

===== Exposure Controls/Personna

I Protection =====

Respiratory Protection:NONE

Ventilation:NA

Protective Gloves:NA

Eye Protection:KEEP SOAP OUT OF EYES. DONT USE NEAR EYE

Other Protective Equipment:NONE

Work Hygienic Practices:NONE

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Melt/Freeze Pt:M.P/F.P Text:170F,77C

Spec Gravity:1.27

Solubility in Water:67%

Appearance and Odor:GRAYISH BAR, MILD PERFUME ODOR

===== Stability and Reactivity Data =====

=====

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS WILL DECOMPOSE SOAP

Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:PLACE IN DISPOSAL CONTAINERS. CONTAINS NO TOXIC
OR HAZARDOUS MATERIALS. DISPOSE OF IN ACCORDANCE W/LOCAL, STATE,
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Depa

rtment

of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.