

EVANS MFG INC -- B-149 PLASTIC COATING COMPOUND -- 8030-00-582-4598

===== Product Identification =====

Product ID:B-149 PLASTIC COATING COMPOUND

MSDS Date:01/23/1995

FSC:8030

NIIN:00-582-4598

MSDS Number: CBTPJ

=== Responsible Party ===

Company Name:EVANS MFG INC

Address:1330 SOUTER

City:TROY

State:MI

ZIP:48083

Country:US

Info Phone Num:313-583-9890

Emergency Phone Num:313-583-9890

Preparer's Name

:THOMAS B EVANS

CAGE:56307

=== Contractor Identification ===

Company Name:EVANS MFG INC

Address:1330 SOUTER

Box:City:TROY

State:MI

ZIP:48083

Country:US

CAGE:56307

===== Composition/Information on Ingredients =====

Ingred Name:THIS PRODUCT CONTAINS NO KNOWN HAZARDOUS COMPONENTS

Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:N

O OSHA:NO

Effects of Overexposure:NON-HAZARDOUS. NO RESPIRATORY IRRITATION  
EXPECTED. MELTED COMPOUND CAN BURN AT ROOM TEMPERATURE.

===== First Aid Measures =====

First Aid:APPLIED AT 350F IF COMES IN CONTACT WITH SKIN - TREAT AS OIL  
BURN

===== Fire Fighting Measures =====

Flash Point:3950F,2177C

Lower Limits:NA

Upper Limits:NA

Extinguishing Media:WATER FOG, DRY CHEMICAL, FOAM, CO2.

Fire Fighting Procedures:TREAT

AS OIL FIRE

Unusual Fire/Explosion Hazard:WHEN HEATED ABOVE THE FLASH POINT THIS  
MATERIAL WILL RELEASE FLAMMABLE VAPORS WHICH CAN BURN OR BE  
EXPLOSIVE.

===== Accidental Release Measures =====

Spill Release Procedures:SOLID

Neutralizing Agent:NA

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY AREA.

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

=

Respiratory Protection:IF DESIRED.

Ventilation:IF ODOR OBJECTIONABLE, KITCHEN TYPE EXHAUST FAN.

Protective Gloves:COTTON TYPE WHILE DIPPING

Eye Protection:SPLASH GOGGLES

Other Protective Equipment:NONE

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>700F,>371C

Melt/Freeze Pt:M.P/F.P Text:NA

Decomp Temp:Decomp Text:NA

Vapor Density:NA

Spec Gravity:1

pH:NA

Viscosity:NA

Evaporation Rate & Reference:NA

Solubility in

Water:INSOLUBLE

Appearance and Odor:100% SOLID THERMO PLASTIC WAX LIKE OIL ODOR

Percent Volatiles by Volume:NA

Corrosion Rate:NA

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS/ALKALIES

Stability Condition to Avoid:DIPPING IN EXCESS OF 360F.

===== Disposal Considerations =====

Waste Disposal Methods:SAME AS WAX OR OIL. INCINERATION OR LAND FILL TO  
COMPLY W/FEDERAL, STATE, LOCAL REG  
ULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particu  
lar situation.