FLAMEMASTER CORP THE CHEM SEAL DIV -- CS 2725 PART A -- 8030-00-670-8556 Product ID:CS 2725 PART A MSDS Date:03/24/1993 FSC:8030 NIIN:00-670-8556 Kit Part:Y MSDS Number: CBTQK === Responsible Party === Company Name: FLAMEMASTER CORP THE CHEM SEAL DIV Address:11120 SHERMAN WAY City:SUN VALLEY State:CA ZIP:91352-4949 Country:US Info Phone Num:818-982-1650 FAX 818-765-5603 Emergency Phone Num:818-982-1650 Preparer's Name: HERBERT H. MOORE CAGE:14439 === Contractor Identification === Company Name: FLAMEMASTER CORP THE CHEM SEAL DIV Address:11120 SHERMAN WAY Box: City: SUN VALLEY State:CA ZIP:91352-4949 Country:US Phone:818-982-1650 CAGE:14439 ======= Composition/Information on Ingredients ======== Other REC Limits: NONE SPECIFIED

Ingred Name: NO HAZARDOUS INGREDIENTS

Ingred Name: VOC 9 GM/LITER

RTECS #:9999999VO

Other REC Limits: NONE SPECIFIED

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:FOR SENSITIVE INDIVIDUALS, REDNESS AND ITCHING OF SKIN MAY OCCUR ON REPEATED EXPOSURE. DERMATITIS MAY RESULT FROM PROLONGED OR FREQUENT CONTACT. Effects of Overexposure: EYE IRRITATION WITH TEARING AND REDNESS. ITCHING AND REDNESS OF SKIN. Medical Cond Aggravated by Exposure: EZEMA OR PREVIOUS SKIN IRRITATION OR ALLERGY. _____ ==== First Aid Measures ============ First Aid:EYES-FLUSH WITH FLOWING WATER FOR AT LEAST 15 MINUTES. OBTAIN MEDICAL ATTENTION. SKIN-WASH WITH SOAP AND WATER. Flash Point Method:TCC Flash Point:>200F.>93C Autoignition Temp: Autoignition Temp Text: NA Extinguishing Media: FOAM, DRY CHEMICAL, WATER SPRAY, CO2 Fire Fighting Procedures: IN CONFINED AREAS, WEAR SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Ex plosion Hazard:NONE ======== Accidental Release Measures =========== Spill Release Procedures: SCOOP UP AND RETURN TO CONTAINER, REMOVE

RESIDUE WITH SOAP AND WATER OR 1, 1, 1, TRICHLOROETHANE. Neutralizing Agent: AMINES, ORGANIC ACIDS

============ Handling and Storage ===========================

Handling and Storage Precautions: STORE IN COOL DRY AREAS AWAY FROM DIRECT SUNLIGHT. KEEP IN CLOSED CONTAINERS. Other Precautions: AVOID CONTACT WITH SKIN, EYES AND CLOTH

ING. WASH
CONTAMINATED CLOTHING BEFORE REUSE.

====== Exposure Controls/Personal Protection ========

Respiratory Protection: MSHA/NIOSH APPROVED ORGANIC VAPOR RESPIRATORS FOR HOT MATERIAL.

Ventilation: LOCAL EXHAUST-HOOD, MECHANICAL (GENERAL) FAN.

Protective Gloves: NITRILE OR NEOPRENE

Eye Protection: SAFETY GLASSES WITH SPLASH GUARD.

Other Protective Equipment: APRON, SAFETY SHOES, EYE WASH STATION. Work Hygienic Practices: DO NOT SMOKE, DRINK OR EAT IN WORK AREA.

Supplemental Safety and Health KEY1:N1.

Dis

======== Physical/Chemical Properties ===========

HCC:B3

Boiling Pt:B.P. Text:>400F,>204C

Melt/Freeze Pt:M.P/F.P Text:@ ROOM TEMP

Decomp Temp:Decomp Text:>BOILING

Vapor Pres:1.0 Spec Gravity:1.6

pH:8.5

Viscosity:HEAVY MASTIC

Evaporation Rate & Deference: