View NSN Online: https://aerobasegroup.es/nsn/8040-01-066-6442

THE DEXTER CORP. DEXTER ELECTRONIC MATERIALS DIV. -- EPK 0151 HARDENER #AB0151 --

8040-01-066-6442

Product ID:EPK 0151 HARDENER #AB0151

MSDS Date:03/08/1993

FSC:8040

NIIN:01-066-6442

Kit Part:Y

MSDS Number: CBTSS === Responsible Party ===

Company Name: THE DEXTER CORP. DEXTER ELECTRONIC MATERIALS DIV.

Address:211 FRANKLIN ST.

City:OLEAN State:NY

ZIP:14760-1297

Cou ntry:US

Info Phone Num:716-372-6300

Emergency Phone Num:716-372-6309

Preparer's Name: KEN DECOSTA

CAGE:DO846

=== Contractor Identification ===

Company Name: DEXTER CORP THE DEXTER ELECTRONIC MATERIAL DIV

Address:211 FRANKLIN ST.

Box:City:OLEAN

State:NY

ZIP:14760-1297

Country:US

Phone:716-372-6300/6309

CAGE:04347

Company Name: THE DEXTER CORP. WATER MANAGEMENT SYSTEMS DIVISION

Box:200

City: CHAGRIN FALLS

State:OH ZIP:44022 Country:US

Phone:216-247-5000

CAGE:DO846

Company Name: WATKINS AND ASSOCIATES I

NC

Address:5395 WEBB PKY

Box:City:LILBURN

State:GA ZIP:30047 Country:US

Phone:770-279-9200

CAGE:3D523

======= Composition/Information on Ingredients ========

Ingred Name:TRIETHYLENE TETRAMINE

CAS:112-24-3

RTECS #:YE6650000 Fraction by Wt: 10-30%

Other REC Limits: NONE RECOMMENDED

ACGIH TLV:1 PPM

Ingred Name: REACTIVE POLYAMIDE

CAS:68410-23-1

Fraction by Wt: 60-100%

Other REC Limits: NONE RECOMMENDED

========== Hazards Identification ================

LD50 LC50 Mix

ture:TLV1PPM/LD50-800MG/KG DRML/4340MG/KG RAT Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: EYE: MAY CAUSE PAIN/BURNS/SEVERE

IRRIT/CORNEAL INJURY W/PERM VISION IMPAIRMENT/BLINDNESS.SKIN:SEVERE BURNS/ALERG REACT. NOT TOXIC. CHRONIC EXPOSURE MAY CAUSE HARMFUL ABSORPTION. INHAL:RESP SENSITIZATIO N IF SUSCEPTIBLE.EXCESS

EXPOSURE MAY IRRIT RESP TRACT.**

Medical Cond Aggravated by Exposure:P

REEXISTING ASTHMA, PREEXISTING

SKIN/EYE DISORDERS. PREEXISTING SKIN/LUNG ALLERGIES MAY INGREASE CHANCE OF DEVELOPING INCREASED ALLERGY SYMPTOMS FROM EXPOSURE TO PRODUCT.

First Aid:EYES:IMMED/CONTINUOUSLY IRRIGATE W/FLOWING WATER >30
MIN.PROMPT MED AID ESSENTIAL.SKIN: IMMED FLUSH W/PLENTY WATER >15
MIN.REMOVE CONTAM CLOTHES/SHOES.CALL DR IF IRRIT PERSISTS.WASH
CLOTHES BEFORE REU SE.DESTROY CONTAM SHOES/

MED FACILITY.DON'T GIVE FLUIDS IF UNCONSCIOUS.INHAL: MOVE TO FRESH AIR.CALL DR.***
======================================
Flash Point:265F,129C Extinguishing Media:NK *CALCULATED Fire Fighting Procedures:WEAR SCBA & FULL PROTECTIVE EQUIPMENT. Unusual Fire/Explosion Hazard:NONE
========= Accidental Release Measures ==========
Spill Release Proced ures:CLEAN UP & DISPOSAL SHOULD BE IN ACCORDANCE W/FEDERAL, STATE, LOCAL ENVIRONMENTAL CONTROL REGULATIONS.
======================================
Handling and Storage Precautions: KEEP CONTAINERS TIGHTLY SEALED. AVOID SKIN/EYE CONTACT.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:FRESH AIR MASK IN CONFINED SPACES. Ventilation:LOCAL EXHAUST PREFERRED. MECHANICAL EXHAUST ACCEPTABLE. RESPIRATOR IF VENTILATION FAILS.
Protective Gloves:RUBBER OR PLASTIC Eye Protection:SAFETY GLASSES OR GOGGLES Other Protective Equipment:SAFETY SHOWER OR EYEBATH
Supplemental Safety and Health NK **AVOID CHRONIC INHAL.INGEST: SINGLE DOSE ORAL TOXICITY LOW.CAN CAUSE GI IRRIT/ULCERATION/BURNS TO MOUTH/THROAT.POLYEUROTHANE AMINES SUSPECTED MUTOGENS. ***NOTE TO DR:MAY CAUSE TISSUE DESTRUCTION (STRICTURE CONTROL).TREAT BURN AS THERMAL AFTER DECONTAM.NO ANTEDOTE.SUPPORTIVE CARE.TREATMNT BASED ON DR'S JUDG EMENT.
========= Physical/Chemical Properties ============
Boiling Pt:B.P. Text:500F,260C Vapor Pres:

DON'T INDUCE VOMITING.GIVE LARGE AMTS WATER/MILK IF AVAIL.GET TO

LEATHER ITEMS.INGEST: