MSDS Date:11/15/1993

FSC:7930

NIIN:01-410-8562

MSDS Number: CBVDN === Responsible Party ===

Company Name: S.C. JONSON WAX

Address:1525 HOWE ST

City:RACINE State:WI

ZIP:53403-2237 Country:US

Info Phone Num:414-631-2777

Emergency Phone Num:800-228-5635

CAGE:NO353

=== Contractor Identification === Company Name:S.C. JONSON WAX

Address:1525 HOWE ST

Box:City:RACINE

State:WI

ZIP:53403-2237 Country:US

Phone:414-631-2777

CAGE:NO353

Company Name: SC JOHNSON AND SON INC

Address:1525 HOWE ST

Box:City:RACINE

State:WI

ZIP:53403-2236 Country:US

Phone:800-725-6737

CAGE:32204

======= Composition/Information on Ingredients ========

Ingred Name: ACRYLIC POLYMERS

Fraction by Wt: 10-20%

Other REC Limits: NONE RECOMMENDED

Ingred Name: ETHYLENE GLYCOL 2-ETHYLHEXYL ETHER (SARA 313)

CAS:1559-35-9 Fraction by Wt: 1-3%

Other REC Limits: NONE RECOMMENDED

Ingred Name

DIETHYLENE GLYCOL ETHYL ETHER (SARA 313)(LD50 6500 MG/KG ORAL RAT; 4000 MG/KG DERMAL RABBIT) CAS:111-90-0 RTECS #:KK8750000 Fraction by Wt: 3-5% Other REC Limits:NONE RECOMMENDED
ngred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 70-85% Other REC Limits:NONE RECOMMENDED
ngred Name:VOC = GLYCOL ETHER RTECS #:9999999VO Other REC Limits:NONE RECOMMENDED OSHA PEL:NOT RELEVANT ACGIH TLV:NOT RELEVANT
Hazards Identification
LD50 LC5 Mixture:LD50 EST >5000 MG/KG RATS Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
First Aid Measures
First Aid:EYES: FLUSH IMMEDIATELY W/WATER 20 MINUTES. IF IRRITATION PERSISTS GET MEDICAL AID. SKIN: WASH W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: DRINK 1-2 GLASSES WATER OR MILK.
======================================
Flash Poi ht:NA Autoignition Temp:Autoignition Temp Text:NA Lower Limits:NA Jpper Limits:NA Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER FOG. Fire Fighting Procedures:NORMAL FIRE FIGHTING PROCEDURES MAY BE USED. Jnusual Fire/Explosion Hazard:NO SPECIAL HAZARDS KNOWN
======================================
Spill Release Procedures:ABSORB W/OIL-DRI OR SIMILAR INERT MATERIAL.

SWEEP OR SCRAPE UP & CONTAINERIZE. CONTAINS AMMONIA. DON'T LET SPILLED OR LEAKING MATERIAL

AQUATIC LIFE.
======================================
Handling and Storage Precautions:STORE IN A COOL, DRY PLACE W/ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. KEEP AWAY FROM CHILDREN.
Other Precautions:FOR INDUSTRIAL USE ONLY.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NO SPECIAL REQUIREMENTS UNDER LABEL RECOMMENDED USE.
Ventilation:GENERAL ROOM VENTILAT ION ADEQUATE.
Protective Gloves:NO SPECIAL REQUIREMENTS UNDER NORMAL USE Eye Protection:NO SPECIAL REQUIREMENTS UNDER NORMAL USE Other Protective Equipment:IF MAJOR EXPOSURE POSSIBLE TO EYES/SKIN, WEAR AND USE APPROPRIATE PROTECTIVE EQUIPMENT. Supplemental Safety and Health *PH = 8.5-9.5
========= Physical/Chemical Properties ===========
Boiling Pt:B.P. Text:212F,100C Melt/Freeze Pt:M.P/F.P Text:32.0F,0.0C Vapor Pres:NOT AVAIL Vapor Density:NOT AVAIL Spec Gravity:1.03 pH:
Evaporation Rate & Evaporation R
========= Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES NK
Stability Condition to Avoid:NO SPECIAL REQUIREMENTS Hazardous Decomposition Products:WHEN EXPOSED TO FIRE PRODUCES NORMAL PRODUCTS OF COMBUSTION.
======= Disposal Considerations =========

ENTER WATER COURSE. MAY BE TOXIC TO

====

Waste Disposal Methods: NO SPECIAL METHOD. OBSERVE ALL FEDERAL, STATE, LOCAL REGULATIONS REGARDING DISPOSAL OF NON-HAZARDOUS MATERIAL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document sh

ould seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.