

DEXTER HYSOL AEROSPACE INC DIV OF DEXTER CORP THE -- HYSOL EA 956 PART A --
8040-00-463-7042

===== Product Identification =====

Product ID:HYSOL EA 956 PART A

MSDS Date:04/01/1994

FSC:8040

NIIN:00-463-7042

Kit Part:Y

MSDS Number: CCGFM

=== Responsible Party ===

Company Name:DEXTER HYSOL AEROSPACE INC DIV OF DEXTER CORP THE

Address:2850 WILLOW PASS RD

Box:312

City:PITTSBURGH

State:CA

ZIP:94565-3299

Country:US

Info Phone Num:510-458-8000/202-483-7616

Emergency Phone Num:510-458-8000/202-483-7616

CAGE:33564

=== Contractor Identification ===

Company Name:DEXTER CORPORATION ADHESIVE & COATING SYSTEMS

Address:2850 WILLOW PASS ROAD

Box:312

City:BAY POINT

State:CA

ZIP:94565-3299

Country:US

Phone:202-483-7616

CAGE:33564

===== Composition/Information on Ingredients =====

Ingred Name:EPOXY POLYMER

Fraction by Wt: 40-70%

Ingred Name:4-GLYCIDYLOXY-N,N-DIGLYCIDYLANILINE *96-3

*

CAS:5026-74-4

RTECS #:RR0504000

Fraction by Wt: 30-60%

Ingrid Name:VOLATILE ORGANIC CONTENT: 4000 MG/KG (SEE SUPP)

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN: IRRITATION. REPEATED/PROLONGED
SKIN CONTACT MAY RESULT IN ALLERGIC SENSITIZATION.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:IRRITATION, RASH.

Medical Cond Aggravated by Exposure:SKIN SENSITIZATION.

=====

===== First Aid Measures =====

First Aid:EYES: FLUSH W/WATER FOR 15 MINS. SKIN: WASH THOROUGHLY W/SOAP
& WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: DRINK PLENTY
OF WATER. OBTAIN MEDICAL ATTENTION IN ALL CASES.

===== Fire Fighting Measures =====

Extinguishing Media:DRY CHEMICAL, HALON, WATER SPRAY, FOAM/FOG.

Fire Fighting Procedures:WEAR SCBA & FULL PROTECTIVE CLOTHING.

CARTRIDGE RESPIRATORS DON'T PROVIDE ADEQUATE PR
OTECTION FOR

FIGHTERS/EXOTHERM MITIGATION.

Unusual Fire/Explosion Hazard:MAY LIBERATE LARGE QUANTITIES OF DENSE
FOUL-SMELLING SMOKE WHICH MAY CONTAIN UNIDENTIFIED TOXIC GASES.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE CLOTHING, GLOVES & SAFETY
GLASSES. SCRAPE UP/SHOVEL INTO DOT APPROVED WASTE CONTAINERS.

===== Handling and Storage =====

Handling and Storage Precautions:REFRIGERAT

ED STORAGE IS RECOMMENDED TO

MAINTAIN PRODUCT QUALITY. PRODUCT MAY BE STORED AT 40F FOR UP TO 12
MONTHS.

Other Precautions:DON'T CUT, GRIND, WELD/DRILL ON/NEAR THIS CONTAINER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:UNNECESSARY W/ADEQUATE EXHAUST VENTILATION.

Ventilation:LOCAL EXHAUST VENTILATION.

Protective Gloves:BUTYL RUBBER, POLYVINYL CHLORIDE

Eye Protection:SAFETY GLASSES W/SIDE SHIELDS

Other Protective Equipment:CHEMICAL GOGGLES,

NITRILE RUBBER GLOVES,
EYEWASH, SAFETY SHOWER.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

CONDITIONS TO AVOID CONT'D: DON'T HEAT MIXED ADHESIVE >125F UNLESS
CURING SURFACES TO BE BONDED. FAILURE MAY RESULT IN EXCESSIVE HEAT
BUILD-UP CAUSING AN EXOTHERM. EXOTHERM HAS THE POTENTIAL FOR RELEA
SE OF TOXIC GASES. ORAL LD50 INFORMATION IS FOR EPOXY POLYMER.

===== Physical/Chemical Properties =====

HCC:N1
Vapor P
res:NIL
Vapor Density:>1
Spec Gravity:1.25
Viscosity:*
Solubility in Water:NEGLIGIBLE
Appearance and Odor:AMBER LIQUID PASTE W/SLIGHT ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS, STRONG LEWIS/MINERAL ACIDS.
Stability Condition to Avoid:AVOID MIXING RESIN & CURING AGENT IN
BATCHES >1 LB UNLESS YOU PLAN TO USE IMMEDIATELY. (SEE SUPP)
Hazardous Decomposition Products:CO, NITROGEN OXIDES, ACIDS,

UNDERTERMINED ORGANICS, ALDEHYDES

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATION IN AN EPA-APPROVED WASTE
INCINERATOR IS PREFERRED. CHEMICAL ADDITIONS, PROCESSING/OTHERWISE
ALTERING MATERIAL MAY MAKE MANAGEMENT INFORMATION HEREIN
INCOMPLETE, INACCURATE/INAPPROPRIATE. DISPOSE OF IAW/FEDERAL,
STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulate

d for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.