NATIONAL LABORATORIES L & F PRODUCTS -- PROFESSIONAL LYSOL BRAND DISINFECTANT SPRAY -- 6840-01-065-3662

============= Product Identification ========================

Product ID:PROFESSIONAL LYSOL BRAND DISINFECTANT SPRAY

MSDS Date:01/14/1992

FSC:6840

NIIN:01-065-3662

MSDS Number: CCGJG === Responsible Party ===

Company Name: NATIONAL LABORATORIES L & F PRODUCTS

Address:225 SUMMIT AVE

City:MONTVALE

State:NJ

ZIP:07645-1523 Country:US

Info Phone Num:201-573-5700/201-573-2569

Emergency Phone

Num:201-573-5700/201-573-5269

CAGE:63180

=== Contractor Identification ===

Company Name: RECKITT AND COLMAN INC

Address:1655 VALLEY ROAD

Box:City:WAYNE

State:NJ ZIP:07474 Country:US

Phone:800-338-6167

CAGE:63180

======= Composition/Information on Ingredients ========

Ingred Name: CARBON DIOXIDE *96-1*

CAS:124-38-9

RTECS #:FF6400000 Fraction by Wt: 4%

Other REC Limits:10000 PPM

OSHA PEL:5000 PPM

ACGIH TLV:9000 MG/CUM

Ingred Name:ETHANOL (ETHYL ALCOHOL), TECSOL, ALCOHOL, SYNASOL C

AS:64-17-5 RTECS #:KQ6300000 Fraction by Wt: 79% Other REC Limits:1900 MG/CUM OSHA PEL:1000 PPM ACGIH TLV:1000 PPM Ingred Name: O-PHENYL PHENOL CAS:90-43-7 RTECS #: DV5775000 Fraction by Wt: 0.1% =========== Hazards Identification ========================== Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: EYES: MAY CAUSE MILD TEMPORARY IRRITATION. **Explanation of Carcinogenicity: NONE** Effects of Overexposure: DIZZINESS, DROWSINESS, NAUSEA, VOMITING, **IRRITATION** First Aid: INHALATION: REMOVE TO FRESH AIR. EYES: IMMEDIATELY FLUSH W/PLENTY OF LOW PRESSURE WATER. REMOVE CONTACT LENSES & CONTINUE TO FLUSH W/WATER FOR 15 MINS. INGESTION: ADMINISTER WATER TO DILUTE. DON'T GIV E LIQUIDS IF UNCONSCIOUS. OBTAIN MEDICAL ATTENTION IN ALL CASES. Flash Point Method:TCC Flash Point:70F Extinguishing Media: WATER SPRAY, FOAM, DRY CHEMICAL/CO2. USE MEDIA SUITABLE FOR SURROUNDING FIRE.

Fire Fighting Procedures: USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. WEAR SCBA & PROTECTIVE EQUIPMENT APPROPRIATE FOR CHEMICAL FIRE. MOVE CONTAINERS FROM FIRE SAFELY.

Unusual Fire/Explosion Hazard:DON'T PUNCTURE/INCINERATE CONTAINER. EXPOSURE TO TEMPERATURES >120F MAY CAUSE BURSTING.

======= Accidental Release Measures ===

Spill Release Procedures:LARGE: VENTILATE AREA. COLLECT LIQUID & STORE IN SUITABLE CONTAINERS FOR DISPOSAL.
=========== Handling and Storage ============
Handling and Storage Precautions:STORE IN A COOL, DRY LOCATION AWAY FROM HOT SURFACES, SPARKS/FLAMES. CONTENTS UNDER PRESSURE. DON'T USE NEAR FIRE. Other Precautions:KEEP OUT OF REACH OF CHILDREN. AVOID CONTACT OF PRODUCT W/FOOD. AVOID SPRAYING PRODUCT IN EYES.
====== Exposure Co ntrols/Personal Protection =========
Respiratory Protection:NONE REQUIRED Ventilation:NONE REQUIRED Protective Gloves:NONE REQUIRED Eye Protection:NONE REQUIRED Supplemental Safety and Health VAPOR DENSITY & SOLUBILITY IN WATER IS FOR CONCENTRATE.
========= Physical/Chemical Properties =========
Vapor Density:>1 Spec Gravity:0.835 Solubility in Water:MISCIBLE Appearance and Odor:AEROSOL CONTAINER
======== Stability and Reactivity Data =========
St ability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:TEMPERATURES >120F, HEAT, SPARK/OPEN FLAME Hazardous Decomposition Products:CO2, CO, UNIDENTIFIED ORGANIC COMPOUNDS
======== Disposal Considerations ===========
Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements o

f the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.