

DEXTER CORP THE DEXTER ELECTRONIC MATERIAL DIV. -- HYSOL PC 12-007 M,PART B --
5970-00-998-2800

===== Product Identification =====

Product ID:HYSOL PC 12-007 M,PART B

MSDS Date:07/06/1995

FSC:5970

NIIN:00-998-2800

Kit Part:Y

MSDS Number: CCHWS

=== Responsible Party ===

Company Name:DEXTER CORP THE DEXTER ELECTRONIC MATERIAL DIV.

Address:211 FRANKLIN ST.

City:OLEAN

State:NY

ZIP:14760-1297

Country:US

Info Phone Num:716-372-6300

Emergency Phone Num:716-372-6309/8

00-424-9300(CHEMTREC)

CAGE:04347

=== Contractor Identification ===

Company Name:DEXTER CORP THE DEXTER ELECTRONIC MATERIAL DIV

Address:211 FRANKLIN ST.

Box:City:OLEAN

State:NY

ZIP:14760-1297

Country:US

Phone:716-372-6300/6309

CAGE:04347

===== Composition/Information on Ingredients =====

Ingred Name:POLYAMIDE RESIN

CAS:68410-23-1

Fraction by Wt: 60 - 85%

Other REC Limits:NONE RECOMMENDED

Ingred Name:TRIETHYLENE TETRAMINE

CAS:112-24-3

RTECS #:YE6650000

Fraction by Wt: 5 - 10%

Other REC Limits:NONE RECOMMENDED

Ingred Name:DIBUTYL PHTHALATE (SARA 313) (CERCLA)

CAS:84-74-2

RTECS #:TI0875000

Fraction by Wt: 10 - 30%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3

ACGIH TLV:5 MG/M3; 9596

EPA Rpt Qty:10 LBS

DOT Rpt Qty:10 LBS

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT KNOWN.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute

and Chronic:TARGET ORGANS:EYES, SKIN, RESPIRATORY

& GI TRACT. ACUTE- INHALE:HARMFUL IF INHALED. MAY CAUSE ALLERGIC
RESPIRATORY REACTION SUCH AS ASTHMA. EYE:MAY CAUSE IRRITATION.

SKIN:PROLONGED/REPEATED CONTACT MAY CAUSE IRRITATION.

ORAL:MODERATELY TOXIC. HARMFUL IF SWALLOWED. MAY CAUSE VOMITING.

CHRONIC- UNKNOWN.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:IRRITATION, NAUSEA, HEADACHE, VOMITING,
DIARRHEA, TEARING, DIFFICULT BREATHING, ASTHMA

Medical Con

d Aggravated by Exposure:INDIVIDUALS WITH PRE-EXISTING

DISEASES OF THE EYE, SKIN, RESPIRATORY TRACT MAY HAVE INCREASED
SUSCEPTIBILITY TO THE TOXICITY OF EXCESSIVE EXPOSURES.

===== First Aid Measures =====

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH
AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR 15
MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:DO
NOT INDUCE VOMITING. IF CONSCIOUS, RINSE MOUTH WITH WATER. SEEK

PROMPT MEDICAL ATTENTION. IF SPONTANEOUS VOMITING OCCURS, KEEP HEAD

BELOW HIPS TO PREVENT ASPIRATION OF VOMITUS INTO LUNGS.

===== Fire Fighting Measures =====

Flash Point Method:CC

Flash Point:560F,293C

Extinguishing Media:WATER FOG, CARBON DIOXIDE, SAND, FOAM/DRY CHEMICAL.
WATER SPRAY MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL.

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED
SELF-CONTAINED BREATHING APPARATUS.

AINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. ELIMINATE SOURCES OF IGNITION. VENTILATE AREA. PICK UP SPILL WITH INERT ABSORBENT MATERIAL SUCH AS SAND. PLACE IN CONTAINER FOR DISPOSAL. PREVENT LIQUID FROM ENTERING SEWERS , WATERWAYS.

Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL (