

PENNZOIL CO -- JET SPRAY, GUMOUT CARBURETOR AND CHOKE CLEANER -- 2940-00-123-7195
===== Product Identification =====

Product ID:JET SPRAY, GUMOUT CARBURETOR AND CHOKE CLEANER

MSDS Date:06/25/1996

FSC:2940

NIIN:00-123-7195

MSDS Number: CCLNN

=== Responsible Party ===

Company Name:PENNZOIL CO

Address:700 MILIAM PENNZOIL PL

Box:2967

City:HOUSTON

State:TX

ZIP:77252

Country:US

Info Phone Num:713-546-

4000/6227; FAX -4876

Emergency Phone Num:713-236-6070

CAGE:01326

=== Contractor Identification ===

Company Name:GENERAL MOTORS CORP CHEVROLET MOTOR DIV

Address:30007 VAN DYKE

Box:City:WARREN

State:MI

ZIP:48090

Country:US

CAGE:11862

Company Name:PENNZOIL CO

Address:700 MILIAM PENNZOIL PL

Box:2967

City:HOUSTON

State:TX

ZIP:77252-2967

Country:US

Phone:800-546-6227

CAGE:01326

===== Composition/Information on Ingredients =====

Ingred Name:NAPHTHA, LIGHT AROMATIC (SOLVENT NAPHTHA)/

PETROLEUM

DISTILLATE, AROMATIC HYDROCARBON

CAS:64742-95-6

RTECS #:WF3400000

Fraction by Wt: 30-50%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 AS OIL MIST

ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:PETROLEUM HYDROCARBON/SEVERELY HYDROTREATED LIGHT
DISTILLATE

CAS:64742-47-8

RTECS #:OA5504000

Fraction by Wt: 10-30%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 (OIL MIST)

ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA 313) (CERCLA)

CAS:78-

93-3

RTECS #:EL6475000

Fraction by Wt: 1-7%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:200 PPM

ACGIH TLV:200 PPM/300STEL;9596

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:ISOPROPYL ALCOHOL (SARA 313)

CAS:67-63-0

RTECS #:NT8050000

Fraction by Wt: 1-7%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:400 PPM

ACGIH TLV:400 PPM/500STEL;9596

Ingred Name:PROPANE

CAS:74-98-6

RTECS #:TX2275000

Fraction by Wt: 15-25%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:1000 PPM

ACGIH TLV:ASPHYXIAN; 9596

Ing

red Name: SURFACTANTS MIXTURE

Fraction by Wt: 120F.

Other Precautions: CONTENTS UNDER PRESSURE AND CAN EXPLODE WHEN EXPOSED TO HEAT OR OPEN FLAME. CAUTION! DO NOT PUNCTURE OR INCINERATE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: IF EXPOSURE MAY OR DOES EXCEED OCCUPATION EXPOSURE LIMITS USE A NIOSH-APPROVED RESPIRATOR TO PREVENT OVEREXPOSURE. IN ACCORD WITH 29 CFR 1910.134 USE EITHER AN ATMOSPHERE-SUPPLYING RESPIRATOR OR AN AIR-PURIFYING RESPIRATOR.

Ventilation: EXHAUST VENTILATION SUFFICIENT TO KEEP AIRBORNE CONCENTRATIONS BELOW RESPECTIVE TLV'S.

Protective Gloves: SYNTHETIC RUBBER

Eye Protection: CHEMICAL GOGGLES, SAFETY GLASSES W/SIDES

Other Protective Equipment: CHEMICAL RESISTANT CLOTHING AS NECESSARY TO PREVENT SKIN CONTACT. AN EMERGENCY EYEWASH AND SHOWER SHOULD BE AVAILABLE.

Work Hygienic Practices: WASH HANDS THOROUGHLY WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES.

S

Supplemental Safety and Health

REMOVE AND WASH CONTAMINATED CLOTHING BEFORE REUSE.

===== Physical/Chemical Properties =====

HCC: V3

Boiling Pt: B.P. Text: