

MSDS Safety Information

FSC: 9150
NIIN: 01-220-9321
MSDS Date: 03/19/1999
MSDS Num: CCMTH
Product ID: MOBIL DTE 15M
MFN: 03
Kit Part: Y
Responsible Party
Cage: 3U728
Name: MOBIL OIL CORP
Address: 3225 GALLONS ROAD
City: FAIRFAX VA 22037-0001
Info Phone Number: 800-662-4525/800-227-0707 X3265
Emergency Phon
e Number: 800-227-0707 OR 800-662-4525
Resp. Party Other MSDS No.: 602722-00

Item Description Information

Item Manager: S9G
Item Name: HYDRAULIC FLUID,PETROLEUM BASE
Unit of Issue: CN
Quantitative Expression: 00000000005GL
UI Container Qty: 0
Type of Container: CAN

Ingredients

Name: *** PROPRIETARY ***

Health Hazards Data

LD50 LC50 Mixture: ORAL LD50 (RAT) IS > THAN 2000 MG/KG
Route Of Entry Inds - Inhalation: YES
Skin: YES
Ingestion: NO
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO
Effects of Exposure: THIS PRODUCT IS NOT FORMULATED TO CONTAIN INGREDIENTS WHICH HAVE EXPOSURE LIMITS ESTABLISHED BY U.S. AGENCIES. I

IT IS NOT HAZARDOUS TO HEALTH AS DEFINED BY THE EUROPEAN UNION DANGEROUS SUBSTANCES/PREPARATIONS DIRECTIVES. EFFECTS OF OVEREXPOSURE: NO SIGNIFICANT EFFECTS EXPECTED.
Explanation Of Carcinogenicity: NONE SPECIFIED BY MANUFACTURER.
Signs And Symptoms Of Overexposure: NO SIGNIFICANT EFFECTS EXPECTED.
Medical Condition Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.
First Aid: EYE CONTACT: FLUSH THOROUGHLY WITH WATER. IF IRRITATION PERSISTS, CALL A PHYSICIAN. SKIN CONTACT: WASH CONTACT AREA WITH SOAP AND WATER.
INHALATION: NOT EXPECTED TO BE A PROBLEM. INGESTION: NOT EXPECTED TO BE A PROBLEM WHEN INGESTED. HOWEVER, IF >1/2 LITER INGESTED, SEEK MEDICAL ATTENTION.

=====

Handling and Disposal

=====

Spill Release Procedures: REPORT SPILL TO COAST GUARD TOLL FREE NUMBER 800-424-8802. ADSORB ON FIRE RETARDANT TREATED SAWDUST, DIATOMACEOUS EARTH, ETC. SHOVEL UP AND DISPOSE OF AT AN APPROPRIATE WASTE DISPOSAL FACILITY.
Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.
Waste Disposal Methods: PRODUCT IS SUITABLE FOR BURNING IN AN ENCLOSED, CONTROLLED BURNER FOR FUEL VALUE OR DISPOSAL BY SUPERVISED INCINERATION. IN ADDITION, THE PRODUCT IS SUITABLE FOR PROCESSING BY AN APPROVED RECYCLING FACILITY OR DISPOSED AT APPROVED WASTE DISPOSAL SITE
Handling And Storage Precautions: STORE IN COOL, DRY AND WELL VENTILATED AREA. KEEP AWAY FROM HEAT AND OPEN FLAMES; KEEP CONTAINER CLOSED WHEN NOT IN USE.
Other Precautions: HANDLING: HIGH PRESSURE INJECTION UNDER THE SKIN MAY OCCUR DUE TO THE RUPTURE OF PRESSURIZED LINES. ALWAYS SEEK MEDICAL ATTENTION.

=====

Fire and Explosion Hazard Information

=====

Flash Point Method: COC
Flash Point: >166.1C, 331.F
Autoignition Temp Text: NE
Lower Limits: NA
Upper Limits: NA
Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL & WATER FOG.
Fire Fighting Procedures: WATER OR FOAM MAY CAUSE FROTHING. USE WATER TO KEEP EXPOSED CONTAINERS COOL. WATER SPRAY MAY BE USED TO FLUSH SPILLS AWAY FROM EXPOSURE. PREVENT RUNOFF FROM FIRE CONTROL OR DILUTION FROM ENTERING STREAMS, ETC. FOR FIRES IN ENCLOSED AREAS, FIRE FIGHTERS MUST USE SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard: PRESSURIZED MISTS MAY FORM A FLAMMABLE MIXTURE.

=====

Control Measures

Respiratory Protection: NO SPECIAL REQUIREMENTS UNDER ORDINARY CONDITIONS OF USE WITH ADEQUATE VENTILATION.

Ventilation: NO SPECIAL REQUIREMENTS UNDER ORDINARY CONDITIONS OF USE AND WITH ADEQUATE VENTILATION.

Protective Gloves: NO SPECIAL REQUIREMENTS

Eye Protection: NORMAL INDUSTRIAL EYE PROTECTION

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices: GOOD PERSONAL HYGENIC PRACTICES.

Sup

plemental Safety and Health: NOT REGULATED BY USA DOT, IMO OR IATA.

Physical/Chemical Properties

HCC: V6

Boiling Point: >315.6C, 600.F

M.P/F.P Text: NA

Decomp Text: NA

Vapor Pres: NE

Vapor Density: >2.0

Spec Gravity: 0.875

PH: NA

Viscosity: @ 100C, CST=8.1

Evaporation Rate & Reference: NE

Solubility in Water: NEGLIGIBLE

Appearance and Odor: AMBER LIQUID, MILD ODOR.

Percent V

olatiles by Volume: NA

Corrosion Rate: NA

Reactivity Data

Stability Indicator: YES

Stability Condition To Avoid: EXTREME HEAT.

Materials To Avoid: STRONG OXIDIZERS.

Hazardous Decomposition Products: CARBON MONOXIDE. ELEMENTAL OXIDES. METAL OXIDES.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: WILL NOT OCCUR.

=====

Toxicological Information

=====

Toxicological Information: ORAL TOXICITY (RATS): PRACTICALLY NON-TOXIC BASED ON TESTING OF SIMILAR PRODUCTS AND/OR THE COMPONENTS. SUBCHRONIC TOXICOLOGY: NO ADVERSE EFFECTS. REPRODUCTIVE TOXICOLOGY: EXPOSURE OF PREGNANT RATS TO REPRESENTATIVE FORMULATIONS DID NOT CAUSE ADVERSE EFFECTS IN EITHER THE MOTHERS OR THEIR OFFSPRING.

=====

Ecological Information

=====

Ecological: THIS PRODUCT IS EXPECTED TO BE INHERENTLY BIODEGRADABLE. THERE IS NO EVIDENCE TO SUGGEST BIOACCUMULATION WILL OCCUR. IT IS NOT EXPECTED TO BE TOXIC TO AQUATIC ORGANISMS.

=====

MSDS Transport Information

=====

Transport Information: NOT REGULATED BY USA DOT, IMO OR IATA.

=====

=====

Regulatory Information

=====

Sara Title III Information: THIS PRODUCT CONTAINS NO CHEMICALS REPORTABLE UNDER SARA 313 TOXIC RELEASE PROGRAM.

=====

Other Information

=====

=====

Transportation Information

=====

Responsible Party Cage: 3
U728

Trans ID NO: 116165

Product ID: MOBIL DTE 15M

MSDS Prepared Date: 03/19/1999

Review Date: 01/22/1997

MFN: 3

Net Unit Weight: 36.3 LBS

AF MMAC Code: NR

Multiple KIT Number: 0

Kit Part IND: Y

Review IND: Y

Unit Of Issue: CN

Container QTY: 0

Type Of Container: CAN

=====

Detail DOT Information

=====

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

=====

Detail IMO Information

=====

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

=====

Detail IATA Information

=====

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

=

Detail AFI Information

=====

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

HAZCOM Label

=====

Product ID: MOBIL DTE 15M

Cage: 3U728

Company Name: MOBIL OIL CORP, NORTH AMERICAS MARKETING AND REFINING

Street: 3225 GALLOWS ROAD

City: FAIRFAX VA

Zipcode: 22037

Health Emergency Phone: 800-227-0707 OR

800-662-4525

Date Of Label Review: 01/22/1997

Status Code: C

Label Date: 01/22/1997

Origination Code: F

Eye Protection IND: YES

Signal Word: CAUTION

Health Hazard: None

Contact Hazard: None

Fire Hazard: Slight

Reactivity Hazard: None

Hazard And Precautions: SPILL: REPORT SPILL TO COAST GUARD TOLL FREE NUMBER

800-424-8802. ADSORB ON FIRE RETARDANT TREATED SAWDUST, DIATOMACEOUS EARTH,
ETC. SHOVEL UP AND DISPOSE OF AT AN APPROPRIATE WASTE DISPOSAL FACILITY.

FIRST AID: EYE CONTACT: FLUSH THO

ROUGHLY WITH WATER. IF IRRITATION PERSISTS,
CALL A PHYSICIAN. SKIN CONTACT: WASH CONTACT AREAS WITH SOAP AND WATER.
INHALATION: NOT EXPECTED TO BE A PROBLEM. INGESTION: NOT EXPECTED TO BE A
PROBLEM WHEN INGESTED. HOWEVER, IF >1/2 LITER INGESTED, IMMEDIATELY GIVE
1-2 GLASSES OF WATER & CALL A PHYSICIAN. DO NOT INDUCE VOMITING OR GIVE
ANYTHING TO UNCONSCIOUS PERSONS.

=====

Disclaimer (provided with this information by the compiling
agencies): This

information is formulated for use by elements of the Department of Defense.
The United States of America in no manner whatsoever expressly or implied
warrants, states, or intends said information to have any application, use or
viability by or to any person or persons outside the Department of Defense
nor any person or persons contracting with any instrumentality of the United
States of America and disclaims all liability for such use. Any person
utilizing this ins

truction who is not a military or civilian employee of the

United States of America should seek competent professional advice to verify
and assume responsibility for the suitability of this information to their
particular situation regardless of similarity to a corresponding Department
of Defense or other government situation.