

UNION CARBIDE CHEMICALS AND PLASTICS CO INC -- NITROGEN -- 4210-01-287-4181

=====  
Product Identification  
=====

Product ID:NITROGEN  
MSDS Date:08/01/1985  
FSC:4210  
NIIN:01-287-4181  
Kit Part:Y  
MSDS Number: CCMTR  
=== Responsible Party ===  
Company Name:UNION CARBIDE CHEMICALS AND PLASTICS CO INC  
Address:39 OLD RIDGEBURY RD  
City:DANBURY  
State:CT  
ZIP:06817-0001  
Country:US  
Info Phone Num:304-744-3487  
Emerg  
ency Phone Num:304-744-3487  
CAGE:0TAZ2  
=== Contractor Identification ===  
Company Name:ALL-SAFE INC  
Address:4767 LANGTON RD  
Box:116  
City:HILLIARD  
State:OH  
ZIP:43026  
Country:US  
Phone:614-876-4041  
CAGE:2X264  
Company Name:UNION CARBIDE CORPORATION  
Address:39 OLD RIDGEBURY RD  
Box:City:DANBURY  
State:CT  
ZIP:06817-0001  
Country:US  
Phone:1-800-568-4000 / 732-563-5522  
CAGE:0TAZ2

=====  
Composition/Information on Ingredients  
=====

Ingred Name:NITROGEN  
CAS:7727-37-9  
RTECS #:QW9700000  
Fract

ion by Wt: 100%  
Other REC Limits:NONE RECOMMENDED  
ACGIH TLV:ASPHYXIAN; 9596

===== Hazards Identification =====

LD50 LC50 Mixture:CLASSIFIED AS SIMPLE ASPHYXIAN  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:INGEST:UNLIKELY ROUTE OF EXPOSURE;THIS IS A GAS.SKIN:LIQUID MAY CAUSE FROSTBITE.EYES:NO HARMFUL EFFECT EXPECTED.INHAL:ASPHYXIAN.  
Explanation of Carcinogenicity:THERE ARE NO INGREDIENTS ABOVE 0.1% WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP,IARC OR OSHA.  
Effects of Overexposure:SKIN:LIQUID MAY CAUSE FROSTBITE.INHAL:DROWSINESS,DIZZINESS,EXCITATION,EXCESS SALIVATION,VOMITING,UNCONSCIOUSNESS.  
Medical Cond Aggravated by Exposure:UNLIKELY TO AGGRIVATE EXISTING MEDICAL CONDITIONS UNDER NORMAL CONDITIONS OF USE.

===== First Aid Measures =====

First Aid:EYES:FLUSH WITH WATER.CONSULT AN OPTHAMOLOGIS  
T.SKIN:TREAT FOR FROSTBITE WITH WATER NO WARMER THAN 105F.CALL PHYSICIAN FOR MASSIVE EXPOSURE.INHAL:REMOVE TO FRESH AIR.GIVE OXYGEN OR ARTIFICIAL RESPIRATI ON IF NEEDED.CALL PHYSICIAN.INGEST:UNLIKELY ROUTE OF EXPOSURE.

===== Fire Fighting Measures =====

Flash Point:NONE  
Extinguishing Media:\*\*NON-FLAMMABLE\*\* USE MEDIA APPROPRIATE FOR SURROUNDING FIRE.  
Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE E QUIPMENT.COOL FIRE EXPOSED CONTAINERS WITH WATER FOG.  
Unusual Fire/Explosion Hazard:CONTAINERS MAY BURST AT ELEVATED TEMPERATURES.

===== Accidental Release Measures =====

Spill Release Procedures:EVACUATE AREA.USE SCBA WHERE NEEDED.VENTILATE AREA.TEST FOR ADEQUATE OXYGEN LEVELS BEFORE REENTERING AREA.  
Neutralizing Agent:NOT APPLICABLE.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL,D

RY,WELL-VENTILATED

PLACE.KEEP CONTAINER CLOSED WHEN NOT IN USE.

Other Precautions:FOLLOW LABEL DIRECTIONS.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHERE ENVIRONMENTAL CONTROLS ARE LACKING OR IN ENCLOSED SPACES USE A SELF-CONTAINED BREATHING APPARATUS.

Ventilation:LOCAL VENTILATION AT THE WORKSITE;MECHANICAL(GENERAL) VENTILATION TO MAINTAIN TLV/PEL.

Protective Gloves:COTTON FOR HANDLING CYLINDERS.

Eye Protection:SAFETY GLASSES

Other

Protective Equipment:NONE

Work Hygienic Practices:USE REASONABLE CARE IN HANDLING THIS PRODUCT.

Supplemental Safety and Health

KEY1;G3.REFER TO SAME NSN WITH CAGE 21481 AND PNIND B.THIS ITEM IS A DRY CHEMICAL FIRE EXTINGUISHER MADE BY WALTER KIDDE,MODEL 486573.EXTINGUISHER IS PRESSURIZED TO 360PSI;INTERNAL VOLUME OF EXTINGUISHER IS 750IN\*3(RE:KEVIN RICHARDS,508-881-2000).

=====  
===== Physical/Chemical Properties =====

HCC:G3

Boiling Pt:B.P. Text:-319F,-195C

Melt/Freeze Pt:M.P/F.P Text:-346F,-210C

Vapor Pres:SUPPL

Vapor Density:0.967

Solubility in Water:NEGLIGIBLE

Appearance and Odor:COLORLESS,ODORLESS GAS.

Percent Volatiles by Volume:100

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

LITHIUM,NEODYMIUM,TITANIUM,OZONE.

Stability Condition to Avoid:TEMPERATURE ABOVE 52C/125F.

Hazardous Decomposition Products:MANUFACTURER STATES NONE.

=====  
===== Disposal Considerations =====

=====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.