Product ID:P/S 870 C-12, ACCELERATOR MSDS Date:06/03/1994 FSC:8030 NIIN:01-395-2726 Kit Part:Y MSDS Number: CCMXX === Responsible Party === Company Name: COURTAULDS AEROSPACE INC Address:5430 SAN FERNANDO ROAD Box:1800 City:GLENDALE State:CA ZIP:91209 Country:US Info Phone Num:818-549-7586 Emergency Phone Num:818-549-7586 CAGE:83574 === Contractor Identi fication === Company Name: PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY Address:5430 SAN FERNANDO RD Box:1800 City:GLENDALE State:CA ZIP:91209 Country:US Phone:818-240-2060 CAGE:83574 Ingred Name: HYDROGENATED TERPHENYLS CAS:61788-32-7 RTECS #:WZ6535000 Fraction by Wt: 35% Other REC Limits:NONE RECOMMENDED **OSHA PEL:0.5 PPM** ACGIH TLV:0.5 PPM; 9596 Ingred Name: MANGANESE DIOXIDE CAS:1313-13-9

RTECS #:OP0350000 Fraction

by Wt: 40% Other REC Limits:NONE RECOMMENDED OSHA PEL:5 MG MN/M3 CEILING ACGIH TLV:5 MG MN/M3 Ingred Name: MAGNESIUM DICHROMATE CAS:13423-61-5 Fraction by Wt: 25% Other REC Limits:NONE RECOMMENDED OSHA PEL:0.5 MG/M3 ACGIH TLV:0.05 MG/M3 TWA Ingred Name:1,3 DIPHENYL GUANIDINE, CAS:102-06-7 RTECS #:MF0875000 Fraction by Wt: 93.3C, 200.F Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER. Fire Fighting Procedures: USE AIR SUPPLIED RESPIRATOR. USE WATER TO COOL HEAT EXPOSED CONTAINER S. Unusual Fire/Explosion Hazard: EXCESSIVE HEAT MAY CAUSE DECOMPOSITION OF MAGNESIUM DIOXIDE, RESULTING IN OXIDATION AND POSSIBLE IGNITION OF HYDROCARBON VEHICLE. Spill Release Procedures: SCOOP INTO CONTAINERS. CLEAN-UP RESIDUE WITH A SUITABLE SOLVENT. Handling and Storage Precautions: AVOID INGESTION. Other Precautions:NONE. ====== Expos ure Controls/Personal Protection ========= Respiratory Protection:NOT REQUIRED. Ventilation: GENERAL VENTILATION. Protective Gloves: SOLVENT RESISTANT GLOVES. Eye Protection:SAFETY GLASSES. Other Protective Equipment:NONE KNOWN. Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING & BEFORE SMOKING OR EATING. Supplemental Safety and Health KEY 1: V5. THIS IS PART A OF A TWO PART KIT. HCC:F2 Boiling Pt:=340.C, 644.F

S

pec Gravity:1.801 Appearance and Odor:BLACK PASTE. Percent Volatiles by Volume:0.0

Stability Indicator/Materials to Avoid:YES EASILY OXIDIZABLE MATERIALS. Stability Condition to Avoid:NOT KNOWN. Hazardous Decomposition Products:OXIDES OF CARBON AND NITROGEN. MAGNESIUM AND CHROMIUM COMPOUNDS.

Waste Disposal Methods:EPA NO. D-007 HAZARDOUS WASTE. DISPOSE O F IN

COMPLIANCE WITH FEDERAL AND STATE REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the sui tability of this information to their particular situation.