View NSN Online: https://aerobasegroup.es/nsn/8010-00-684-8789

Product ID:BOILED LINCEED OIL MSDS Date:07/15/1987 FSC:8010 NIIN:00-684-8789 **MSDS Number: CDHBK** === Responsible Party === **Company Name:CARGILL INC** Address:15407 MCGINTY RD Box:9300 City:MINNEAPOLIS State:MN ZIP:55440 Country:US Info Phone Num:612-332-8203 Emergency Phone Num:612-332-8203 CAGE:96162 === Contrac tor Identification === **Company Name:CARGILL INC** Address:15407 MCGINTY RD Box:9300 City:MINNEAPOLIS State:MN ZIP:55440 Country:US Phone:612-332-8203 CAGE:96162 Company Name: CHEMICAL COMMODITIES AGENCY, INC. Address:27447 PACIFIC STREET Box:City:HIGHLAND State:CA ZIP:92346-2640 Country:US Phone:909-864-2310 CAGE:60777

Ingred Name:LINSEED OIL CAS:8001-26-1 RTECS #:OI9690000 Other REC Limits:NONE RECOMMENDED

Ingred Name:NOT HAZA

RDOUS UNDER DEPT OF LABOR DEFINITIONS. CONTAINS NOT OVER 0.05% EACH COBALT & MAGNESE DRIERS (METAL CONTENT). Other REC Limits:NONE RECOMMENDED OSHA PEL:NOT RELEVANT ACGIH TLV:NOT RELEVANT

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALATION: CAN CAUSE MILD IRRITATION OF NOSE/THROAT. EYES: MAY CAUSE REDNESS & TEARING. S

KIN: SENSITIVE

PEOPLE MAY EXPERIENCE DERMATITIS AFTER LONG-TERM EXPOSURE OF OIL ON SKIN. INGESTION: LARGE AMOU NTS MAY CAUSE GASTROINTESTINAL UPSET. ACUTE: NONE OBSERVED.CHRONIC NONE REPORTED.

First Aid:EYES: FLUSH W/CLEAN LUKE-WARM WATER AT LEAST 15 MINUTES OCCASIONALLY LIGTING LIDS. SKIN: REMOVE BY WASHING W/SOAP & WATER. INHALATION: GET TO FRESH AIR. INGESTION: KEEP WARM & QUIET. SEEK MEDICAL ADVI C

E FOR PREVENTION OF POSSIBLE DEHYDRATION.

Flash Point Method:PMCC Flash Point:>200F,>93C Extinguishing Media:FOAM, CO2, DRY CHEMICAL, SAND. Fire Fighting Procedures:AVOID USE OF WATER BUT ONLY IF ALTERNATIVE, IMPLEMENT. USE WATER TO KEEP FIRE-EXPOSED CONTAINERS COOL. Unusual Fire/Explosion Hazard:RAGS & WASTE PAPER CONTAINING THIS MATERIAL MAY HEAT & BURN SPONTANEOUSLY. STORE WIPING RAGS CONTAINING THIS MAT'L IN M ETAL CANS W/TIGHT LIDS.

Spill Release Procedures:SMALL SPILL CAN BE PICKED UP W/ABSORBENT MAT'L & TRANSFERRED TO CONTAINERS. LARGE SPILLS CAN BE SCOOPED UP & PUT INTO CONTAINERS OR SALVAGED.

Handling and Storage Precautions:STORE AWAY FROM HIGH TEMPERATURES & FLAMES. DO NOT BREATHE SPRAYS OR MISTTS. Other Precautions:AVOID SPONTANEOUS COMBUSTION **OF CONTAM RAGS/OTHER** EASILY IGNITABLE ACCUMULATIONS (I.E. SPRAY BOOTH RESIDUE) BY IMMEDIATE IMMERSION IN WATER. Respiratory Protection:NOT NORMALLY NEEDED. Ventilation: INTERMITTENT CLEAN AIR EXCHANGE IS RECOMMENDED BUT NOT REQUIRED. Protective Gloves:NEOPRENE RUBBER Eye Protection: SAFETY GLASSES W/SIDE SHIELDS Other Protective Equipment: EYEBATH & SAFETY SHOWER TO PREVENT CHRONIC SKIN CONTACT. IMPERVIOUS CLOTHIN G/BOOTS. Work Hygienic Practices: EYEWASH & SAFETY SHOWERS RECOMMENDED. Supplemental Safety and Health NK Boiling Pt:B.P. Text:NA Vapor Density:NA Spec Gravity:0.9422 Evaporation Rate & amp; Reference:NA

Hazardous Decomposition Products: THERMAL DECOMPOSITION MAY YIELD CARBON

Stability Indicator/Materials to Avoid:YES CONTACT W/STRONG OXIDIZING AGENTS

Percent Volatiles by Volume:0.0

Stabi

Appearance and Odor: DARK BROWN OILY LIQUID

lity Condition to Avoid: KEEP FROM OXIDIZING MATERIALS.

DIOXIDE &/OR CARBON MONOXIDE.

Waste Disposal Methods:CAREFULLY INCINERATE OR USE SECURE LANDFILL IN ACCORDANCE W/FEDERAL, STATE, LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.