

MAINTEX INC. -- WHIRLWIND (NON-ACID RESTROOM CLEANER) -- 7930-01-398-0858

===== Product Identification =====

Product ID:WHIRLWIND (NON-ACID RESTROOM CLEANER)

MSDS Date:04/19/1995

FSC:7930

NIIN:01-398-0858

MSDS Number: CDHKS

=== Responsible Party ===

Company Name:MAINTEX INC.

Address:13300 NELSON AVE.

City:CITY OF INDUSTRY

State:CA

ZIP:91746

Country:US

Info Phone Num:818-961-1988

Emergency Phone Num:800-255-3924

Preparer's Name:ALI ABYANE

CAGE:NO277

=== Contrac

tor Identification ===

Company Name:MAINTEX INC

Address:13300 NELSON AVE

Box:City:CITY OF INDUSTRY

State:CA

ZIP:91746

Country:US

Phone:818-961-1988

CAGE:0AWE2

Company Name:MAINTEX INC.

Address:3614 EL MONTE AVE

Box:City:EL MONTE

State:CA

ZIP:91731

Phone:213-283-7380

CAGE:NO277

===== Composition/Information on Ingredients =====

Ingred Name:2-BUTOXYETHANOL (GLYCOL ETHER EB) (SARA III)

CAS:111-76-2

RTECS #:KJ8575000

Fraction by Wt: 2-5%

Other REC Limits:NONE RECOMMENDED

OSHA PEL

:50 PPM/STEL 75 PPM
ACGIH TLV:25 PPM

Ingred Name:ISOPROPANOL
CAS:67-63-0
RTECS #:NT8050000
Fraction by Wt: 5-10%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:400 PPM/STEL 500 PPM
ACGIH TLV:400 PPM

Ingred Name:SODIUM TRIPOLYPHOSPHATE
CAS:7758-29-4
RTECS #:YK4570000
Fraction by Wt: 1-2%
Other REC Limits:NONE RECOMMENDED
ACGIH TLV:5 MG/M3
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES: DIRECT CONTACT WITH CONCENTRATED
PROD. MAY CAUSE TEMPORARY IRRITATION. SKIN: CONTACT MAY CAUSE
DRYING. REPEATED/PROLONGED CONTACT MAY CAUSE IRRIT. INHALATION: MAY
CAUSE IRRIT. TO NOSE THROAT & RESPIRATORY TRACT. INGESTION: SLIGHTLY
TOXIC IF INGESTED. CHRONIC: REPEATED EXPOSURE MAY CAUSE LIVER/KIDNEY
EFFECTS.*
Effects of Overexposure:NK *EYES: STINGING/WATERING. SKIN: MAY CAUSE
IRRITATION.

===== First Aid Measures =====

First Aid:EYES: GENTLY IRRIGATE W/LARGE AMOUNTS COOL WATER 15 MINUTES.
SKIN: WASH AFFECTED AREA W/WATER. INHALATION: IF DISCOMFORT
EXPERIENCED, REMOVE TO FRESH AIR. IF BREATHING DIFFICULT, GIVE
OXYGEN/CALL PHYSICIAN. INGESTION: WASH OUT MOUTH AREA & GIVE
MODERATE AMOUNTS FLUID (WATER/MILK) TO DILUTE. INDUCE VOMITING &
GIVE FLUIDS AGAIN. SEEK MEDICAL ATTENTION.

===== Fire Fighting Measures =====

ures =====

Flash Point Method:TCC

Flash Point:>212F,>100C

Extinguishing Media:WATER SPRAY, FOAM, CO2, DRY CHEMICAL.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR SCBA WITH A FULL
FACEPIECE IN POSITIVE PRESURE MODE.

Unusual Fire/Explosion Hazard:USE WATER FOG/SPRAY TO COOL & LOWER
PRESSURE OF FIRE EXPOSED CONTAINERS, TO FLUSH VAPORS AWAY.

===== Accidental Release Measures =====

Spill Release Procedures:WARNING: FLOOR SURFACE MAY BE SLIP
PERY. USE

CARE WALKING/WORKING/STANDING IN SPILL. LARGE SPILLS (55 GL+): WEAR
RUBBER BOOTS/GLOVES/APPROPRIATE PROTECTIVE CLOTHING. SHUT OFF LEAK
SOURCE IF SAFE. DIKE/ CONTAIN SPILL. SMALL SPILL: MOP UP AND RINSE
AREA.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP OUT OF REACH OF CHILDREN. DO NOT
GET IN EYES/ON SKIN/CLOTHING. DO NOT TAKE INTERNALLY. AVOID
BREATHING VAPORS. STORE AWAY FROM SPARKS/OPEN FLAME.

====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:FOR MISTS/SPRAYED MATERIAL USE NIOSH APPROVED
RESPIRATOR.

Ventilation:IN CONFINED AREAS, PROVIDE ADEQUATE LOCAL EXHAUST
VENTILATION.

Protective Gloves:**

Eye Protection:CHEMICAL SPLASH GOGGLES.

Other Protective Equipment:**RUBBER GLOVES WILL DECREASE SKIN DRYNESS &
IRRITATION.

Supplemental Safety and Health
NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P.

Text:>250F,>121C
Melt/Freeze Pt:M.P/F.P Text: