

GENERAL SEALANTS INC -- GS# A-800-3G -- 8030-01-425-2826

===== Product Identification =====

Product ID:GS# A-800-3G

MSDS Date:08/27/1990

FSC:8030

NIIN:01-425-2826

MSDS Number: CDJXK

=== Responsible Party ===

Company Name:GENERAL SEALANTS INC

Address:300 S TURNBULL CANYON RD

City:CITY OF INDUSTRY

State:CA

ZIP:91744

Country:US

Info Phone Num:818-961-0211 / FAX 818-968-5140

Emergency Phone Num:818-961-0211

Preparer's Name:SIGNATURE UNREADABLE

CAGE:53992

=== Contr

actor Identification ===

Company Name:GENERAL SEALANTS INC

Address:300 S TURNBULL CANYON RD

Box:3855

City:CITY OF INDUSTRY

State:CA

ZIP:91744

Country:US

Phone:818-961-0211

CAGE:53992

===== Composition/Information on Ingredients =====

Ingred Name:THIS PRODUCT IS CONSIDERED NON-HAZARDOUS.

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:PRODUCT'S LD50 (ORAL RAT) WAS NOT STATED

Reports of Carcinogenicity:N

TP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NO KNOWN ADVERSE CHRONIC HEALTH EFFECTS.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:PROLONGED EXPOSURE CAUSES NO KNOWN ADVERSE EFFECT TO SKIN.

Medical Cond Aggravated by Exposure:N.A.

===== First Aid Measures =====

First Aid:IF IT CONTACTS THE EYE - FLUSH W/WATER. IF IT CONTACTS SKIN, WIPE OFF & FLUSH W/WATER. NO PROBLEMS OCCURE W/INHALATION.

===== Fire Fighting Measures =====

Flash Point:800F,427C

Lower Limits:N.A.

Upper Limits:N.A.

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, DRY CHEMICAL, FOAM.

Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS & PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING FIRES INVOLVING CHEMICALS.

Unusual Fire/Explosion Hazard:NOT KNOWN

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE PRODUCT IN NORMAL WAY. THIS MATERIAL W

ILL NOT SPILL SINCE IT IS IN SOLID FORM.

Neutralizing Agent:MFR GAVE NO INFORMATION OF MSDS.

===== Handling and Storage =====

Handling and Storage Precautions:STORE BELOW 90F. USE REASONABLE CARE & CAUTION.

Other Precautions:NONE KNOWN

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE

Ventilation:NONE

Protective Gloves:NONE

Eye Protection:NONE

Other Protective Equipment:NONE

Work Hygienic Practices:NONE

Supp

lemental Safety and Health  
NONE

===== Physical/Chemical Properties =====

HCC:N1  
NRC/State Lic Num:NONE  
Boiling Pt:B.P. Text:N.A.  
Melt/Freeze Pt:M.P/F.P Text:N.A.  
Vapor Pres:SOLID  
Vapor Density:SOLID  
Spec Gravity:1.11  
Evaporation Rate & Reference:N.A.  
Solubility in Water:INSOL.  
Appearance and Odor:LIGHT GREEN - NO ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
OXIDIZING MATERIAL CAN CAUSE A RE  
ACTION  
Stability Condition to Avoid:N.A.  
Hazardous Decomposition Products:SILICONE DIOXIZE & CARBON DIOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:GENERAL SEALANTS SUGGESTS THAT ALL FEDERAL,  
STATE & LOCAL REGULATIONS SHOULD BE MET IN DISPOSING THIS SOLID  
MATERIAL.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United State  
s of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.