CROSSFIELD PRODUCTS CORP DEX-O-TEX N-38 PASTE, LIQUID 5610-00-285-1459 ====================================
Product ID:DEX-O-TEX N-38 PASTE, LIQUID MSDS Date:08/08/1985 FSC:5610 NIIN:00-285-1459 MSDS Number: CDNLJ === Responsible Party === Company Name:CROSSFIELD PRODUCTS CORP Address:3000 E HARCOURT ST City:COMPTON State:CA ZIP:90221 Country:US Info Phone Num:213-636-0561 Emergency Phone Num:213-636-0561 CAGE:60782 === Contractor Identification === Comp any Name:CROSSFIELD PRODUCTS CORP. Address:3000 EAST HARCOURT ST. Box:City:COMPTON State:CA ZIP:90221 Country:US Phone:310-886-9100 CAGE:60782
======= Composition/Information on Ingredients ========
Ingred Name:1, 3-BUTADIENE, 2-CHLORO-; (CHLOROPRENE) (SARA 313) (CERCLA) CAS:126-99-8 RTECS #:El9625000 Fraction by Wt: 212F,>100C Extinguishing Media:WATER, CO*2, DRY CHEMICAL. Fire Fighting Procedures:USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT . FOLLOW REGULAR PROCE DURES FOR EXTINGUISHING FIRES. Unusual Fire/Explosion Hazard:SUBSTANTIAL QUANTITIES OF HYDROGEN CHLORIDE ARE EVOLVED WHEN NEOPRENE IS HEATED AT TEMPERATURES OF 392F OR HIGHER.
======== Accidental Release Measures =========
Spill Release Procedures:FLUSH SPILL W/EXCESS WATER TO CHEMICAL SEWER OR SOAK UP W/ABSORBENT MATERIAL. HAVE PROTECTIVE CLOTHING AVAILABLE. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================

_____ Handling and Storage Precautions: STORE IN COOL PLACE. AVOID FREEZING. DO NOT HEAT ABOVE 200F. Other Precautions: KEEP MATERIAL OUT OF EYES. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: HAVE NIOSH APPROVED AIR SUPPLIED FACE MASK IF TLV OF CHLOROPRENE IS EXCEEDED. Ventilation: LOCAL EXHAUST & OR MECHANICAL (GENERAL): YES. Protective Gloves: CHEMICAL RESISTANT/RUBBER GLOVES. Eye Protection: ANSI APPROVED CHEM WORKERS GOGGS. Other Protective Equipment: EYE WASH FOUNTAIN & DELUGE SHOWER WHICH MEET ANSI DESIGN CRITERIA. AS REQUIRED TO PREVENT SKIN CONTACT. Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health NONE SPECIFIED BY MANUFACTURER. ======== Physical/Chemical Properties =========== Boiling Pt:B.P. Text:220F,104C Vapor Pres: AS WATER Vapor Density: AS WATER Spec Gravity:1.1 (H*2O=1) Evaporation Rate & Department Reference: AS WATER Solubility in Water: COMPLETELY M **ISCIBLE** Appearance and Odor:MILKY WHITE LIQUID W/CHARACTERISTIC ODOR. Percent Volatiles by Volume:65 ======== Stability and Reactivity Data =========== Stability Indicator/Materials to Avoid:YES ACIDS WILL CAUSE COAGULATION OF LATEX. Stability Condition to Avoid: AVOID FREEZING - IF RAW LATEX IS HEATED IT

Hazardous Decomposition Products: HYDROGEN CHLORIDE (AT TEMPERATURES

======= Disposal Considerations ============

WILL FOAM AT 200F.

ABOVE 392F).

Waste Disposal Methods: SANITARY LANDFILL I/A/W LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.