

CANON INC -- F45-0571-400, BC-21 & BCI-21 MULTI-COLORED (S

=====

MSDS Safety Information

=====

FSC: 7045
NIIN: 01-432-6189
MSDS Date: 02/01/1996
MSDS Num: CDNLS
Product ID: F45-0571-400, BC-21 & BCI-21 MULTI-COLORED (SUPDAT)
MFN: 01
Responsible Party
Cage: S4546
Name: CANON INC
Address: ONE CANON PLAZA
City:
LAKE SUCCESS NY 11042
Info Phone Number: 516-328-5600
Emergency Phone Number: 800-424-9300 (CHEMTREC)
Proprietary Ind: Y
Published: Y

=====

Contractor Summary

=====

Cage: S4546
Name: CANON INC
Address: 11 28 MITA 3 CHOME MINATO KU
City: TOKYO NK 00000
Country: JA
Phone: 03-758-2111
Cage: 08YZ7
Name: CANON USA INC
Address: ONE CANON PLZ
City: NEW HYDE PARK NY 11042
Phone: 516-328-5000; 5600

=====

=====

Item Description Information

=====

Item Name: CARTRIDGE,TONER

=====

Ingredients

=====

Name: *** PROPRIETARY ***

=====

Health Hazards Data

=====

LD50 LC50 Mixture: NON

E SPECIFIED BY MANUFACTURER.

Route Of Entry Inds - Inhalation: NO

Skin: NO

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: INHALATION/SKIN:EXPECTED TO BE A LOW HAZARD FOR
RECOMMENDED HANDLING. EYE:NO SPECIFIC HAZARD KNOWN. MAY CAUSE TRANSIENT
IRRITATION. INGESTION:MAY BE HARMFUL IF SWALLOWED.

Explanation Of Carcinogenicity: NOT RELEVANT

Signs And Symptions Of Overexposure: SEE HEALTH HAZARDS.

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACT
URER.

First Aid: INHAL:IF SYMPTOMATIC, MOVE TO FRESH AIR. GET MEDICAL ATTENTION IF
SYMPTOMS PERSIST. EYES:ANY MATERIAL THAT CONTACTS EYE SHOULD BE WASHED OUT
IMMEDIATELY W/WATER FOR AT LEAST 15 MINUTES. GET MEDICAL AT TENTION IF
SYMPTOMS OCCUR. SKIN:WASH W/SOAP & WATER. GET MEDICAL ATTENTION IF
SYMPTOMS OCCUR. INGEST:DRINK 1-2 GLASSES OF WATER. GET IMMEDIATE MEDICAL
ATTENTION.

=====
Handling and Disposal

=====
=====
Spill Release Procedures: USE ABSORB MATL TO SOAK UP SPILLED EXCESS INK. SPILL
AREA MAY BE FLUSHED W/WATER. THIS MATL HAS NOT BEEN TESTED FOR ENVIRON EFTS.
IN SPILL SITUATION THIS MATL MAY BE VISUALLY UNPLEASANT; HOWEVER, IT I S NOT
EXPECTED TO CAUSE ANY ADVERSE ENVIRON EFTS.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: INCIN/LANDFILL; CAN BE INCIN WHEN IN COMPLIANCE W/LOC
REGS. DICHARGE, TREATMENT/DISP MAY BE SUBJECT TO FED, STA
TE/LOC LAWS. IF

DISCARDED IN ITS PURCHASED FORM, THIS PROD WOULD NOT BE HAZ WASTE EITHER BY
LISTING/CHARACT. HOWEVER, UNDER RCRA, (SUPDAT)

Handling And Storage Precautions: USE W/ADEQUATE VENTILATION. KEEP FROM CONTACT
W/OXIDIZING MATERIALS. KEEP CONTAINER CLOSED. STORE IN COOL, VENTILATED AREA.

Other Precautions: LOW HAZARD FOR RECOMMENDED HANDLING. GOOD INDUSTRIAL HYGIENE
PRACTICES SHOULD BE FOLLOWED WHICH INCLUDES PREVENTING EYE CONTACT,
MINIMIZING SKIN CONTACT & INHALATION.

==

=====

Fire and Explosion Hazard Information

=====

Extinguishing Media: WATER SPRAY, CARBON DIOXIDE (CO*2), DRY CHEMICAL.
Fire Fighting Procedures: USE NIOSH APPROVED SCBA & FULL PROTECTIVE
EQUIPMENT (FP N).
Unusual Fire/Explosion Hazard: NONE.

=====

Control Measures

=====

Respiratory Protection:
n: NIOSH APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF
CONCERN (FP N). NONE SHOULD BE NEEDED.
Ventilation: GOOD VENT (TYPICALLY 4-6 ROOM VOLS PER HR) SHOULD BE USED. VENT
RATES SHOULD BE MATCHED TO CONDITIONS.
Protective Gloves: IMPERVIOUS GLOVES.
Eye Protection: ANSI APPROVED CHEM WORKERS GOGGS (FP N).
Other Protective Equipment: EYE WASH FOUNTAIN & DELUGE SHOWER WHICH MEET ANSI
DESIGN CRITERIA (FP N).
Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING.
Supplemental Safety and Health:
th: MFR'S TRADE NAME/PART NO:INK CARTRIDGE. SPEC
GRAV:1.07-1.08 (H*2O=1). WASTE DISP METH:IT IS THE RESPONSIBILITY OF THE
END-USER TO DETERMINE AT THE TIME OF DISPOSAL, WHETHER MATL CONTAINING
PROD/DERIVED FROM PROD SHOULD BE CLASSIFIED AS HAZ WASTE (40 CFR 261.20-24).

=====

Physical/Chemical Properties

=====

Spec Gravity: SUPP DATA
PH: 8-10
Solubility in Water: MISCIBLE
Appearance and Odor
: LIQUID, THREE COLORS (CYAN, RED, YELLOW); MILD ODOR.

=====

Reactivity Data

=====

Stability Indicator: YES
Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER.
Materials To Avoid: STRONG OXIDIZING AGENTS.
Hazardous Decomposition Products: COMBUSTION WILL PRODUCE CARBON DIOXIDE &
POSSIBLE TOXIC CHEMICALS SUCH AS CARBON MONOXIDE.
Hazardous Polymerization Indicator: NO
Conditions To Avoid:

d Polymerization: NOT RELEVANT

=====
Toxicological Information

=====
Ecological Information

=====
MSDS Transport Information

=====
Regulatory Information

=====
Other Information

=====
Transportation Information

=====
Responsible Party Cage: S4546
Trans ID NO: 136417
Product ID: F45-0571-400, BC-21 & BCI-21 MULTI-COLORED (SUPDAT)
MSDS Prepared Date: 02/01/1996
Re
view Date: 07/03/1997
MFN: 1
Multiple KIT Number: 0
Review IND: Y

=====
Detail DOT Information

=====
DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====
Detail IMO Information

=====
IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

=====
Detail IATA Information

=====
IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====
Detail AFI Information

=====
AFI PSN Code: ZZZ
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

HAZCOM Label

=====

Product ID: F45-0571-400, BC-21 & BCI-21 MULTI-COLORED (SUPDAT)

Cage: S4546

Company Name: CANON INC

Street: 11 28 MITA 3 CHOME MINATO KU

City: TOKYO NK

Zipcode: 00000

Country: JA

Health Emergency Phone: 800-424-9300 (CHEMTREC)

Label Required IND: Y

Date Of Label Review: 04/15/1997

Status Code: C

Label Date: 04/15/1997

Origination Code: G

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word

: CAUTION

Respiratory Protection IND: YES

Health Hazard: Slight

Contact Hazard: Slight

Fire Hazard: None

Reactivity Hazard: None

Hazard And Precautions: ACUTE:INHALATION/SKIN:EXPECTED TO BE A LOW HAZARD FOR
RECOMMENDED HANDLING. EYE:MAY CAUSE TRANSIENT IRRITATION. INGESTION:MAY BE
HARMFUL IF SWALLOWED. CHRONIC:NONE LISTED BY MANUFACTURER.

=====

Disclaimer (provided with this information by the compiling agencies): This
information is formul

ated for use by elements of the Department of Defense.

The United States of America in no manner whatsoever expressly or implied
warrants, states, or intends said information to have any application, use or
viability by or to any person or persons outside the Department of Defense
nor any person or persons contracting with any instrumentality of the United
States of America and disclaims all liability for such use. Any person
utilizing this instruction who is not a military or civili

an employee of the

United States of America should seek competent professional advice to verify
and assume responsibility for the suitability of this information to their
particular situation regardless of similarity to a corresponding Department
of Defense or other government situation.