

THE DEXTER CORPORATION -- EPK 0608 HARDENER, #AB0608 -- 8040-00-539-7798

===== Product Identification =====

Product ID:EPK 0608 HARDENER, #AB0608

MSDS Date:05/22/1997

FSC:8040

NIIN:00-539-7798

Kit Part:Y

MSDS Number: CDVJZ

=== Responsible Party ===

Company Name:THE DEXTER CORPORATION

Address:ONE DEXTER DRIVE

City:SEABROOK,

State:NH

ZIP:03874

Country:US

Info Phone Num:603-474-5541

Emergency Phone Num:800-424-9300 (CHEMTREC

Preparer's Name:KEN DECOSTA

CAGE:0KZ46

=== Contractor Identification ===

Company Name:DEXTER CORP DEXTER ELECTRONIC MATERIALS

Address:15051 E DON JULIAN RD

Box:City:INDUSTRY

State:CA

ZIP:91746-1282

Country:US

Phone:626-968-6511

CAGE:79436

Company Name:THE DEXTER CORPORATION

City:CHAGRIN FALLS

State:OH

ZIP:44022

Country:US

Phone:800-669-0053

CAGE:0KZ46

===== Composition/Information on Ingredients =====

Ingred Name:1-2,4,6-TRI(DIMETHYLAMINO METHYL) PHENOL

CAS:90-72-2

RTECS #:SN3500000

Fraction by Wt: 5-10.0%

Other

REC Limits:NONE RECOMMENDED

OSHA PEL:5 PPM

ACGIH TLV:5 PPM

Ingred Name:MERCAPTAN-TERMINATED PHENOL

Fraction by Wt: 60-100%

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE: SEVERE IRRIT, POSSIBLE CORNEAL
DAMAGE. SKIN: SEVERE IRRIT PERSISTENT LESIONS, ALLERGENIC,
(SENSITIZATION DERMATITIS

), ABSORPTION. INHAL: IRRIT TO RESPIRATORY
TRACT. INGEST: SLIGHTLY TOXIC.

Medical Cond Aggravated by Exposure:MAY AGGRAVATE EXISTING
SKIN/EYE/LUNG CONDITIONS.

===== First Aid Measures =====

First Aid:EYE: FLUSH W/PLENTY WATER >15 MINS, GET MED AID, LIFT LIDS.
WASHING W/IN 1 MINUTE IS ESSENTIAL. SKIN: WASH THOROUGHLY W/SOAP &
WATER, REMOVE/WASH CONTAM CLOTHES. INGEST: GIVE WATER, CALL DR,
NEVER GIV E ANYTHING BY MOUTH TO UNCONSCIOUS PERS

ON, DONT INDUCE

VOMIT, IF VOMIT, CLEAR AIRWAY, GET MED AID. INHAL: GET FRESH AIR.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:315F,157C

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:CLEANUP & DISPOSAL SHOULD BE IN ACCORDANCE
W/FEDERAL/STATE/LOCAL ENVIRONMENTAL CONTROL REGULATIONS.

=====

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY PLACE IN TIGHTLY
CLOSED CONTAINERS.

Other Precautions:AVOID BREATHING VAPORS/SKIN/EYE CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:FRESH AIR MASK OR SCBA IN CONFINED AREAS.

Ventilation:LOCAL EXHAUST PREFERRED, MECHANICAL EXHAUST ACCEPTABLE.

Protective Gloves:RUBBER/PLASTIC

Eye Protection:SAFETY GLASSES/CHEMICAL GOGGLES.

Other Protective Equipment:SAFETY SHOWER, EYE BATH & APRON.

Supplemental Safety and Health
(MORE INFORMATION ON FILE).

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:248F,120C

Vapor Pres:NA

Vapor Density:NA

Spec Gravity:1.2

Evaporation Rate & Reference:NA

Solubility in Water:0.0

Appearance and Odor:AMBER, LOW VISCOSITY LIQUID, PUNGENT ODOR.

Percent Volatiles by Volume:0.0

===== Stability and Reactivity Data =====

Stability

Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:TEMPS >200C

Hazardous Decomposition Products:MALEIC ANHYDRIDE.

===== Disposal Considerations =====

Waste Disposal Methods:NA

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate

e and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.