

TEXACO LUBRICANTS CO. -- 01564 ALMAG OIL -- 9150-01-048-9554

===== Product Identification =====

Product ID:01564 ALMAG OIL

MSDS Date:12/19/1996

FSC:9150

NIIN:01-048-9554

MSDS Number: CDVPG

==== Responsible Party ====

Company Name:TEXACO LUBRICANTS CO.

Address:DIVISION OF TEXACO REFINING & MARKETING

Box:4427

City:HOUSTON

State:TX

ZIP:77210-4427

Country:US

Info Phone Num:800-782-7852 OPTION 4

Emerge

ency Phone Num:800-424-9300 CHEMTREC

Preparer's Name:MANAGER, PRODUCT SAFETY

CAGE:MO741

==== Contractor Identification ====

Company Name:DAVIS HOWLAND OIL CORP.

Address:200 ANDERSON AVE.

City:ROCHESTER

State:NY

ZIP:14607

Country:US

Phone:716-473-6650

CAGE:5A565

Company Name:TEXACO LUBRICANTS CO.

Address:DIVISION OF TEXACO REFINING & MARKETING

Box:4427

City:HOUSTON

State:TX

ZIP:77210-4427

Country:US

Phone:800-782-7852 OPTION 4

CAGE:MO741

Company Name:TEXACO CHEMICAL CO DIV OF TEXCAO INC

Address:480

0 FOURNACE PL
Box:City:BELLAIRE
State:TX
ZIP:77401
Country:US
Phone:713-961-3711
CAGE:19630
Company Name:TEXACO INC
Box:509
City:BEACON
State:NY
ZIP:12508-0509
Country:US
Phone:914-831-3400
CAGE:7B131
Company Name:TEXACO REFINING AND MARKETING INC
Address:1111 RUSK ST
Box:City:HOUSTON
State:TX
ZIP:77002-3310
Country:US
Phone:713-650-5206
CAGE:2R503

===== Composition/Information on Ingredients =====

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATES, HYDROTREATED LIGHT NAPHTHE
NIC
CAS:64742-53-6
RTECS #:PY8036000
Fraction by Wt: 100%
Other REC Limits:NONE SPECIFIED
ACGIH TLV:5 MG/M3 (OIL MIST)

===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS >5000 MG/KG
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:MAY CAUSE MINIMAL EYE IRRITATION. MAY CAUSE SLIGHT SKIN IRRITATION. INHALATION OF VERY HIGH CONCENTRATIONS OF VA

POR/MIST MAY CAUSE RESPIRATORY IRRITATION,

NAUSEA, DROWSINESS. INGESTION MAY CAUSE GI TR ACT IRRITATION.

ASPIRATION MAY CAUSE LUNG DAMAGE. CHRONIC: NO ADVERSE EFFECTS HAVE BEEN DOCUMENTED IN HUMANS.

Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:EYES-IRRITATION, TEMPORARY DISCOMFORT.

SKIN-SLIGHT IRRITATION, DISCOMFORT, SWELLING, REDNESS.

INHA

LED-RESPIRATORY IRRITATION OF NOSE/THROAT, HEADACHE, NAUSEA & DROWSINESS. INGESTED-ABDOMINAL DISCOMFORT, NAUSEA, DIARRHEA.

Medical Cond Aggravated by Exposure:BECAUSE OF ITS IRRITATING PROPERTIES, REPEATED SKIN CONTACT MAY AGGRAVATE AN EXISTING DERMATITIS.

===== First Aid Measures =====

First Aid:IN ALL CASES GET MEDICAL ATTENTION. EYES-FLUSH WITH WATER FOR 15 MINUTES. SKIN-REMOVE CONTAMINATED CLOTHES. WASH WITH MILD SOAP & WATER. INHA

LED-REMOVE TO FRESH AIR. ADMINISTER OXYGEN OR ARTIFICIAL RESPIRATION AS NEEDED. INGESTED-IF CONSCIOUS, GIVE 2 GLASSES WATER. DO NOT INDUCE VOMITING!

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:265F,129C

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. WATER OR FOAM MAY CAUSE FROTHING.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APP

ARATUS. EVACUATE AREA. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:NONE.

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA. AVOID BREATHING VAPOR. WEAR APPROPRIATE PERSONAL PROTECTIVE GEAR. CONTAIN SPILL IF POSSIBLE. WIPE UP OR ABSORB WITH INERT MATERIAL & SHOVEL UP. PREVENT ENTRY INTO SEWERS & WATERWAYS. AVOID CONTACT WITH SKIN, EYES OR CLOTHING.

Neutralizing Agent:NONE SPECIFIED BY

MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP LIQUID/VAPOR AWAY FROM HEAT, SPARKS & FLAME. KEEP CONTAINERS CLOSED WHEN NOT IN USE. USE WITH ADEQUATE VENTILATION. IGNITED VAPORS MAY EXPLODE.

Other Precautions:"EMPTY" CONTAINERS CAN CONTAIN EXPLOSIVE VAPORS. DO NOT CUT, DRILL, GRIND, WELD OR PERFORM SIMILAR OPERATIONS ON OR NEAR CONTAINERS. STATIC ELECTRICITY MAY ACCUMULATE AND CREATE A FIRE HAZARD. GR

OUND CONTAINERS, FIXED & TRANSFER EQUIPMENT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:AVOID PROLONGED OR REPEATED BREATHING OF VAPORS. IF EXPOSURE EXCEEDS OCCUPATIONAL EXPOSURE LIMITS, USE A NIOSH/MSHA APPROVED RESPIRATOR. EITHER AN AIR-SUPPLIED OR AIR-PURIFYING RESPIRATOR WITH ORGANIC VAPOR CARTRIDGES IS RECOMMENDED.

Ventilation:USE EXPLOSION-PROOF LOCAL AND/OR MECHANICAL VENTILATION. AVOID OPEN ELECTRICAL SOURCES NEAR PRODUC

T VAPOR AREAS.

Protective Gloves:NEOPRENE, NITRILE, OR POLYVINYL ALCOHOL

Eye Protection:USE CHEMICAL SAFETY GOGGLES & FACESHIELD

Other Protective Equipment:INDUSTRIAL WORK CLOTHING TO MINIMIZE CONTACT. RUBBER APRON AND BOOTS AS REQUIRED. EYE BATH AND SAFETY SHOWER RECOMMENDED.

Work Hygienic Practices:WASH THOROUGHLY AFTER USING PRODUCT AND BEFORE EATING, DRINKING OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

UNDER EPA-CWA, THIS PRODUCT IS CLASSIFIED AS AN OIL UNDER SECTION 311.

SPILLS INTO OR LEADING TO SURFACE WATERS THAT CAUSE A SHEEN MUST BE REPORTED TO THE NATIONAL RESPONSE CENTER, 800-424- 8802. UNDER EPA-CERCLA, RELEASES TO AIR, LAND OR WATER MAY BE REPORTABLE TO THE NATIONAL RESPONSE CENTER, 800-424-8802.

===== Physical/Chemical Properties =====

HCC:V6

Spec Gravity:0.865

Viscosity:9.49CST@40C

Appearance and Odor:PALE LIQUID; OIL-TYPE ODOR.

===== Stability and Reac

tivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZERS.

Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE,
IRRITATING ALDEHYDES & KETONES.

Conditions to Avoid Polymerization: WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods: USER IS RESPONSIBLE FOR DETERMINING IF WASTE IS
CONSIDERED HAZARDOUS UNDER RCRA. MATERIAL IS NOT
A HAZARDOUS WASTE
IN ITS UNUSED FORM. DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE
LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.