View NSN Online: https://aerobasegroup.es/nsn/6830-01-042-8102

BLAZER CORP -- BUTANE GAS -- 6830-01-042-8102

Product ID:BUTANE GAS MSDS Date:01/10/1994 FSC:6830 NIIN:01-042-8102 MSDS Number: CDZGF === Responsible Party === Company Name: BLAZER CORP Address:114 E 32ND STREET, SUITE 904 **City:NEW YORK** State:NY ZIP:10016 Country:US Info Phone Num:212-532-1166 Emergency Phone Num:800-535-5053 CAGE:0TC95 === Contractor Identificati on === Company Name: BLAZER CORP Address:114 E 32ND STREET, SUITE 904 Box:City:NEW YORK State:NY ZIP:10016 Country:US Phone:212-532-1166 CAGE:0TC95 Company Name: GOODDEN'S MUSIC SUPPLY Box:UNKNOW CAGE:41407

Ingred Name:BUTANE CAS:106-97-8 RTECS #:EJ4200000 Other REC Limits:NONE RECOMMENDED OSHA PEL:800 PPM ACGIH TLV:800 PPM; 9495

LD50 LC50 Mixture: PRODUCT'S

LD50 (ORAL RAT) WAS NOT STATED Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: INHALATION BECAUSE OF OXYGEN DIFICIENCY ACUTE TOXICITY. SKIN CONTACT: FROSTBITE/COLD BURN. IN HIGH CONCENTRATIONS ACTS AS AN ANESTHETIC & ASPHYXIANT. Explanation of Carcinogenicity: MANUFACTURER GAVE NO INFORMATION ABOUT CARCINOGENICITY. HMIS FOUND NO LISTING & DOES NOT EXPECT IT TO BE CARCINOGENIC. Effects of O verexposure:SEE HEALTH HAZARDS. Medical Cond Aggravated by Exposure:N/A. First Aid: IF OVERCOME BY VAPORS REMOVE FROM AREA IMMEDIATELY & REAT FOR OXYGEN DEFICIENCY, FLUSH SKIN W/WATER, PROMPT MEDICAL ATTENTION. Flash Point:248F,120C Lower Limits:2 Upper Limits:10 Extinguishing Media: DO NOT ATTEMPT TO EXTING UNTIL SOURCE IS OFF. -STREAMED OUT MATE RIAL SHOULD NOT END UP IN SOURCE WATER OR SEWERS. Fire Fighting Procedures: CUT OFF FUEL, ALLOW FIRE TO BURN UNDER CONTROLLED CONDITIONS. EXTINGUISH FIRE W/DRY CHEM, CO2, POWDER OR FOAM, COVER SPILLS W/FOAM, Unusual Fire/Explosion Hazard: EXTREME HAZARD LEAKS OF GAS. SPILLS OF LIQUID CAN READILY FORM FLAMMABLE MIXTURES. RISK OF EXPLOSION BY SOURCES OF IGNITION. USE IIN WELL VENTILATED AREAS. Spill Release Procedu res:MECHANICAL VENTILATION, NO SMOKING, NO OPEN FLAMES. COVER SPILLS W/FOAM, POWDER. Neutralizing Agent:MFR GAVE NO INFORMATION OF MSDS. Handling and Storage Precautions: MECHANICAL VENTILATION, DRY AREA, NO SMOKING, NO OPEN FLAMES. BEFORE BREAKS & AFTER ACTIVITIES WASH HANDS. Other Precautions: KEEP SKIN COVERED I.E. GLOVES & SAFETY GLASSES 

Respir

atory Protection:ONLY IN CASES OF HIGH CONCENTRATION. Ventilation:USE MECHANICAL (GENERAL) VENTILATION. Protective Gloves:YES Eye Protection:YES Other Protective Equipment:GLOVES & SAFETY GLASSES. Work Hygienic Practices:ALWAYS WASH HANDS AFTER USE. DO NOT EAT/DRINK DURING USE. Supplemental Safety and Health NONE

## HCC:G2

\_\_\_\_\_

NRC/State Lic Num:NONE Melt/Freeze Pt:M.P/F.P Text:-216F,-138C Vapor Pres:2 BAR Vapor Density:2 Spec Gr avity:0.58 (H2O=1) Solubility in Water:INSOLUBLE Appearance and Odor:CLEAR HYDROCARBON ODOR.

Stability Indicator/Materials to Avoid:YES
STRONG OXIDANTS, LIKE LIQUID CHLORINE & CONCENTRATED OXYGEN.
Stability Condition to Avoid:HIGH TEMPERATURE, HEAT SOURCES, OPEN FLAMES.
Hazardous Decomposition Products:CARBON MONOXIDE IN THE CASE OF INCOMPLETE COMBUSTION.

Conditions to Avoid Polymerization:WILL NOT OCCUR.

Waste Disposal Methods:TREAT NOT COMPLETELY EMPTIED AEROSOLS AS SMALL CHEMICAL WASTE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.