

F & L COMPANY, INC. -- TECTYL 275, #50010517 -- 8030-01-134-6513

===== Product Identification =====

Product ID:TECTYL 275, #50010517

MSDS Date:08/05/1991

FSC:8030

NIIN:01-134-6513

MSDS Number: CFDFB

=== Responsible Party ===

Company Name:F & L COMPANY, INC.

Address:1537 E. DEL AMO BLVD

City:CARSON

State:CA

ZIP:90746

Country:US

CAGE:JO940

=== Contractor Identification ===

Company Name:F & L COMPANY

Address:1537 E DEL AMO BLVD

Box:City:CARSON

State:CA

ZIP:90746

Country:US

Phone:310-603-2200

CAGE:0KWT9

Company Name:F & L COMPANY, INC.

Address:1537 E. DEL AMO BLVD

Box:City:CARSON

State:CA

ZIP:90746

Country:US

CAGE:JO940

Company Name:VALVOLINE OIL CO

Address:3499 BLAZER PKY

Box:14000

City:LEXINGTON

State:KY

ZIP:40512

Country:US

Phone:606-357-7206 / 800-274-5263

CAGE:72527

===== Composition/Information on Ingredients =====

Ingred Name:ALIPHATIC HYDROCARBONS

CAS:64742-88-7

F

raction by Wt: 40-55%
Other REC Limits:350 PPM NIOSH
OSHA PEL:500 PPM
ACGIH TLV:100 PPM

Ingred Name:ALIPHATIC PETROLEUM DISTILATES
CAS:64742-54-7
RTECS #:PY8035500
Fraction by Wt: 1-10%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:5 MG/M3 STEL 10
ACGIH TLV:5 MG/M3 STEL 10

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES: IRRITATI
ON, (REDDENING, TEARING,
BLURRED VISION). SKIN: IRRITATION, DEFATTING, DERMATITIS. INHAL:
NASAL & RESPIRATORY IRRITATION, CNS EFFECTS. INGEST: GI IRRITATION,
NAUSEA, VOMIT, DIARRHEA, CHE MICAL PNEUMONITIS.
Explanation of Carcinogenicity:NONE

===== First Aid Measures =====

First Aid:SKIN: THOROUGHLY WASH W/SOAP & WATER. REMOVE CONTAM CLOTHES,
WASH BEFORE REUSE. EYES: FLUSH W/LARGE AMOUNTS WATER, LIFT LIDS,
GET MED AID. INGEST: DONT INDUC
E VOMIT. KEEP PERSON WARM/QUIET, GET
MED AI D. INHAL: MOVE TO FRESH AIR, IF BREATHING IS DIFFICULT, GIVE
OXYGEN. IF BREATHING STOPPED, GIVE ARTIFICIAL RESPIRATION. KEEP
PERSON WARM/QUIET, GET MED AID.

===== Fire Fighting Measures =====

Flash Point:>100F,>38C
Lower Limits:1.0%
Extinguishing Media:REGULAR FOAM, CO2 & DRY CHEMICAL.
Fire Fighting Procedures:WEAR SCBA W/FULL FACEPIECE (PRESSURE-DEMAND).
WATER/FOAM MAY CAUSE FROTHING, BE VIOLENT & EN

DANGER LIVES IF

SPRAYED INTO CONTAINER W/BURNING LIQUID.

Unusual Fire/Explosion Hazard:VAPORS ARE >AIR & TRAVEL ALONG GROUND OR
MAY BE MOVED BY VENTILATION & IGNITE EXPLOSIVELY BY IGNITION
SOURCES.

===== Accidental Release Measures =====

Spill Release Procedures:SMALL SPILL: ABSORB. LARGE SPILL: ELIMINATE
IGNITS. EVAC AREA. DIKE. PUMP LIQUID TO SALVAGE TANK. ABSORB
REMAINING LIQUID & SHOVEL INTO CONTAINER. IF RUNOFF OCCURS, NOTIFY
PROPER AUTH
ORITIES AS REQUIR ED.

===== Handling and Storage =====

Handling and Storage Precautions:DON'T TRANSFER TO UNLABELED
CONTAINERS.

Other Precautions:NEVER USE WELDING OR CUTTING TORCH ON OR NEAR DRUM
(EVEN EMPTY). GROUND/BOND CONTAINERS WHEN MATERIAL IS TRANSFERRED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE A NIOSH/MSHA APPROVED AIR SUPPLIED
RESPIRATOR.

Ventilation:PROVIDE SUFFICIENT MECHANICAL (
GENERAL)/LOCAL EXHAUST
VENTILATION.

Protective Gloves:NEOPRINE, NITRILE RUBBER.

Eye Protection:CHEMICAL SPLASH GOGGLES, SAFETY GLASSES

Other Protective Equipment:IMPERVIOUS CLOTHING & BOOTS.

Work Hygienic Practices:REMOVE/LAUNDER CONTAM CLOTHING BEFORE REUSE.

Supplemental Safety and Health
MORE INFORMATION ON FILE.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:334F,168C

Vapor Pres:2.0

Vapor Density:>AIR

Spec Gravity:0.883

Evaporation Rate & R

eference:SLOWER THAN ETHER
Appearance and Odor:OPAQUE BLACK LIQUID.
Percent Volatiles by Volume:40-45%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Stability Condition to Avoid:IGNITION SOURCES.
Hazardous Decomposition Products:TOXIC MATERIALS, CO₂, CO & VARIOUS
HYDROCARBONS

===== Disposal Considerations =====

Waste Disposal Methods:IN ACCORDANCE W/LOCAL/STATE/FEDERAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.