

GENERAL ELECTRIC CO., SILICONE PRODUCT DIV. -- SILICON POLYMER & SOLVENT --  
8040-00-148-7207

===== Product Identification =====

Product ID:SILICON POLYMER & SOLVENT

MSDS Date:02/06/1996

FSC:8040

NIIN:00-148-7207

Kit Part:Y

MSDS Number: CFJRY

=== Responsible Party ===

Company Name:GENERAL ELECTRIC CO., SILICONE PRODUCT DIV.

Address:HUDSON RIVER ROAD

City:WATERFORD

State:NY

ZIP:12188

Country:US

Info Phone Num:518-237-3330

Emergency Phone Num:518-237-3330

Prepare

r's Name:C.E. HANNIGAN

CAGE:01139

=== Contractor Identification ===

Company Name:GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT

Address:260 HUDSON RIVER RD

Box:City:WATERFORD

State:NY

ZIP:12188

Country:US

Phone:518-237-3330/800-332-3390

CAGE:01139

Company Name:XTO INC

Address:16 CORPORATE DR

Box:UNKNOW

City:EAST SYRACUSE

State:NY

ZIP:13057-1015

Country:US

CAGE:1AE59

===== Composition/Information on Ingredients =====

Ingred Name:BENZENE (SARA 313)(VP=75@20C)(LD50=3800MG/

KG RAT,  
LC50=10000PPM/7 HR RAT)  
CAS:71-43-2  
RTECS #:CY1400000  
Fraction by Wt: 40000MG/KG RAT)(LC50 INHAL >535MG/L)  
CAS:68554-67-6  
Fraction by Wt: 30.0%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:VOC = 690 G/L  
RTECS #:9999999VO  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:NOT RELEVANT  
ACGIH TLV:NOT RELEVANT

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health

h Hazards Acute and Chronic:INGEST: HARMFUL  
(VOMITING/NAUSEA/DIARRHEA/IRRIT) SKIN: DRYING/ABSORPTION. INHAL:  
HEADACHE/DIZZINESS/NAUSEA/INCOORDINATION/IRRIT. EYE: IRRIT/TISSUE  
DAMAGE. CHRONIC: SKIN/RESP SENSITIZATION. ACUTE TOXIC ANT/POTENTIAL  
CANCER HAZARD. TARGETS DERMATITIS/RESP AILMENTS/CNS  
DAMAGE/LIVER/KIDNEY/CORNEAS/PULMINARY EDEMA.  
Medical Cond Aggravated by Exposure:RESPIRATORY, LIVER, KIDNEY.

===== First Aid Measures =====

First  
Aid:INGEST: DON'T INDUCE VOMITING. DILUTE W/102 GLASSES  
WATER/MILK. GET MED AID. NEVER GIVE ANYTHING BY MOUTH TO  
UNCONSCIOUS PERSON. SKIN: REMOVE CONTAM CLOTHES/WASH BEFORE REUSE.  
WASH W/SOAP & WATER. GET MED AID. INHAL: GET FRESH AIR. IF NOT  
BREATHING GIVE ARTIF RESP(MOUTH-TO-MOUTH) . IF TROUBLE BREATHING  
GIVE OXYGEN. GET MED AID. EYE: IMMED FLUSH W/LOTS WATER >15 MIN.  
GET IMMED MED AID.

===== Fire Fighting Measures =====

Flash Point

Method:PMCC  
Flash Point:-12F,-24C  
Autoignition Temp:Autoignition Temp Text:465F  
Lower Limits:1.0  
Upper Limits:12.0  
Extinguishing Media:ALCOHOL FOAM, CARBON DIOXIDE, DRY CHEMICAL, REGULAR  
FOAM, WATER MIST.  
Fire Fighting Procedures:EXTREMELY FLAMMABLE! USE FULL PROTECTIVE  
CLOTHING!

===== Accidental Release Measures =====

Spill Release Procedures:WIPE/SCRAPE/SOAK UP ON INERT ABSORBENT.  
CONTAINERIZE. WEAR PROPER PROTECTIVE EQUIPMENT. REMOVE IGNITION  
SOURCES. EVACUATE. INCREASE VENTILATION.

===== Handling and Storage =====

Handling and Storage Precautions:USE GROUND STRAP. STORE IN ORIGINAL  
CONTAINER