View NSN Online: https://aerobasegroup.es/nsn/9150-00-273-2389

PHIPPS PRODUCTS CORP -- LUBRICATING OIL, GENERAL PURPOSE -- 9150-00-273-2389

Product ID:LUBRICATING OIL,GENERAL PURPOSE MSDS Date:10/14/1997 FSC:9150 NIIN:00-273-2389 MSDS Number: CFKQY === Responsible Party === Company Name: PHIPPS PRODUCTS CORP Address:OUT OF BUSINESS City:BOSTON State:MA ZIP:02111 Country:US Info Phone Num:804-279-4371 (HMIS HELP LINE) Emergency Phone Num: OUT OF BUSINESS Preparer's Name:DSCR-VBA (HMIS) CAGE:86511 === Contractor Identification === Company Name: PHIPPS PRODUCTS CORP Address:186 LINCOLN ST SUITE 502 Box:City:BOSTON State:MA ZIP:02111-2403 Country:US Phone:OUT OF BUSINESS CAGE:86511

Ingred Name:PETROLEUM BASE OIL Other REC Limits:NONE RECOMMENDED

Ingred Name: ADDITIVES Other REC Limits: NONE RECOMMENDED

===== Hazards Identification ====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS UNKNOWN. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:UNKNOWN IARC:UNKNOWN OSHA:NO Health Hazards Acute and Chronic: TARGET ORGANS: EYE, SKIN, RESPIRATORY & GI TRACTS. ACUTE- EYE: MAY CAUSE IRRITATION. SKIN: PROLONGED CONTACT MAY CAUSE IRRITATION, DERMATITIS. INHALE: HIGH VAPOR/MIST CONCENTRATIONS MAY CAUSE DROWSINESS & IRRITATION, ORAL: MAY CAUSE ABDOMINAL DISCOMFORT, VOMITING. ASPIR ATION HAZARD. CHRONIC-UNKNOWN. Explanation of Carcinogenicity: USED OIL HAS SHOWN TO CAUSE SKIN CANCER IN LABORATORY ANIMALS. Effects of Overexposure: IRRITATION, NAUSEA, HEADACHE, DIZZINESS, DROWSINESS, VOMITING First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:MOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES: IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. SKIN: WASH WITH SOAP & WATER. ORAL:SE EK MEDICAL ATTENTION. IF VOMITING OCCURS, KEEP HEAD BELOW HIPS. DO NOT GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

Flash Point Method:COC

Flash Point:>275F,>135C

Extinguishing Media:USE FOAM, CARBON DIOXIDE, DRY CHEMICAL. WATER OR FOAM MAY CAUSE FROTHING.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND NIOSH-APPROVED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPO

SED CONTAINERS WITH WATER SPRAY.

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. PROVIDE ADEQUATE VENTILATION. REMOVE SPILL WITH INERT ABORBENT SUCH AS SAND, CLAY, EARTH. TRANSFER TO PROPER CONTAINERS FOR DISPOSAL. PREVENT RUN-OFF TO ENTER SEWERS OR WATE RWAYS. REPORT SPILLS AS REQUIRED TO AUTHORITIES.

Neutralizing Agent:NOT RELEVANT

Hand

ling and Storage Precautions:STORE AWAY FROM HIGH HEAT. KEEP
CONTAINERS CLOSED WHEN NOT IN USE. KEEP OUT OF REACH OF CHILDREN.
Other Precautions:DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WASH
THOROUGHLY AFTER HANDLING. AVOID BREATHING OIL MIST. DISCARD
LUBRICANT-SOAKED SHOES. REMOVE LUBRICANT-SOAKED CLOTHING AND
LAUNDER BEFORE RE-USE.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NONE NORMALLY NEEDED. IF WORKING IN CONFINED ARE

AS, IF EXCESSIVE MISTING IS EXPECTED OR IF EXPOSURE MAY OR DOES EXCEED RECOMMENDED PERMISSIBLE EXPOSURE LIMITS, WEAR NIOSH-APPROVED ORGANIC VAPOR AND MI ST RESPIRATOR (REFER TO 29 CFR 1910.134)

Ventilation: USE ADEQUATE VENTILATION TO KEEP OIL MISTS OF THIS MATERIAL BELOW APPLICABLE STANDARD(S).

Protective Gloves:NITRILE/NEOPRENE FOR REPEATED CONTACT

Eye Protection: SAFETY GLASSES, FACE SHIELD RECOMMENDED

Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER.

INDUSTRIAL-TYP

E WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

NO MSDS WAS AVAILABLE FROM MANUFACTURER. THIS MSDS WAS PREPARED BY THE PROFESSIONAL OF DSCR-VBA/HMIS. THE USER'S RESPONSIBILITY IS TO GATHER INFORMATION AND USE THE MATERIAL PROPERLY TO PROTECT EMPLOY EES AND ENVIRONMENT.

HCC:V6 NRC/State Lic Num:NOT RELEVANT Vapor Density:>1 Spec Gravity: