MSDS Safety Information

_____ FSC: 6850 NIIN: 01-444-9120 MSDS Date: 10/21/1994 MSDS Num: CFLHL Product ID: GS-3/E FLUORESCENT ADDITIVE MFN: 01 **Responsible Party** Cage: 20772 Name: SPECTRONICS CORPORATION Address: 956 BRUSH HOLLOW ROAD Box: 48 City: WESTBURY NY 00000 Info Phone Number: 800-274-8888/FAX 516-333-48 59 Emergency Phone Number: 800-424-9300(CHEMTREC) Proprietary Ind: Y Review Ind: Y Published: Y _____ Preparer Co. when other than Responsible Party Co. _____ Cage: 20772 Name: SPECTRONICS CORP Address: 956 BRUSH HOLLOW RD Box: 483 City: WESTBURY NY 11590 _____ Contractor Summary ______ Cage: 20772 Name: SPECTRONICS CORP Address: 956 BRUSH HOLLOW RD Box: 483 City: WESTBURY NY 11590 Phone: 900-274-8888 _____ Item Description Information _____ Item Manager: S9G Item Name: LEAK TEST COMPOUND Specification Number: UNKNOWN Unit of Issue: BX Quantitative Expression: 0000000006EA UI Container Qty: 0 Type of Container: CAPSULE FORM ________

Ingredien

ts

Name: *** PROPRIETARY

Health Hazards Data

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Route Of Entry Inds - Inhalation: NO Skin: YES Ingestion: NO Carcinogenicity Inds - NTP: NO IARC: NO OSHA: NO Effects of Exposure: EYE:CAN CAUSE MILD-MODERATE IRRIT.SEVERLY OF RX DEPENDS ON DURATIO N OF EXPO & amp; 1STAID PROCEDURES ADMIN.SKIN:IRRIT CAN OCCUR FOLLOWING PROL/REP CONTACT.INHAL:CAN CAUSE IRRIT OF NOSE/THROAT/UPPER RESP TR ACT.INGEST:CAN CAUSE GI IRRIT.ADDN EFFECTS:DEPENDING ON ROUTE/FREQ/DURATION OF EXPO TOXICITY MAY EFFECT EYES. Explanation Of Carcinogenicity: PER MSDS:CARCINOGENICITY LISTED BY ACGIH/IARC/NTP/ OSHA:NO. Signs And Symptions Of Overexposure: FLUORESCENT ADDITIVE:EYE CONTACT & amp; PROL/REP SKIN CONTACT MAY CAUSE IRRIT. INGEST MAY CAUSE GASTROINTESTINAL IRRIT.LUBRICANT OIL:CONSIDERED AN OSHA HAZ SUBSTANCE BASED ON AIRBORNE EXPO LIMIT FOR OIL MIS T. Medical Cond Aggravated By Exposure: EXPOSURE TO THIS PRODUCT IS NOT EXPECTED TO CONTRIBUTE TO, WORSEN OR AGGRAVATE ANY EXISTING MEDICAL CONDITIONS. First Aid: EYE:FLUSH THOROUGHLY W/WATER.IRRIT DVLPS CONSULT PHYSICIAN.SKIN:WASH AREA W/SOAP/WATER.IRRIT DVLPS CONSULT PHYSICIAN.INHAL:REMOVE TO FRESH AIR.SYMPT DVLP SEEK MED ATTN.NOT BREATH GIVE ART RESP PREF MO UTH-TO-MOUTH.INGEST:DONT INDUCE VOMIT.ACCIDENTAL INGEST OF SINGLE MOUTHFUL NOT EXPECTED TO CAUSE SIGNIFICANT HARM.NOTE:IN ALL SEVERE CASES CONTACT DR IMMED.LOC PHONE OPERATOR CAN FURNISH #FOR (SUPPL) Handling and Disposal _____ Spill Release Procedures: STOP DISCHARGE.CONTAIN MATL.USE ABSORBENT(FULLERS

EARTH,CLAY,OTHER APPROP SYN ABSORBENT).PLACE CONTAM MATL IN SUITABLE CNTNR FOR DISPO.ELIMINATE ALL IGN SOURCES.

Ne

utralizing Agent: NONE SPECIFIED BY MANUFACTURER. Waste Disposal Methods: METHODS OF DISPO CURRENTLY AVAILABLE VARY BY LOCATION.ITS RECOMMENDED THAT ALTERNATIVE BE SELECTED ACCORDING TO FOLLOWING ODOR OF PREF BASED UPON ENVIRO ACCEPTABILITY:1)RECYCLE/REWORK IF ALL FEASIBLE2)INCINERATE @AUTHORIZED FACIL3)TREAT (SUPPLEMENTA) Handling And Storage Precautions: STORE IN COOL DRY WELL-VENTI AREA.DONT STORE NEAR HEAT OR IGN SOURCES.ALWAYS KEEP CNTNRS TIGHTLY CLSD TO AVOID CONTAM. Other Precaut ions: SPECIAL WARNING:HOT ORGANIC CHEM VAPORS OR MSITS CAN SUDDENLY & amp; WITHOUT WARNING COMBUST WHEN MIXED W/AIR. PROD DOESN CONTAIN TOXIC SEC 313 CHEMS. ______ Fire and Explosion Hazard Information _____ Flash Point Method: PMCC Flash Point Text: >200F,>93C Autoignition Temp Text: N/ESTA Lower Limits: N/ESTABLISHD Upper Limits: N/ESTABLISHD Extinguishing Media: USE DRY CHEMICAL, CARBON DIOXIDE, CHEM FOAM. Fire Fighting Procedures: FIRE FIGHTERS/OTHERS WHO MAY BE EXPO TO PRODUCTS OF COMBUSTION SHOULD BE EQUIPPED W/NIOSH APPROV +PRESSURE, SELF-CONTAIN BREATH APPARATUS/FULL PROT CLOTH. Unusual Fire/Explosion Hazard: AVOID USING WATER ON BURNING MATLS TO REDUCE SPLATTERING/SPREADING OF FIRE.MAY LIBERATE IRRIT OR TOXIC VAPORS DURING COMBUSTION OR DECOMPOSITION. _____ **Control Measures** _____ _____

Respiratory Protection: AVOID BREATHING VAP & amp;/OR MIST.

Ventilation: MINIMIZE EXPO BY PROVIDING ADEQUATE VENTI.GEN(MECH)RM VENTI SAF FOR USE @LOW TEMPS.@HIGH TEMPS SPEC LOC VENTI (SUPPLEM)

Protective Gloves: WEAR APPROPRIATE IMPERV GLOVES

Eye Protection: WEAR SAF GOGGLES

Other Protective Equipment: WEAR PROTECTIVE CLOTHING.ALWAYS CONSULT GLOVE MFG TO DETERMINE DPROPER TYPE FOR SPECICIF OPERATION.

Work Hygienic Practices: WASH CONTAM CLOTH SEPARATELY & DRIED BEF REUSE.WASH

THOROUGHLY AFT HDNLG ESPEC BEF EAT/DRINK/SMOKE/USE RESTRM FACI. Supplemental Safety and Health: MSDS ALSO FOR GS-1/E;GS-2/E;GS-101/E HOWEVER %INGREDS DIFFERS. 1STAID:REG POIS CNTRL CNTR.NOTE TO DR:TREAT SHOULD BE DIRECT @PREVENT ABSORPTION,ADMIN TO SYMPT AS THEY OCCUR,& PROVIDE SUPPROT THERAPY. VENTI:RECOMMENDED @PTS WHERE VAP CAN ESCAPE THE WORKPLACE AIR. DISPO:@ACCEPTABLE WASATE TREAT FACILITY.

Physical/Chemical Properties

HCC: N1 B.P. Text: >300F,>149C Vapor Pres: &It;0.1 Vapor Density: >1 Spec Gravity: 0.91-0.96 PH: NA Evaporation Rate & amp; Reference: 0, BUTYL ACETATE=1 Solubility in Water: INSOLUBLE Appearance and Odor: DARK REDDISH LIQUID, ODOR LIKE OIL Percent Volatiles by Volume: 0 _____ **Reactivity Data** _____ Stability Indicator: YES Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER. Materials To Avoid: OXIDIZING AGENTS & REDUCING AGENTS. Hazardous Decomposition Products: IF HEATED TO HIGH TEMPS THIS PRODUCT MAY EMIT SMOKE, SOOT & TOXIC FUMES (E.G. OXIDES OF CARBON AND NITROGEN). Hazardous Polymerization Indicator: NO _____ **Toxicological Information** _____ _____ Ecological In formation ______ _____ **MSDS** Transport Information _____ _____ _____ **Regulatory Information** _____ _______ Other Information ______

Transportation Information

_____ Responsible Party Cage: 20772 Trans ID NO: 137060 Product ID: GS-3/E FLUORESCENT ADDITIVE MSDS Prepared Date: 10/21/1994 Review Date: 10/31/1997 **MFN: 1** Net Unit Weight: 6 X 0.5 OZ Multiple KIT Number: 0 **Review IND: Y** Unit Of Issue: BX Container QTY: 0 Type Of Container: CAPSULE FORM Additional Data: PER MSDS:DOT SHIPPING NAME:NOT REGULATED;LABEL/ID@:NOT APPLICABLE.NONREGULATED SHIP MENTS BY AIR UNDE R 49CFR, IATA/ICAO/IMO. _____ Detail DOT Information _____ DOT PSN Code: ZZZ DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION _____ **Detail IMO Information** _____ IMO PSN Code: ZZZ IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION _____ _____ Detail IATA Information ______ IATA PSN Code: ZZZ IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION _____ Detail AFI Information _____ AFI PSN Code: ZZZ AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

HAZCOM Label

_____ Product ID: GS-3/E FLUORESCENT ADDITIVE Cage: 20772 Company Name: SPECTRONICS CORP Street: 956 BRUSH HOLLOW RD PO Box: 483 City: WESTBURY NY Zipcode: 11590 Health Emergency Phone: 800-424-9300(CHEMTREC) Label Required IND: Y Date Of Label Review: 10/31/1997 Status Code: C Label Date: 10/31/1997 Origination Code: F Eye Protection IND: YES Skin Protection IND: YES **Respiratory Protection IND: YES** Health Hazard: Slight Contact Ha zard: Slight Fire Hazard: None Reactivity Hazard: None Hazard And Precautions: EYE:MILD-MODERATE IRRIT.SEVERLY OF RX DEPENDS ON DURATION OF EXPO & amp; 1STAID PROCEDURES ADMIN.SKIN:IRRIT FOLLOWING PROL/REP CONTACT.INHAL:IRRIT NOSE/THROAT/UPPER RESP TRACT.INGEST:GI IRRIT.ADDN EFFECTS: DEPENDING ON ROUTE/FREQ/DURATION OF EXPO TOXICITY MAY AEFFECT EYE.TARGET ORGANS:EYE/SKIN/RESP TRACT/NOSE/THROAT/GI.1STAID:EYE:FLUSH WELL W/WATER.IRRIT DVLPS CONSULT PHYSICIAN.SKIN:WASH AREA W/SOAP/WAT ER.IR RIT DVLPS CONSULT PHHSICIAN.INHAL:REMOVE TO FRESH AIR.SYMPT DVLP SEEK MED ATTN.NOT BREATH GIVE ART RESP PREF MOUHT-TO-MOUTH.INGEST:DONT INDUCE VOMIT.ACCIDENTAL INGEST OF SINGLE MOUTHFUL NOT EXPEC TED TO CAUSE SIGNIFICANT HARM.

_____ _____

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever

expressly or implied

warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume

responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.