

CONCORD CHEMICAL CO INC -- WAX AIRCRAFT, 1600 -- 7930-01-323-2005

===== Product Identification =====

Product ID:WAX AIRCRAFT, 1600

MSDS Date:02/11/1997

FSC:7930

NIIN:01-323-2005

MSDS Number: CFWSJ

==== Responsible Party ====

Company Name:CONCORD CHEMICAL CO INC

Address:17TH FEDERAL ST

City:CAMDEN

State:NJ

ZIP:08105

Country:US

Info Phone Num:609-966-1526

Emergency Phone Num:609-966-1526

Preparer's Na

me:JOHN BOYLE

CAGE:84748

==== Contractor Identification ====

Company Name:CONCORD CHEMICAL CO INC HARLEY CHEMICALS DIV

Address:17TH AND FEDERAL STS

Box:City:CAMDEN

State:NJ

ZIP:08105

Country:US

Phone:609-966-1526

CAGE:84748

===== Composition/Information on Ingredients =====

Ingred Name:STODDARD SOLVENT

CAS:8052-41-3

RTECS #:WJ8925000

Fraction by Wt: 95%

OSHA PEL:500 PPM

ACGIH TLV:100 PPM; 9495

===== Hazards Identification =====

LD50 LC50 Mixt

ure: NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES

Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO

Health Hazards Acute and Chronic: EYES & SKIN: MAY CAUSE IRRITATION.

INHALATION: MAY CAUSE RESPIRATORY IRRITATION, LOSS OF BREATH.

INGESTION: MAY CAUSE IRRITATION OF THE DIGESTIVE TRACT, NERVOUS SYSTEM DEPRESSION.

Explanation of Carcinogenicity: NOT RELEVANT.

Effects of Overexposure: EYES: STINGING, TEARING, REDNESS. SKIN: DRYING, MILD IRR

ITATION, REDNESS. INHALATION: LOSS OF BREATH.

Medical Cond Aggravated by Exposure: PRE-EXISTING LUNG DISORDERS, PRE-EXISTING SKIN DISORDERS.

===== First Aid Measures =====

First Aid: EYES: FLUSH WITH WATER FOR 15 MINUTES, SEEK MEDICAL ATTENTION. SKIN: WASH WITH SOAP & WATER, IF IRRITATION PERSISTS CONSULT DOCTOR. INHALATION: MOVE TO FRESH AIR, IF BREATHING IS DIFFICULT SEEK IMMEDIATE MEDICAL ATTENTION. INGESTION: SEEK IMMEDIATE MEDICAL H

ELP.

===== Fire Fighting Measures =====

Flash Point Method: TCC

Flash Point: 125F, 52C

Lower Limits: 1.2%

Upper Limits: 7.0%

Extinguishing Media: DRY CHEMICAL, CO₂, FOAM.

Fire Fighting Procedures: USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT. H₂O SPRAY MAY BE USEFUL IN DISPERSING FLAMMABLE VAORS.

Unusual Fire/Explosion Hazard: TREAT AS A FLAMMABLE SOLVENT FIRE. AVOID SPREADING BURNING LIQUID WITH WATER USED FOR COOLING PURPOSES.

===== Accidental Release Measures =====

Spill Release Procedures: CONTAIN SPILL, REMOVE ALL SOURCES OF IGNITION. USE RESPIRATORY PROTECTION. MOP UP WITH ABSORBENT MATERIAL & PLACE IN APPROVED CONTAINER FOR DISPOSAL.

Neutralizing Agent: NOT APPLICABLE.

===== Handling and Storage =====

Handling and Storage Precautions: KEEP CONTAINERS TIGHTLY CLOSED, STORE IN COOL AREA.

Other Precautions: KEEP AWAY FROM HEAT, SPARKS & OPEN FLAME.

=====

Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPROVED, CANISTER TYPE RESPIRATOR.

Ventilation:USE IN WELL VENTILATED AREA WITH LOCAL EXHAUST.

Protective Gloves:RUBBER OR NEOPRENE GLOVES.

Eye Protection:ANSI APPROVED CHEM WORKERS GOGGS .

Other Protective Equipment:ANSI APPRVD EMER EYE WASH & DELUGE SHOWER .

CLOTHING SUFFICIENT TO PREVENT CONTACT WITH BARE SKIN.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

NONE SP

ECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:370F,188C

Melt/Freeze Pt:M.P/F.P Text: