

ENVIRONMENTAL DEFENSE CORP THE -- ECO FLUID-N/C 101 OR CYBER FLUID,MIL-F-46148 --
9150-00-265-9406

===== Product Identification =====

Product ID:ECO FLUID-N/C 101 OR CYBER FLUID,MIL-F-46148

MSDS Date:06/20/1997

FSC:9150

NIIN:00-265-9406

MSDS Number: CFYLT

=== Responsible Party ===

Company Name:ENVIRONMENTAL DEFENSE CORP THE

Address:315 RICHFIELD ROAD, SUITE 100

City:UPPER DARBY

State:PA

ZIP:19082-

4108

Country:US

Info Phone Num:610-352-1240

Emergency Phone Num:610-352-1240/352-3708

CAGE:06SS4

=== Contractor Identification ===

Company Name:ENVIRONMENTAL DEFENSE CORP THE

Address:315 RICHFIELD ROAD, SUITE 100

Box:City:UPPER DARBY

State:PA

ZIP:19082-4108

Country:US

Phone:610-352-1240

CAGE:06SS4

===== Composition/Information on Ingredients =====

Ingred Name:NON-HAZARDOUS INGREDIENTS

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS UNKNOWN.

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:NONE. ACUTE AND CHRONIC-
THIS PRODUCT POSES NO HEALTH HAZARDS.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:NONE

Medical Cond Aggravated by Exposure:NONE

===== First Aid Measures =====

First Aid:NONE

=====

===== Fire Fighting Measures =====

Flash Point Method:TOC

Flash Point:NONE

Lower Limits:NOT RELEVANT

Upper Limits:NOT RELEVANT

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

Fire Fighting Procedures:NONE REQUIRED

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:RECOVER FREE LIQUIDS IF POSSIBLE. ABSORB

REMAINING PRODUCT WITH INERT MATERIAL OR MOP UP OR WASH AWAY WITH WATER (SITE IS SLIPPERY).

Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM INCOMPATIBLE MATERIALS. AVOID FREEZING. IF FREEZING OCCURS, THAW AND STIR BEFORE USE.

Other Precautions:KEEP OUT OF REACH OF CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection

n:NONE SHOULD BE NEEDED.

Ventilation:MECHANICAL

Protective Gloves:NONE SHOULD BE NEEDED.

Eye Protection:NONE SHOULD BE NEEDED.

Other Protective Equipment:EYE WASH STATION

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:B3

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:93.4F,34.1C

Vapor Pres:17.0

Vapor Density:0.62

Spec Gravity:1.02

pH:11

Evaporation Rate & Reference:0.7 (N-BUTYL ACETATE=1)
Solubility in Water:COMPLETE
Appearance and Odor:PALE AMBER YELLOW LIQUID - MILD, PLEASANT ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS, STRONGLY ACIDIC MATERIALS
Stability Condition to Avoid:FREEZING

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND
FEDERAL REGULATIONS. STANDARD SEWAGE TREATMENT METHODS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the sui
tability of this information to their
particular situation.