CONCORDE BATTERY CORP -- BATTERY FLUID, ACID, CBA 2 Q & CBA 3 Q, CB-12200 S 6140-01-318-9985

Product ID:BATTERY FLUID, ACID, CBA 2 Q & CBA 3 Q, CB-12200 S

MSDS Date:12/01/1994

FSC:6140

NIIN:01-318-9985

MSDS Number: CFZBV === Responsible Party ===

Company Name: CONCORDE BATTERY CORP

Address: 2009 SAN BERNARDINO RD

City:WEST COVINA

State:CA ZIP:91790 Country:US

Info Phone Num:818-962-4006

Emergency Phone Num:800-255-3924/626-813-123

4

CAGE:63017

=== Contractor Identification ===

Company Name: CONCORDE BATTERY CORP

Address: 2009 SAN BERNARDINO RD

Box:City:WEST COVINA

State:CA

ZIP:91790-1006 Country:US

Phone:800-255-3924/818-813-1234

CAGE:63017

======= Composition/Information on Ingredients ========

Ingred Name: SULFURIC ACID (SARA 302/313) (CERCLA)

CAS:7664-93-9

RTECS #:WS5600000 Fraction by Wt: 29.6-38%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:1 MG/M3

ACGIH TLV:1 MG/M3/3 STEL; 9596

EPA Rpt Qty:1000 LBS

DOT Rpt

Qty:1000 LBS

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: BALANCE

Other REC Limits: NONE RECOMMENDED

OSHA PEL:NOT RELEVANT ACGIH TLV:NOT RELEVANT

=========== Hazards Identification ==============

LD50 LC50 Mixture:RAT,LC50:510MG/M3/2H;LD50:2140MG/KGRTECS

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:EYE, SKIN, RESPIRATORY & GI TRACTS. ACUTE-

CORROSIVE! CAUSES SEVERE EYES, SKIN & ALL BODY
TISSUE BURNS. EYE DAMAGE MAY BE PERMANENT. MAY CAUSE SKIN
ULCERATION. MIST MAY CAUSE LUNG EDEMA. INGESTION CAUSES SEVERE
BURNS, SEVERE PAIN. CHRONIC- MAY CAUSE DENTAL EROSION, IMPAIRED
LUNG FUNCTION.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:SEVERE IRRITATION AND BURNING, VISUAL IMPAIRMENT, DENTAL EROSION, COUGH, SEVERE PAIN, BLINDNESS, WHEEZING, ABNORMAL LUNG SOUNDS, SKIN ULCER, ITCHING AND RASH, BLEE

DING, VOMITING, DIARRHEA

Medical Cond Aggravated by Exposure: OPEN WOUNDS AND SORES, RESPIRATORY AILMENTS SUCH AS EMPHYSEMIA AND BRONCHITIS

First Aid:GET MEDICAL ATTENTION IMMEDIATELY. EYE/SKIN:IMMEDIATELY FLUSH WITH WATER FOR 15-20 MINUTES. HOLD EYELIDS OPEN. CONTINUE RINSING EYES WITH NORMAL SALINE UNTIL PH=7. INHALED:REMOVE TO FRESH AIR. PROVIDE OXYGEN/CPR IF NEEDED. ORAL:DO NOT INDUCE VOMITING. IF CONS


CIOUS, DRINK LARGE AMOUNT OF WATER/MILK. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

Flash Point:NONE

Lower Limits:NOT RELEVANT Upper Limits:NOT RELEVANT

Extinguishing Media:WATER FOG, CARBON DIOXIDE, FOAM OR DRY CHEMICAL. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE O



Vapor Density:>1 Spec Gravity:1.285 pH: