

CLIFTON ADHESIVE INC -- FA-4241 ADHESIVE, IMA 1061-2 -- 5430-01-313-4595

===== Product Identification =====

Product ID: FA-4241 ADHESIVE, IMA 1061-2

MSDS Date: 03/27/1995

FSC: 5430

NIIN: 01-313-4595

Kit Part: Y

MSDS Number: CGLVR

=== Responsible Party ===

Company Name: CLIFTON ADHESIVE INC

Address: BURGESS PL

Box: 282

City: WAYNE

State: NJ

ZIP: 07474-0282

Country: US

Info Phone Num: 973-694-0845

Emergency Phone Num: 973-694-0845/800-424-9300 (CHEMTREC)

CAGE: 79833

=== Contracto

r Identification ===

Company Name: CLIFTON ADHESIVE INC

Address: BURGESS PL

Box: City: WAYNE

State: NJ

ZIP: 07470

Country: US

Phone: 201-694-0845; 973-694-0845

CAGE: 79833

Company Name: SMR TECHNOLOGIES

Address: 6835 RIDGE RD

Box: 326

City: SHARON CENTER

State: OH

ZIP: 44274-0326

Country: US

Phone: 330-239-1000

CAGE: 0ACH0

===== Composition/Information on Ingredients =====

Ingred Name: TOLUENE (SARA 313) (CERCLA)

CAS: 108-88-3

RTECS #: XS5250000

Fraction by Wt: 45%

Other REC Limits: NONE RECOMMEND

ED
OSHA PEL:200 PPM; Z-2
ACGIH TLV:S, 50 PPM; 9596
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:HEXANE (N-HEXANE) (CERCLA)
CAS:110-54-3
RTECS #:MN9275000
Fraction by Wt: 31%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:500 PPM
ACGIH TLV:50 PPM; 9596
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:POLYCHLOROPRENE RUBBER/CHLOROPRENE RUBBER
CAS:9010-98-4
RTECS #:EI9460000
Fraction by Wt: 23%
Other REC Limits:NONE RECOMMENDED

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)
CAS:1317-65-3
R
TECS #:EV9580000
Fraction by Wt: 1%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9596

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT KNOWN.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:TARGET ORGANS:EYE, SKIN, CNS, LIVER,
KIDNEY, RESPIRATORY & GI TRACTS- MAY CAUSE EYE IRRITATION. MAY
CAUSE
SKIN DRYNESS. INGESTION MAY CAUSE CNS DEPRESSION, LIVER &
KIDNEY DAMAGE, VOMITING. ASPIRATION INTO LUNGS MAY CAUSE LUNG
DAMAGE. EXCESSIVE INHALATION MAY CAUSE CNS EFFECTS, COMA. CHRONIC-
MAY CAUSE NERVE DAMAGE.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:IRRITATION, DRY SKIN, TEARING, BLURRED VISION,
REDNESS, DEFATTING, DERMATITIS, HEADACHE, DIZZINESS, WEAKNESS,
FATIGUE, NAUSEA, VOMITING, DIARRHEA, UNCONSCIOUSNESS
Medical Cond Aggravated by Exposure:INDIVIDU

ALS WITH PRE-EXISTING
DISEASES OF THE EYE, SKIN, RESPIRATORY TRACT, LIVER, KIDNEY, CNS
MAY HAVE INCREASED SUSCEPTIBILITY TO THE TOXICITY OF EXCESSIVE
EXPOSURES.

===== First Aid Measures =====

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:MOVE TO FRESH
AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:IMMEDIATELY FLUSH WITH
WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. SEE A PHYSICIAN. SKIN:WASH
WITH SOAP & WATER. ORAL:DO NOT INDUCE VOMI
TING. SEEK IMMEDIATE
MEDICAL ATTENTION. NOTE TO PHYSICIAN: GASTRIC LAVAGE USING A CUFFED
ENDOTRACHEAL TUBE MAY BE PERFORMED AT YOUR DISCRETION.

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point: