

SAFETY COATING -- FED SPEC TT-P-1952 D TYPE I LEAD FREE WHITE -- 8010-01-017-1512

===== Product Identification =====

Product ID:FED SPEC TT-P-1952 D TYPE I LEAD FREE WHITE

MSDS Date:06/24/1997

FSC:8010

NIIN:01-017-1512

MSDS Number: CGNHZ

=== Responsible Party ===

Company Name:SAFETY COATING

Address:HIGHWAY 59 NORTH

Box:399

City:FOLEY

State:AL

ZIP:36536

Country:US

Info Phone Num:334-943-1638

Emergency Phone Num:800-424-9300 (CHEMTREC)

CAGE:KO024

=== Contractor

Identification ===

Company Name:SAFETY COATING

Address:HIGHWAY 59 NORTH

Box:399

City:FOLEY

State:AL

ZIP:36536

Country:US

Phone:334-943-1638

CAGE:KO024

===== Composition/Information on Ingredients =====

Ingred Name:OXYGENATED HYDROCARBON (TEXANOL)

CAS:25265-77-4

RTECS #:UF6000000

Other REC Limits:NONE RECOMMENDED

Ingred Name:METHANOL (SARA 313) (CERCLA)

CAS:67-56-1

RTECS #:PC1400000

Fraction by Wt: 2-4.0%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:200 MG/M3

ACGIH TLV:260 MG/M

3
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:TITANIUM DIOXIDE
CAS:13463-67-7
RTECS #:XR2275000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3
ACGIH TLV:10 MG/M3

Ingred Name:CALCIUM CARBONATE
CAS:1317-65-3
RTECS #:EV9580000
Other REC Limits:NONE RECOMMENDED
ACGIH TLV:10 MG/M3

Ingred Name:2 HYDROXYMETHYL-AMINO
CAS:52299-20-4
Other REC Limits:NONE RECOMMENDED

Ingred Name:WATER (NON-HAZARDOUS INGREDIENT)
Other REC Limits:NONE RECOMMENDED
OSHA PEL:NOT RELEVANT
ACGIH TLV:NOT RELEVANT
NT

Ingred Name:ACRYLIC POLYMER (NON-HAZARDOUS INGREDIENT)
Other REC Limits:NONE RECOMMENDED
OSHA PEL:NOT RELEVANT
ACGIH TLV:NOT RELEVANT

Ingred Name:SOAP DISPERSION (NON-HAZARDOUS INGREDIENTS)
Other REC Limits:NONE RECOMMENDED
OSHA PEL:NOT RELEVANT
ACGIH TLV:NOT RELEVANT

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE: IRRITAT

ION, REDNESS, BLURRED

VISION. SKIN: IRRITATION, DEFATTING, DERMATITIS. INHAL: NAUSEA,
RESPIRATORY IRRITATION, DIZZY, WEAKNESS, FATIGUE, HEADACHE. INGEST:
BLINDNESS, UPSET STOMACH. CHRONIC: EYE DAMAGE IF SWALLOWED.

===== First Aid Measures =====

First Aid:INGEST: DONT INDUCE VOMIT. GET IMMED MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point:NON-COMBUSTIBLE

Lower Limits:NA

Upper Limits:NA

Exting

uishing Media:CO2, WATER, HALON, FOAM, DRY CHEMCIAL.

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:SOAK UP W/ABSORBENT MATERIAL AND PLACE IN A
SAFE CONTAINER. THOROUGHLY WASH AREA W/WATER BEFORE MATERIAL DRIES.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP FROM FREEZING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:PAINT MASK

Ventilation:LOCAL EXHAUST OR MECHANICAL (GENERAL)

Protective Gloves:REQUIRED

Eye Protection:REQUIRED

Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER USE.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:210 TO 220F

Melt/Freeze Pt:M.P/F.P Text:LIQUID

Vapor Pres:15-25

Vapor Density: