View NSN Online: https://aerobasegroup.es/nsn/6850-01-101-3999

DEXTER CORP HYSOL DIV -- FREKOTE 55 NC AEROSOL -- 3680-01-101-3999

Product ID:FREKOTE 55 NC AEROSOL

MSDS Date:10/17/1997

FSC:3680

NIIN:01-101-3999

MSDS Number: CGXDF === Responsible Party ===

Company Name: DEXTER CORP HYSOL DIV

Address:164 FOLLY MILL RD

City:SEABROOK

State:NH ZIP:03874 Country:US

Info Phone Num:603-474-5541

Emergency Phone Num:603-474-5541/800-424

-9300(CHEMTREC)

CAGE:1JB33

=== Contractor Identification ===

Company Name: BAY TOOL AND SUPPLY INC

Box:UNKNOW CAGE:076G7

Company Name: DEXTER CORP THE HYSOL DIV

Address:1 DEXTER DR Box:City:SEABROOK

State:NH ZIP:03874 Country:US

Phone:603-474-5541/FAX: 603-474-5545

CAGE:1JB33

======= Composition/Information on Ingredients ========

Ingred Name: MINERAL SPIRITS/ISOPARAFFINIC HYDROCARBON SOLVENT

CAS:64475-85-0 RTECS #:PY8240000 Fraction by Wt: 76-80%

Other REC Limits: NONE RECOMMENDED

OS

HA PEL:5 MG/M3 AS OIL MIST ACGIH TLV:5 MG/M3 AS OIL MIST Ingred Name: POLYMERIC RESIN Other REC Limits: NONE RECOMMENDED Ingred Name: PROPANE CAS:74-98-6 RTECS #:TX2275000 Fraction by Wt: 18-20% Other REC Limits: NONE RECOMMENDED OSHA PEL:1000 PPM ACGIH TLV:ASPHYXIANT; 9596 ========= Hazards Identification =============== Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: EYES: CAN CAU SE IRRITATION. SKIN: PROLONGED OR REPEATED CONTACT CAN CAUSE IRRITATION. INHALATION: CAN BE IRRITATING TO THE RESPIRATORY SYSTEM. EXCESSIVE EXPOSURE CAN CAUSE DIZZINESS, NAUSEA, HEADACH ES, AND OTHER CENTRAL NERVOUS SYSTEM EFFECTS. INGESTION: CAN CAUSE GASTROINTESTINAL IRRITATION. Effects of Overexposure: EYES: IRRITATION. SKIN: IRRITATION. INHALATION: IRRITATION. INGESTION: NAUSEA, VOMITING OR DIARRHEA. ----- First Aid Measures -----First Aid:EYES:FLUSH WITH WATER FOR 15 MIN. WHILE HOLDING EYELIDS OPEN. SEEK MEDICAL ATTENTION. SKIN:FLUSH AFFECTED AREA WITH WATER IMMEDIATELY. REMOVE CONTAMINATED CLOTHING. WASH SKIN THOROUGHLY WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR. CALL PHYSICIAN. IF NOT BREATHING, GIVE MOUTH-TO-MOUTH RESUSCITATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. INGESTION:DO NOT INDUCE VOMITING, CALL PHYSICIAN. ======== Fire Fighting Measures ========== Flash Point:FLAMMABLE Extinguishing Media: FOAM, DRY CHEMICAL OR CARBON DIOXIDE Fire Fighting Procedures: SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING FIRES INVOLVING CHEMICALS. Unusual Fire/Explosion Hazard: WARNING! CONTENTS UNDER PRESSURE. KEEP

AWAY FROM HEAT, FLAMES, AND SPARKS. KEEP AWAY FROM HOT SURFACES.

========= Accidental Release Measures =============

Spill Release Procedures: CLEAR AREA. PROVIDE ADEQUATE VENT

ILATION. COLLECT WITH ABSORBENT AND PROVENT RUN-OFF. REMOVE ALL POTENTIAL IGNITION SOURCES. USE APPROPRIATE PROTECTIVE EQUIPMENT.
============ Handling and Storage ============
Handling and Storage Precautions:STORE AWAY FROM HEAT. AVOID OPEN FLAMES AND SPARKS. KEEP CONTAINER TIGHTLY CLOSED. STORAGE SHOULD BE IN COMPLIANCE WITH NFPA AND OSHA REGULATIONS. Other Precautions:AVOID CONTACT WIT SKIN AND BREATHING OF VAPORS. VOC CONTENT- 718 G/L OF MATERIAL. PHOTOREACTIVE (A-99%). FLAMMABLE MATERIAL PER METHOD ASTM D 3065-72.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:USE NIOSH RECOMMENDED RESPIRATORS APPROPRIATE FOR THE AIRBORNE LEVELS GENERATED. Ventilation:AS REQUIRED TO CONTROL CONTAMINATION. Protective Gloves:SOLVENT RESISTANT. Eye Protection:CHEMICAL SPLASH GOGGLES. Other Protective Equipment:USE IMPERVIOUS CLOTHING IF NECESSARY. Supplemental Safety and Health NONE
======================================
HCC:V3 Boiling Pt:B.P. Text:GAS Vapor Pres:2000-2800 Spec Gravity:0.68 Evaporation Rate & Description of the Colon of the

======== Stability and Reactivity Data =========

Stability Indicator/Materials to Avoid:YES **OXIDIZING MATERIALS**

Stability Condition to Avoid:NONE
Hazardous Decomposition Products:INCOMPLETELY BURN

ED CARBON PRODUCTS.

======= Disposal Considerations ============

Waste Disposal Methods: CANS UNDER PRESSURE. DO NOT PUNCTURE OR INCINERATE. DISPOSE OF ACCORDING TO FEDERAL, STATE, AND LOCAL LAWS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.