

DEXTER CORP HYSOL DIV -- FREKOTE 55 NC AEROSOL -- 3680-01-101-3999

===== Product Identification =====

Product ID:FREKOTE 55 NC AEROSOL

MSDS Date:10/17/1997

FSC:3680

NIIN:01-101-3999

MSDS Number: CGXDF

=== Responsible Party ===

Company Name:DEXTER CORP HYSOL DIV

Address:164 FOLLY MILL RD

City:SEABROOK

State:NH

ZIP:03874

Country:US

Info Phone Num:603-474-5541

Emergency Phone Num:603-474-5541/800-424-9300(CHEMTREC)

CAGE:1JB33

=== Contractor Identification ===

Com

pany Name:BAY TOOL AND SUPPLY INC

Box:UNKNOWN

CAGE:076G7

Company Name:DEXTER CORP THE HYSOL DIV

Address:1 DEXTER DR

Box:City:SEABROOK

State:NH

ZIP:03874

Country:US

Phone:603-474-5541/FAX: 603-474-5545

CAGE:1JB33

===== Composition/Information on Ingredients =====

Ingred Name:MINERAL SPIRITS/ISOPARAFFINIC HYDROCARBON SOLVENT

CAS:64475-85-0

RTECS #:PY8240000

Fraction by Wt: 76-80%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 AS OIL MIST

ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred

Name:POLYMERIC RESIN
Other REC Limits:NONE RECOMMENDED

Ingred Name:PROPANE
CAS:74-98-6
RTECS #:TX2275000
Fraction by Wt: 18-20%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:1000 PPM
ACGIH TLV:ASPHYXIAN; 9596

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES: CAN CAUSE IRRITATION. SKIN:
PROLONGED OR REPEATED CONTACT CAN CAUS
E IRRITATION. INHALATION:
CAN BE IRRITATING TO THE RESPIRATORY SYSTEM. EXCESSIVE EXPOSURE CAN
CAUSE DIZZINESS, NAUSEA, HEADACH ES, AND OTHER CENTRAL NERVOUS
SYSTEM EFFECTS. INGESTION: CAN CAUSE GASTROINTESTINAL IRRITATION.
Effects of Overexposure:EYES: IRRITATION. SKIN: IRRITATION.
INHALATION: IRRITATION. INGESTION: NAUSEA, VOMITING OR DIARRHEA.

===== First Aid Measures =====

First Aid:EYES:FLUSH WITH WATER FOR 15 MIN. WHILE HOLDING EY
ELIDS OPEN.
SEEK MEDICAL ATTENTION. SKIN:FLUSH AFFECTED AREA WITH WATER
IMMEDIATELY. REMOVE CONTAMINATED CLOTHING. WASH SKIN THOROUGHLY
WITH SOAP AND WATER. INHALATION:REMOVE TO FRESH AIR. CALL
PHYSICIAN. IF NOT BREATHING, GIVE MOUTH-TO-MOUTH RESUSCITATION. IF
BREATHING IS DIFFICULT, GIVE OXYGEN. INGESTION:DO NOT INDUCE
VOMITING. CALL PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point:FLAMMABLE
Extinguishing Media:FOAM, DRY CHE
MICAL OR CARBON DIOXIDE
Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS AND
PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING FIRES INVOLVING
CHEMICALS.
Unusual Fire/Explosion Hazard:WARNING! CONTENTS UNDER PRESSURE. KEEP
AWAY FROM HEAT, FLAMES, AND SPARKS. KEEP AWAY FROM HOT SURFACES.

===== Accidental Release Measures =====

Spill Release Procedures:CLEAR AREA. PROVIDE ADEQUATE VENTILATION.
COLLECT WITH ABSORBENT AND PROVENT RUN-OFF. REMOVE

ALL POTENTIAL

IGNITION SOURCES. USE APPROPRIATE PROTECTIVE EQUIPMENT.

===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM HEAT. AVOID OPEN FLAMES AND SPARKS. KEEP CONTAINER TIGHTLY CLOSED. STORAGE SHOULD BE IN COMPLIANCE WITH NFPA AND OSHA REGULATIONS.

Other Precautions:AVOID CONTACT WIT SKIN AND BREATHING OF VAPORS. VOC CONTENT- 718 G/L OF MATERIAL. PHOTOREACTIVE (A-99%). FLAMMABLE MATERIAL PER METHOD ASTM D 3065-72.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH RECOMMENDED RESPIRATORS APPROPRIATE FOR THE AIRBORNE LEVELS GENERATED.

Ventilation:AS REQUIRED TO CONTROL CONTAMINATION.

Protective Gloves:SOLVENT RESISTANT.

Eye Protection:CHEMICAL SPLASH GOGGLES.

Other Protective Equipment:USE IMPERVIOUS CLOTHING IF NECESSARY.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:V3

Boilin

g Pt:B.P. Text:GAS

Vapor Pres:2000-2800

Spec Gravity:0.68

Evaporation Rate & Reference:2 (N-BUTYL ACETATE=1)

Solubility in Water:INSOLUBLE

Appearance and Odor:CLEAR, COLORLESS, MILD

Percent Volatiles by Volume:99.4

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZING MATERIALS

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:INCOMPLETELY BURNED CARBON PRODUCTS.

===== Disposal Consideratio

ns =====

Waste Disposal Methods:CANS UNDER PRESSURE. DO NOT PUNCTURE OR
INCINERATE. DISPOSE OF ACCORDING TO FEDERAL, STATE, AND LOCAL LAWS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing

this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.