

AT AND T TECHNOLOGIES GENERAL HQ -- 105225346 EPOXY RESIN PART A FOR CONSUMABLE  
KIT -- 6080-01-358-9686

===== Product Identification =====

Product ID:105225346 EPOXY RESIN PART A FOR CONSUMABLE KIT

MSDS Date:05/18/1993

FSC:6080

NIIN:01-358-9686

Kit Part:Y

MSDS Number: CHHVQ

=== Responsible Party ===

Company Name:AT AND T TECHNOLOGIES GENERAL HQ

Address:1 OAK WAY

City:BERKELEY HEIGHTS

State:NJ

ZIP:07922-2727

Country:US

Info Phone Num:908-204-8243

Emergency Phon

e Num:908-204-8243/800-424-9300(CHEMTREC)

CAGE:1D306

=== Contractor Identification ===

Company Name:ANICOM,INC (800-332-2412)

Box:UNKNOW

CAGE:0JUX7

Company Name:AT AND T TECHNOLOGIES GENERAL HQ

Address:1 OAK WAY

Box:City:BERKELEY HEIGHTS

State:NJ

ZIP:07922-2727

Country:US

Phone:201-771-2000/908-204-8243

CAGE:1D306

Company Name:LUCENT TECHNOLOGIES

Address:2000 NE EXPY

Box:UNKNOW

City:NORCROSS

State:GA

ZIP:30071

Country:US

Phone:770-798-3846

CAGE:1K705

===== Composition/Information on In

gredients =====

Ingred Name:N-BUTYL GLYCIDYL ETHER

CAS:2426-08-6

RTECS #:TX4200000

Other REC Limits:25 PPM

OSHA PEL:25 PPM

ACGIH TLV:25 PPM

Ingred Name:AMORPHOUS SILICA GEL 96-1

CAS:7631-86-9

Other REC Limits:TLV 10 MG/M3

OSHA PEL:6 MG/M3

ACGIH TLV:10 MG/M3

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Hea

lth Hazards Acute and Chronic:IRRITATING TO SKIN AND EYES. CHRONIC EXPOSURE MAY CAUSE SKIN SENSITIZATION.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:IRRITATING TO SKIN AND EYES. CHRONIC EXPOSURE MAY CAUSE SKIN SENSITIZATION.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHIN

G. FLUSH SKIN WITH

LARGE AMOUNTS OF WATER AND WASH WITH SOAP AND WATER, HAND CLEANER, RUBBING ALCOHOL. DON'T USE OTHER SOLVENTS TO REMOVE MATERIAL FROM SKIN. IF IRRITATION PERSIST, GET MEDICAL ATTENTION. INHALATION: MOVE TO FRESH AIR. GET MEDICAL ATTENTION, IF NEEDED. INGESTION: GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point:200F,93C

Lower Limits:0.4

Upper Limits:1.3

Extinguishing Media:DRY CHEMICAL OR HALON FIRE EXT

INGUISHER, WATER  
SPRAY, FOG, FOAM.

Fire Fighting Procedures:USE SELF CONTAINED BREATHING APPARATUS WHEN  
FIGHTING FIRES IN CONFINED AREAS.

Unusual Fire/Explosion Hazard:DENSE SMOKE AND TOXIC GASES MAY BE  
PRODUCED UPON COMBUSTION.

===== Accidental Release Measures =====

Spill Release Procedures:SCRAPE UP AND TRANSFER TO METAL CONTAINER FOR  
DISPOSAL. USE RAG OR PAPER TOWEL WITH DETERGENT TO WIPE AND CLEAN  
OFF REMAINING RESIDUE.

Neutralizing Agent:NO  
NE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL DRY PLACE. DON'T MIX  
IN BATCHES OF GREATER THAN 1 LB TOTAL. DO NOT HEAT MATERIAL UNLESS  
CURING SURFACES ARE TO BE BONDED.

Other Precautions:FAILURE TO OBSERVE CAUTIONS MAY RESULT IN EXCESSIVE  
HEAT BOIL-UP WITH THE RELEASE OF TOXIC GASSES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQ  
UIRED IF VENTILATION IS SUFFICIENT.

Ventilation:LOCAL EXHAUST VENTILATION IS RECOMMENDED. GENERAL  
VENTILATION MAY BE ACCEPTABLE.

Protective Gloves:IMPERVIOUS PLASTIC OR RUBBER REQUIRED.

Eye Protection:SAFETY GLASSES W/SIDE SHIELDS/GOGGLES

Other Protective Equipment:AS NEEDED TO PROTECT SKIN AND CLOTHING.

Work Hygienic Practices:WASH HANDS AFTER HANDLING AND BEFORE EATING,  
DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

KEY1:N1. THIS ENTRY

DESCRIBES PART A OF A TWO PART KIT. SEE THIS SAME  
NSN, P/N IND B, FOR PART B DATA.

===== Physical/Chemical Properties =====

HCC:B2

Boiling Pt:B.P. Text:284F,140C

Vapor Pres: