

AT AND T TECHNOLOGIES GENERAL HQ -- 105225346 EPOXY RESIN PART A FOR CONSUMABLE
KIT -- 6080-01-358-9686

===== Product Identification =====

Product ID:105225346 EPOXY RESIN PART A FOR CONSUMABLE KIT

MSDS Date:05/18/1993

FSC:6080

NIIN:01-358-9686

Kit Part:Y

MSDS Number: CHHVQ

=== Responsible Party ===

Company Name:AT AND T TECHNOLOGIES GENERAL HQ

Address:1 OAK WAY

City:BERKELEY HEIGHTS

State:NJ

ZIP:

07922-2727

Country:US

Info Phone Num:908-204-8243

Emergency Phone Num:908-204-8243/800-424-9300(CHEMTREC)

CAGE:1D306

=== Contractor Identification ===

Company Name:ANICOM,INC (800-332-2412)

Box:UNKNOWN

CAGE:0JUX7

Company Name:AT AND T TECHNOLOGIES GENERAL HQ

Address:1 OAK WAY

Box:City:BERKELEY HEIGHTS

State:NJ

ZIP:07922-2727

Country:US

Phone:201-771-2000/908-204-8243

CAGE:1D306

Company Name:LUCENT TECHNOLOGIES

Address:2000 NE EXPY

Box:UNKNOWN

City:NORCROSS

State:GA

ZIP:30071

Country:US

Phone:770-7

98-3846
CAGE:1K705

===== Composition/Information on Ingredients =====

Ingred Name:N-BUTYL GLYCIDYL ETHER
CAS:2426-08-6
RTECS #:TX4200000
Other REC Limits:25 PPM
OSHA PEL:25 PPM
ACGIH TLV:25 PPM

Ingred Name:AMORPHOUS SILICA GEL 96-1
CAS:7631-86-9
Other REC Limits:TLV 10 MG/M3
OSHA PEL:6 MG/M3
ACGIH TLV:10 MG/M3

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:IRRITATING TO SKIN AND EYES. CHRONIC EXPOSURE MAY CAUSE SKIN SENSITIZATION.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:IRRITATING TO SKIN AND EYES. CHRONIC EXPOSURE MAY CAUSE SKIN SENSITIZATION.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. FLUSH SKIN WITH LARGE AMOUNTS OF WATER AND WASH WITH SOAP AND WATER, HAND CLEANER, RUBBING ALCOHOL. DON'T USE OTHER SOLVENTS TO REMOVE MATERIAL FROM SKIN. IF IRRITATION PERSIST, GET MEDICAL ATTENTION. INHALATION: MOVE TO FRESH AIR. GET MEDICAL ATTENTION, IF NEEDED. INGESTION: GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point:200F,93C
Lower Limits:0.4
Upp

er Limits:1.3

Extinguishing Media:DRY CHEMICAL OR HALON FIRE EXTINGUISHER, WATER
SPRAY, FOG, FOAM.

Fire Fighting Procedures:USE SELF CONTAINED BREATHING APPARATUS WHEN
FIGHTING FIRES IN CONFINED AREAS.

Unusual Fire/Explosion Hazard:DENSE SMOKE AND TOXIC GASES MAY BE
PRODUCED UPON COMBUSTION.

===== Accidental Release Measures =====

Spill Release Procedures:SCRAPE UP AND TRANSFER TO METAL CONTAINER FOR
DISPOSAL. USE RAG OR PAPER TOWEL WITH DETERGENT TO
WIPE AND CLEAN
OFF REMAINING RESIDUE.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL DRY PLACE. DON'T MIX
IN BATCHES OF GREATER THAN 1 LB TOTAL. DO NOT HEAT MATERIAL UNLESS
CURING SURFACES ARE TO BE BONDED.

Other Precautions:FAILURE TO OBSERVE CAUTIONS MAY RESULT IN EXCESSIVE
HEAT BOIL-UP WITH THE RELEASE OF TOXIC GASSES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED IF VENTILATION IS SUFFICIENT.

Ventilation:LOCAL EXHAUST VENTILATION IS RECOMMENDED. GENERAL
VENTILATION MAY BE ACCEPTABLE.

Protective Gloves:IMPERVIOUS PLASTIC OR RUBBER REQUIRED.

Eye Protection:SAFETY GLASSES W/SIDE SHIELDS/GOGGLES

Other Protective Equipment:AS NEEDED TO PROTECT SKIN AND CLOTHING.

Work Hygienic Practices:WASH HANDS AFTER HANDLING AND BEFORE EATING,
DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

KEY1:N1. THIS ENTRY DESCRIBES PART A OF A TWO PART KIT. SEE THIS SAME
NSN, P/N IND B, FOR PART B DATA.

===== Physical/Chemical Properties =====

HCC:B2

Boiling Pt:B.P. Text:284F,140C

Vapor Pres: